

Company WEBSTER MYERS
 Address HUNTINGTON, W. VA.
 Farm W. H. ALLEN, ET AL.
 Tract _____ Acres 123 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 735
 Quadrangle GUYANDOT-SW
 County WAYNE District UNION
 Engineer A. G. Ewing
 Engineer's Registration No. 309
 File No. _____ Drawing No. _____
 Date 7-8-59 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. WAY-1211

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

No Sampler 5-6 229 Deep Well



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 24

WELL RECORD

Quadrangle Yupondot
Permit No. Way-1211


Oil or Gas Well Gas
(KIND)

Company Welster Myers (Christian Gas Company)
Address 1614 7th Ave Huntington, W. Va.
Farm W.H. Allen Acres 123
Location (waters) Big Creek
Well No. 1 Elev. 735
District Union County Wayne
The surface of tract is owned in fee by W.H. Allen
RFD Wayne, W. Va. Address
Mineral rights are owned by Same
Address
Drilling commenced 7/20/59
Drilling completed Nov 7, 1959
Date Shot 11/7/59 From 3830 To 3883
With 550 lbs Gas Well B & 400 lbs Gel.
Open Flow 12 /10ths Water in 2 Inch
/10ths Merc. in _____ Inch
Volume 144,000 Cu. Ft.
Rock Pressure 1100 lbs. 43 hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water 60 feet _____ feet
Salt water 1100 feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Steel Shoe Wall & Anchor Kind of Packer
16		20	
13	149	149	
10	1552	1552	Size of <u>8 1/2 x 16"</u>
8 1/4			<u>3" x 8 1/4" x 24"</u>
6 5/8			Depth set _____
5 1/8	3965	3965	<u>1552-Shoe</u>
3			<u>3645 packer</u>
2			Perf. top _____
Liners Used <u>83 feet</u>	<u>7" 3883</u>	<u>3800</u>	Perf. bottom <u>3883</u>
			Perf. top <u>3860</u>
			Perf. bottom _____

CASING CEMENTED none SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT none FEET _____ INCHES _____
FEET _____ INCHES FEET _____ INCHES
FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	20			
Slate			20	40			
Sand			40	70			
Slate			70	100	Water at 60feet		
Red Rock			100	115			
Slate			115	120			
Red Rock			120	130			
Slate			130	190			
Sand			190	220			
Slate			220	280			
Sand			280	300			
Slate			300	360			
Sand			360	400			
Slate			400	480			
Sand			480	500			
Slate			500	545			
Sand			545	575			
Slate			575	700			
Sand			700	770			
Slate			770	990			
Salt Sand			990	1160	Hole full water 1100		
Slate			1160	1243			
Little Lime			1243	1262			
Slate			1262	1267			
Sandy Lime			1267	1380			
Big Lime			1380	1450			
Keener Sand			1450	1480			
Injun Sand			1480	1505			
Slate			1505	1528			
Shale			1528	1570			
Slate & Shells			1570	2111			
Coffie Shale			2111	2124			
Berea			2124	2138			
Slate & Shells			2138	2225			
Brown Shale			2225	2325			
Slate & Shells			2325	2450			
Brown Shale			2450	2500			
Slate & Shells			2500	2540	over		



(Over)

Formation	Color	Hard or Soft	Top ²⁴	Bottom	Oil, Gas or Water	Depth Found	Remarks
Brown Sand Shale			2540	2610	Gas show	3355-Water	3375
Slate			2610	2650			
Brown Shale			2650	2750			
Slate			2750	2790			
Brown Shale			2790	2970	Show of gas	3830- 3855	
White Slate			2970	3138	Gas pay	3840 3855 10/10	Water 2"
Brown Shale			3138	3183	before shot.	= 133 MCF	
Corniferous Lime			3183	3830			
Big Six			3830	3883			
Slate			3883	3965	total depth	3965	
					Knocked off bit in shot hole 3896 to 3883 left in hole		
					Hole filled with aquagel between 8" Casing & 3" Tubing		
					$\begin{array}{r} 3183 \\ 735 \\ \hline 2448 \end{array}$		

Date 12/14/59, 19

APPROVED _____, Owner

By Walter Meyer
(Title)