

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES, Charleston, W. Va.	
Gordon A. Fletcher	OWENS, LIBBEY-OWENS GAS DEPARTMENT
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR
140 Cedar St., Suite 1215 New York 6, New York	P. O. Box 4168, Charleston 4, W. Va.
ADDRESS	COMPLETE ADDRESS
	April 19, 19_60
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
	Grant District
ADDRESS	Wayne
OWNER OF MINERAL RIGHTS	Well No. 15 (Serial No. 1098) 82°/56.96
ADDRESS	F. E. Mathewson
GENTLEMEN:	151. Lacres
The undersigned well operator is entitled to dri	ill upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the case m	
o , and the case in	Frank E. Mathewson & wife
Owens Bottle Co. & Libbey-Owens Sheet Gla	ass Co.
September, 1927	and recorded on theday
Book 10 , page 185 .	the office of the County Clerk for said County in
of coal beneath said farm or tract of land on which sai aries of the same, who have mapped their workings ar	believes there are no coal operators operating beds d well is located, or within 500 feet of the bound- and filed their maps as required by law, excepting the
The above named coal operators or coal owners (if desire to make to such proposed location, or which they the drilling of a well at said proposed location will cause coal mines, must be received by, or filed with the Departn a copy of this notice and accompanying plat by said De that forms for use in making such objections will be furner on request and that all such objections must set forth as grounds on which such objections are based and indicate the moved to overcome same.	any) are notified that any objections they may are required to make by Section 3 of said Code, if a dangerous condition in or about their respective ment of Mines within ten* days from the receipt of epartment. Said coal operators are further notified arnished to them by the Department of Mines promptly definitely as is reasonably possible the ground or
(The next paragraph is to be completed only in	
	nailed by registered mail, or delivered to the above
named coal operators or coal owners at their above she KY on the same day with the mailing or delivery of the West Virginia.	own respective address this day hefore, his copy to the Department of Mines at Charleston,
	uly yours,
	OWENS, LIBBEY-OWENS GAS DEPARTMENT
	WELL OPERATOR
2000	P. O. Box 4168
Address Address	STREET
Well Operator	Charleston 4,
APR 960 3	CITY OR TOWN 08/25/2023
P RECEIVED	West Virginia
WEST VIRGINIA	STATE

*Section 3. I. If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

WAY-1275

PERMIT NUMBER



ANDREW THEW TO THE

DEPARTMENT OF MINES

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

OWENS, LIBERY-CWENS HAS EXPARENT	Cordon A. Fletcher
P. D. Box 4168, Charleston 4, W. Va.	Com onservans some consovers 140 Cedar St., Suite 1215 New York 5, New York
April 19, 60	
tarded	Weisens
* 78 88. (3001 .010 Laires) 71 . 1098) West 15	
F. D. Mathewson	
to drill upon the above named larm or tract of lead for to	
Case may be) under grant or lease dated March 10, 1927.	
nadeby Frank E. Mathewson & Wife to Start U.	Owers Botale Go. & Libber-Ovens Shee
t Glass Co and recorded on the little day	Septembery 1927
	Bock 1.0 page 185
tent engineer and shows the proposed location of a well sell operator on the farm and in the Magisterial District and courses and distance from two permanent points, or	
and believes there are no real quarters operating heds lob said well is beated or within 500 feet of the bound ones and filed their maps as required by law, excepting the real as addressees.	
one if any) are notified that any objections they may they are required to make by Section 3 of said Code, if a case a dangerous condition in or about their respective begariment of Mines withington. days from the receipt of aid Dapartment. Said coal operators are further notified to them by the Department of Mines promptly the furnished to them by the Department of Mines promptly as a definitely as is reasonably possible the ground or itself the direction and distance the proposed location should	The above caned cost operators or roal own desire to make to such proposed togation, or which its dealling of a well in said proposed location will post mines toust be received by, or filed with the I a copy of this notice and accompanying plat by a that forms for use is making such officialisms will on request and that all such of ections saust set to
were mained by registered mail, or delivered to the above ore shown respective address thing day thing	
	XX on the same day with the mailing of deliver. West Virginia.
OWENS, LIBERY-OWENS GAS DEPARTMENT	
vant ortawoe P. O. Box 41.03	
i dates (vo.7)	
West Virginia	08/25/2023
ATATE	

"Section 7. If the sections be test or be found by the department of unions within said period of the department of unions, to said proposed location, the department of unions, to said proposed location, the department shall forthwrite issue to the well operator a drilling permit receiving the filling of such plat, that no objections have been made by the capartment, and limit the name is numerically and limit to the location, or found inserts by the capartment, and limit the name is numerically and limit to the order to drill at said location.

Y-1273 Penson Livere

Formation	Color	Hard or Soft	Top / 9	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand, Bro.	Dark	Med.	900.	915	MOROEN OF	al. in Ay H	B1
Sand	White	Hard	915	978	Gas show at	9351	
Send	WITTE OF	TO Z.C	7308	633	Gas 937'		173 cu.ft
Bend	MILTOG	Noc.	155	1.458	6-1-60		
Slate	Dork White	1100.	ACC 1		Gas 972'	Late To Telephone	1095 cu.ft.
Scad		Nec.	705	1-3	Gas 975'		360 MCF
Sand A	MALTE			sud C	Test 978'	Lee Con DIMIT	259 MCF
Slate	White !	. 501.16	1 660	105	6-2-60	Anni-stubisti	
Slate	Dear	EOE¢	2-2		Installed 8	-5/8" csg. at	978' with
Sand	GICY	Nec*		0:0			r. & Parmaco
n-mag	Lancata de la constante de la	micer.	000			set at 926-9	
Sand	Grey	Med.	978	983			
Sand			983	998		Frank Look	
Salt Sand	Dark	Hard	998	1020	Settling Sa	nd & water,	98-1015'
67701 Ac	70770	mee.	100	TO TO	Test in 12		109 MCF
Sand	Dark	Hard	1020	1031			
Slate Break	Dark	Med.	1031	1049			
Slate	Dark	Soft	1049	1072			
Sand	Dark	Med.	1072	1095			
Settling Sand	The state of the s	Hard	1095	1125	Water 1095-	lllo', hole f	ull
ocouring pan	. IIII oc	11011	10))			ely drowned	
Sand	White	Med.	1125	1160	E 30 7 60		
Sand	White	Hard	1160	1192	. Water in sa	nd, enough to	drill with
Slate	Dark	Med.	1192	1222			1
Sl & Shls	Dark	Med.	1222	1253	Noter 240-2	50', 2 BPH	
Bro.Sand	Dark	Med.	1253	1287	Water level	370' at 1282	
Sand	White	Med.	1287	1337	110001 10101	310 00 120	
Slate	Dark	Med:	1337	1347			
Sand, Bro.	Dark	Med.	1347	1354	1		
Sand	Dark	Med.	1354	1385			
Maxton Sand	Light	Med.	1385	1414	A Sept. Track		
Slate	Dark	Med.	1414	1421			
Little Lime	Black	Hard	1421	1462			7. t
Big Lime	White	Hard	1462	1477	Nater 25-35	' I/S BEH	
Slate Break	Dark	Med.	1477	1480			
Big Lime	White	Hard	1480	1570	6-18-60		
DIS TIME	MILLOG	11GT C	1400	TO LOCAL		" csg. at 149	00' with
No. 1000 Law Library			(as Anchor Pk	
Salt water - 22		1000 020			981 to 985	and "Oilwell"	' Midget Bottom
Lidge Assign en	37	1990 - 200	10		Hole Pkr. s	et from 1488	to 1490'
310	301	. 5,075	101	190 4	30 Min. aft	er blowing we	11: 1162 cu.ft
477					Gas at 1548		59.1 MCF
Gritty Lime	Dark	Hard	1570	1576	GGD GG 1719		
A STATE OF THE PARTY OF THE PAR	Dark	Hard	1576	1593	Test 1583'		29.3 MCF
Lime	Dark	naiu	1)10	1773	Gas 1593'	100	44.3 MCF
Oren 40on	Mares were.	9	1901		Gas 1610'		49.5 MCF
	Dowle	Med.	1593	1622	Gas 1618'		52. MCF
Lime 3000	Dark Dark	Hard	1622	1641	GGD TOTO		7
Lime		Hard	1641	1645			
Grey Injun	Dark	Med.	1645	1660		-12 m	ock of the control of
Grey Injun	Dark		1660	1676	6-27-60	00100	
Red Rock	Red	Med.	1676	1720	Test 28-39	Unc	31.3 MCF
Grey Injun	Grey	Med.				urs.	OS- DIT. O MOL
Slate	Dark	Soft	1720	1723	6-29-60	10016	23.5 MCF
Slate	Dark	Med.	1723	1930	Test 1930'	Color TM 30	
The auriacs of the	or is dwined in	gad DX	7020	2062	SIM 1930 =	Sand LM 19)T
Sl & Shls	Dark	Med.	1930	1961	-	17.1	O-Difference
Slate	Dark	Med.	1961	2073			TWELL COR MICH
Lime Shells	Grey	Hard	2073	2089		K.	CX +3 (1)4
Slate	Dark	Med.	2089	2215			1330-31-256
Br. Shale	Dark	Med.	2215.	2218			Hell. Dobbon He
Br. Shale	Brown	Med.	2218	2254	752.5000.000	ANDRESS DATES	2.20
Berea	Grey	Hard	2254	2285	2 0000 00	1053 00001	00 7 100
Berea 10	Dark	Hard	2285	2288	Daily tests	1951-2288'	22.1 MCF
					SIM 2288 =	Sand LM 22	
Parents No - Nos	-1275		0000	onol.	Test 2288'	till at Out V	19.2 MCF
Sl & Shls	White	Med.	2288	2304		0010	5/2023

APPROVED OWENS, LIBBEY-OWENS GAS DEPARTMENT, Owner

By
A. H. Smith, Mgr. (Title) Land, Engrg. & Geol.



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION /9

Quadrangle Wayne WELL RECORD Permit No. Way-1275 Oil or Gas Well_ Parmaco Anchor Pkr. 8-5/8x10-3/4x16 926-930 ackers Company OWENS, LIBBEY-OWENS GAS DEPARTMENT Used in Drilling Left in Well Casing and Address P. O. Box 4168, Charleston, W. Va. Tubing F. E. Mathewson 011well" Bottom Hol 8-5/8x10-3/4x16 151.4 Size 074-078 Kind of Packer "oilwell"Gas Anchor Location (waters). Well No. 15 (Serial No. 1098) 16 Elev901.27 "oilwell"Gas 7x8-5/8x16 si281-985 13___ District Grant 10-3/4 301'1" 301'1" The surface of tract is owned in fee by_ Midget Bottom Hole 7x8-5/8x8
Depth set 1488-1490 977'10" 977'10" 8 15/8 Address 956 7 148915" 1489'5" Mineral rights are owned by_ Lessor Address 5 3/16_ 967 227315" 5-16-60 3-1/2 Perf. top_ Drilling commenced_ 974 7-22-60 Perf. bottom_ Drilling completed___ Date Shot 7-26-60 From 2750 3067 Liners Used Perf. top. With 3000# Trojan Powder Perf. bottom. Open Flow /10ths Water in_ Inch CASING CEMENTED /10ths Merc. in_ Inch Volume Big Lime 16 MCF; Br. Shale 317 M __Cu. Ft. Rock Pressure B.L. 210; Br. Shes. 240#24 COAL WAS ENCOUNTERED AT 40 FEET 24 _bbls., 1st 24 hrs. 190 FEET 48 Fresh water 25-35' feet 240-250' INCHES FEET INCHES feet 998-1015 . 1095-1110

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface	Light	Soft	0	15			
Slate	Light	Soft	15	40	Water 25-35	1 1/2 BPH	
Coal	Dark	Soft	40	42	Madel 2)-3)	, -/	
	Light	Soft	42	100			
Slate	White	Soft	100	110	and the second		
Sand		Med.	110	175			
Sand	Grey	Med.	175	190		San San San	
Sand	Dark		190	194			
Coal	Blue	Med.	194		- Armen	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Slate	Dark	Med.		215	Werer Level	370' at 128	5
Slate	Light	Soft	215	260	Tinton Olio C	EOI O PITT	
Sand	White	Med.	240		Water 240=2	50. ' 5 BbH	
Sand	Grey	Med.	260	301	77-1		_ 3-47744
Sand	Light	Hard	301	316		nd, enough t	o arill with
					5-20-60	0 0 /1.11	2071
eccine ca	S ABSEC	MERG	2017	TIN	Installed 1	0-3/4" csg.	at 30T, on a
Slate	Dark	Soft	316	339			
Slate	Dark	Med.	339	369			
Slate	Light	Soft	369	390			
Sand	White	Med.	390	415			
Slate	Dark	Med.	415	440	Made To Ne	BL2:	TAA N
Sand	White	Med.	440	470	CLETTER PO	10111000	Nao-morro
Slate	Dark	Med.	470	490	1	010111E1373	
Sl & Shls	Light	Med.	490	565	4	0 0	53
Slate	Dark	Med.	565	600	A CONTRACTOR OF THE CONTRACTOR	AUG 1960	21
Sand	Grey	Med.	600	615	Refe		- 3
Slate	Dark	Med.	615	640	183	RECEIVED	12618
Slate	Dark	Soft	640	660	len len	WEST VIRGINIA	200
Sand	White	Solid	660	705	The same of the sa	DEPT. OF MANOS	20000
Sand	White	Med.	705	715	1	00/2	26/2023
Slate	Dark	Med.	715	755	Arm lie	C8212070216	7020
Sand	White	Med.	755	767		6000	1005 94
Sand	White	Hard	767	798	45.1 L(O		-10.00
Sl & Shls	Dark	Med.	798	832	G + 9 C 3 3 1	13.73	272 0
Slate	Dark	Med.	832	900	5-27-60	403E1	
SALES LAND	2,7147	AN14		Oue	Water 64	gal. in 17 H	rc

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
			THAT IS NOT THE				
					F-27-60 Shuc-th ra	30° thg. at	p:03 B'W' 30
	*		1770 see		1-51-60		333. MCF
	Sept.				194	Susie	Fil. No.
					30	Title-	16. MCP
					Figel Open	MJOA:	
					"Olivell" I	oomenl Fir	801 2272-2260
		•			Trebelles :	in coping a	S272* With
			т.		23 Hra.	a t	316. 161
1					15 Min.	Agter Shot:	489. HOY
		Total Del	on Arter Sho	\$ 2620	Tron 2150	6 3067 (12) shot:	Sant MCK
			Sotal Bept	P STyto	Char well a	4th 3000 th	ofen roscer
Bri Shale	Drown	Med.	33.0.5	37/10	GES 3925'		Sil. Wer
					1-30-00		Seg: Not
					Com 2931		83. 1107
Shele	Derk	Mec.	52.93	3115	FIN 2018	2020 IN 3	12
Sizell wlate	Dark	. Med.	2673 2604	5480 568/F	, /		1
Slate	Bork	Med.	5635	5043 .			
Slate	Light	McG.	2399	5775 5701			
Er, Ebale	Derk	Med.	5310	5399	and the second		
El & Shie Er. Shale	brown -	Fed.	2332	2332 2316			
	and the second	208	100		Description of the second	and the second second	3949163 a
				The second second			
	71-12-	104	Section 1991			es de Part Albe. Companya da Alberta da Alberta de Alberta d	E TROPES
		10-10-1	ppe, 180 to he		MOOTH LITERS	TI EIE	MOLLÀ
		J. Julia	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			•	
	Hittis Merc		100)	CVSEACLEM	SMALEOTT B	RATE TO 1) Date:
	Antile Water		186B				r gorjow
	F1070	100	71			y	roo — Tali
Tiriling complete							f. botum ni ji ja ja
		erddryen y ganta					
	oming pa		•			109	kip side
	602.10 0261164 11.	Address.		16 TO TO	X	# 	
	TIC	conuty (C2)	ic that is				
Lorson (Malers	(Seritl No	1098)	907.27				SALLEGOLICE CONT.
F. E	. Mathewso		Top Terry				
Audres F.	o. Box Wie	3, Cheflesto	а , и. Уз.	Castar and Tubing	Political of	PAGE TO	Packers.
One One	S, LIDEN	OTTE CVS D	PSVICTBUAL				
	**************************************		co	Anthrea		Oil se Gas F	(vi) CVS
(Apparatuals)	2023G		AMAT _{es} t, i	the say had had been		08/2	5/2023

Date August 9 , 19 60
APPROVED OWENS, LIBBEY-OWENS GAS DEPARTMENT, Owner

By A. H. Smith, Mgr. (Title) Land, Engrg. & Geo



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION 19 A

Wayne Quadrangle __

WELL RECORD

Permit No	Way-1275	e 1		RECORE)	Oil or (Gas Well	GAS (KIND)	
Address P.	0. Box 4168	-OWENS GAS I		Casing and Tubing	Used in Drilling	Left in Well		Packers	
Farm	E. Mathewson		Acres 151.4	Size					
	(Comical No.	7,009)	001 07	16			Kind of	Packer	
Well No. 15	(Serial No.	7.7	Elev. 901.27				- Kind of	Packer	
DistrictG	rant	CountyWaj	yne	13					
				10			_ Size of_		
		Address		81/4					
Mineral rights a	re owned by		•	6%			_ Depth s	set	
		Address		5 3/16			7 64-		
								p	
				2		-		ottom	
		тт		Liners Used				p	
	4				-		Perf. bo	ttom	
Open Flow	/10ths Water	in	Inch						
	_/10ths Merc.	in	Inch	CASING CEM	ENTED	SIZE	_No. Ft		_Dat
Volume	1 3		Cu. Ft.						
			hrs.	COAT WAS E	NCOUNTERED	A TD	ਧਾਕਾਕ	IN	CHE
Oil			bbls., 1st 24 hrs.						
Fresh water	100		feet		TINCH	IES	FEET_	IN(CHE
Salt water		feet	feet	FEE	TINCH	IES	FEET_	IN	CHE
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found		Remark	5
Sl & Shls	Light	Med.	2304	2332				4	
Br. Shale	Brown	Med.	2332	2378					
Br. Shale	Dark	Med.	2378	2388					
Slate	Light	Med.	2388	2407	12				
Slate	White	Med.	2407	2612					
Slate	Dark	Med.	2612	2673 2684					
Shell Slate	Dark Dark	Hard Med.	2673 2684	2789			1		
Shale	Dark	Med.	2789	3115	SIM 2918	Sand I	M 2912		
) iale	Dear	Pico.	2100	رسيدن	Test 2896'			19.2	2 M
					Gas 2931'			83.	
	And the second				7-20-60			-(0	
	0.00		0775	calo	Gas 2980'			268.	
Br. Shale	Brown	Med.	3115	3140	Gas 3025'			277.	IVI
			Total Dept	p 3140	Shot well	Tri+h 3000	# Troi	en Powde	er
			TO OCCI. DOP	11)1.40	from 2750				
		Total De	oth After Sho	t 2820	Test Befor		' -	294.	
					" 15 Min.	After Sh		489.	M
					" 1 Hr.	State of the state		386.	
					" 23 Hrs.	11 11		316.	M
	1				7-27-60 Trestalled	ali tabir	2	0701 171	1-12
					Installed "Oilwell"	Hookwall	Pkr s	et. 2272	-22l
					OTTMETT	HOOKWOLL	INI	50 CC C	
					X 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
			1011212		Final Open				
		4.	01011K137473	1		Ig Lime	10/0E/	16.	
		A	9011213143		ы	r. Shale (J8/42/2	2025	M
		(0)	AUG 1960	50				333.	M
		4	OFIVED	9	7-27-60				
		23456	AUG 1960 RECEIVED WEST VIRGINIA	No.	Shut-in in		at 6:	03 P.M.	30
		100	DEPT. OF MINES	10	Hrs. after	shot.			
		V	DEPI. OF MINE	19					

FERC-121

1.0 API well number: (If not available, leave blank, 14 digits.)		47-099-	-1275		
Type of determination being sought: (Use the codes found on the front of this form.)		107 Section of NO	iPA .	NA Category Code	
3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)			NA .	feet	
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank.)	Name P. (ork Corporat O. Box 3711 rleston	W	V 25337 tate Zip Code	N/A Seller Code
5.0 Location of this well: [Complete (a) or (b).] (a) For onshore wells (35 letters maximum for field name.)	NA Field Nam Wayn County			WV State	
(b) For OCS wells:	<u>NA</u> Area Nam	Date of Lea		NA Block Number NA OCS Lease Number	
(c) Name and identification number of this well: (35 letters and digits maximum.)	F.E.	, Mathewson	15-1	L098	
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)	NA NA				
6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	Tenne Name	essee Gas Pi	peline Comp	any	018629 Buyer Code
(b) Date of the contract:			0 8 1 7 Mo. Day	8 ₁ 0 ₁ Yr.	
(c) Estimated annual production:	1		28.3	MMcf.	
		(a) Base Price (\$/MMBTU)	(b) Тах	(c) All Other Prices [Indicate (+) or (-).]	(d) Total of (a), (b) and (c)
7.0 Contract price: (As of filing date. Complete to 3 decimal places.)	1	2.404	3 2 4	0.0	2 7 2 8
8.0 Maximum lawful rate: (As of filing date. Complete to 3 decimal places.)		2 4 0 4	3.2.4	0.0	2 7 2 8
9.0 Person responsible for this application: Agency Use Only Date Received by Juris. Agency	Name	ence B. Men	2 2/	Corporat	te Attorney
Date Received by FERC		MAR 3 198		304) 342-8166 Phorie Number	<u>8</u> 8/25/2023

U.S. DEPARTMENT OF ENERGY Federal Energy Regulatory Commission Washington, D.C. 20426

APPLICATION FOR DETERMINATION OF THE MAXIMUM LAWFUL PRICE UNDER THE NATURAL GAS POLICY ACT (NGPA) (Sections 102, 103, 107 and 108)

PLEASE READ BEFORE COMPLETING THIS FORM:

General Instructions:

Complete this form if you are applying for price classification under sections 102, 103, 107 or 108 of the NGPA. A separate application is required for each well. If any reservoir qualifies for a category which differs from the category applicable to the producing well, separate applications must be made for the producing well and the reservoir. Complete each appropriate item on the reverse side of this page. The code numbers used in items 4.0 and 6.0 can be obtained from the Buyer/Seller Code Book. If there is more than one purchaser or contract, identify the additional information in the space below. Enter any additional remarks in the space below.

Submit the completed application to the appropriate Jurisdictional Agency as listed in title 18 of the CFR, part 274.501. If there are any questions, call (202) 275-4539.

Specific Instructions for Item 2.0, Type of Determination:

Section of NGPA	Category Code	Description	
102	1	New OCS Lease	
102	2	New onshore well (2.5 mile test)	
102	3	New onshore well (1,000 feet deeper test)	
102	4	New onshore reservoir	
102	5	New reservoir on old OCS Lease	
103	e de la companya de l	New onshore production well	
107	-	High cost natural gas	
108	<u>-</u>	Stripper well	

Other Purchasers/Contracts:

Contract Date	Purchaser	Buyer Code
(Mo. Day Yr.) 06/08/79	Industrial Gas Corporation	009283

Remarks:

AUG 1 2 1980	E WELGERS C:
Tug Fork Corp.	NA
est interest Tennessee Gas Pipeline Co.	018629
EE:	
Topertment of Mines, Dil & See Division Fil PETERMINATION FILE BUREER	
00331.107.099.1275	
Above Tile Number on all Communications	
lating to Tevernination of this Well	
THE THE DATE STEM AS COMPLETE OF SURE YEAR IS MYSSING	
<u>::-</u>	
FEFT-121 Trans not completed - line br.	
IV-1 /jent Lawrence B. Mentzer	
. SV-2 Well Fermit	
. IV.t Well Flat	• •
. 2V-31 Vell Fecore	
. 37-36 Ses-Dil Test: Ges Erly Wes Eil Fredwied?	
. TV-25 total Treferrior No Products	
. 19-40 to day Treduction Tays off line:	
. IV-18 :;; lication fir teriffication. ? -; fere?	
18 71 - 12 - 22 - 22 - 24 - 16 - 17 - 25 - 25 - 25 - 25 - 25 - 25 - 25 - 2	······································
filter: furvey	
Structure Map It-Milliap Well Tale	Carins
Cas Sinalistes	
5) Date contenced: 5/16/60 Date actificiel 7/26/60 Terre	
1) Trofuction Tepth: 2789/3/15; 2285/88; 1723/1930;	
5) Treturition Terration Shale; Berea; Slate; Lim	e
5) First Cycr. Flow: 317 mc fd	
11 Mar Tree 1.1. 240#	
() Caller Cas Test:	
7) Avg. Tails Era from Arrual Productions No. 1	rod
(E) Avg. Taily Gas from 10-day ending w71 - 120 days	08/25/2023
(E) Line Fresture: None ist	O from Daily Paper
(5) Oil Freduction: NO Fred Completion Teport	
7) Toes lease in control indicate enchanced receivery being dine	No
7) le atric de con d'annéel	
effectal well record with the forestreet confirm the admitted infer an	· Weso

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

Date		_, 19
Operator's Well No.	15-1098	
API Well No. 47 -	099	1275
State	County	Permit

WELL CLASSIFICATION FORM

HIGH COST GAS WELL

NGPA Section 107

	DESIGNATED AGENT Lawrence B. Mentzer
	ADDRESS P. O. Box 3711
	Charleston, W.Va. 25337
WELL OPERATOR Tug Fork Corporation ADDRESS P. O. Box 3711	Watershed N/A
Charleston, W. Va. 25337	Dist. Grant County Wayne Quad. Wayne
GAS PURCHASER Tennessee Gas Pipeline Compa	Contract No. TF-1
Houston, Texas 77001	Meter Chart Code R0543 Date of Contract 08/17/80

.AFFIDAVIT

I, James O. Sayre , having been first sworn according to law, state that, the well is producing natural gas produced from the fractures, micropores and bedding planes of shales deposited during the Paleozoic Devonian Period as generally found in the subsurface of the Appalachian Basin and in the surface out crops around its periphery. For the purposes of this statement, Devonian shale is defined as that shale stratigraphic interval that lies between the base of the Mississippian Berea Sand or, if absent, that of the Osage Series, and the top of the Onondaga limestone formation or its chert equivalent, the top of the Huntersville group of carbonates. I have no knowledge of any information not included in the application which is inconsistent with a conclusion that the well qualifies as a high cost natural gas well.

Geologist Geologist

COUNTY OF Kanawha , TO WIT:
I. Charlotte I. Mathews , a Notary Public in and for the state and county aforesaid do certify that James O. Sayre , whose name is signed to the writing above, bearing date
the 3rd day of March, 1980, has acknowledged the same before me, in my county
Given under my hand and official seal this 3dd day of March. 1980. My term of office expires on the 5th day of December. 1985.
Charlotte & Mathews

[NOTARIAL SEAL]

STATE OF WEST VIRGINIA,

ELECTRIC LOGS

With reference to this well, please note that, at the time of the drilling hereof, neither electric logs nor the technology for logging were available. In lieu of actual electric logs on this well, we hereby refer to the gamma ray log and temperature log of the Columbia Gas Transmission #20402, Permit No. Lincoln 1656. Our geologist(s) submit that these logs are representative of the area and shows the same or similar formations and structures as encountered in the well herein filed for.

Please refer to 107 Tug Fork well certification filing on Well No. 33-497, API No. 47-005-0397 for a copy of the said gamma ray and temperature logs applicable herein.

