

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES, Charleston, W. Va.	
Grace Perdue	Webster Myers
Wayne, W. Va.	光·1. 克·2. 在中国的国际中的国际中国的国际中国的国际中国的国际中国的国际中国的国际中国的国际
ADDRESS	COMPLETE ADDRESS
	June 10th , 19 60
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
ADDRESS	Union District
Grace Perdue	Wavne
OWNER OF MINERAL RIGHTS	Wayne County
Wayne, W. Va.	Well No. 1 82° 25' E. 760'
ADDRESS	Grace Perdue
GENTLEMEN:	Farm
	133 acres
The undersigned well operator is entitled to drill	
oil and gas, having fee title thereto, (or as the case may 2/11/59, made by_	Grace Pardue
Webster Myers	为此的内部,我不是没有的支持,也是是自己的对象的问题。
	, and recorded on the 18th day
Book 50 , page 255 . , in the	ne office of the County Clerk for said County in
land marks. The undersigned well operator is informed and beli of coal beneath said farm or tract of land on which said aries of the same, who have mapped their workings and coal operators or coal owners (if any) above named as accompanying of a well at said proposed location, or which they are the drilling of a well at said proposed location will cause a coal mines, must be received by, or filed with the Department a copy of this notice and accompanying plat by said Department forms for use in making such objections will be furn on request and that all such objections must set forth as different grounds on which such objections are based and indicate the be moved to overcome same. (The next paragraph is to be completed only in Copies of this notice and the enclosed plat were main	well is located, or within 500 feet of the bound- filed their maps as required by law, excepting the ddressees. any) are notified that any objections they may re required to make by Section 3 of said Code, if a dangerous condition in or about their respective nt of Mines within ten* days from the receipt of artment. Said coal operators are further notified aished to them by the Department of Mines promptly efinitely as is reasonably possible the ground or direction and distance the proposed location should Department's copy.)
named coal operators or coal owners at their above show	
or on the same day with the mailing or delivery of this West Virginia.	n respective addressday before, copy to the Department of Mines at Charleston,
Very truly	yours,
0101112232	Webster Myers
189	WELL OPERATOR
Address)	1614 Seventh Avenue
of }	Huntington
Well Operator) _	CITY OR TOWN 08/25/2023
CO MINE A ST	West Virginia.
September 1	STATE

*Section 3.... If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

WAY-1302





STATE OF WEST VINGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

	10 THE DEPARTMENT OF MINES. Charleston, W. Va.
Webster Myers	Grace Perdue
	il the thirthe core owner not c
operated 1614 Seventh Avenue Huntington, W. Vs.	Wayne, W. Va.
COMPLATE ADDRESS	SRENIGA
June 10th 60	
PROPOSED LOCATION	COAL OPERATOR OR COAL OWNER
Union	ADDRESS
Vayne County	Grace Perdue
OE RE	STHOIR JANTHIN TO HONO
Well No. 1 82 25 6, 760	Wayne, W. Va.
Grace Perdue	sensionA
CITE 7	GENTERMENT
d to drill upon the above named farm or tract of lend for	The understand well posteror is entitle
	oil and gas, having fee title thereto, (or as the
madeby Grace Perdue	03/27/0
and recorded on the 18th day	DEAF LELT
in the office of the County Clerk for said County in	
	Book 50 page 25b
y and courses and distances from two permanent petats or id and believes there are no coal operators operating beds which said well is located or within 500 test of the bound- arkness and filed their maps as required by law, excepting the	The understand well operator is informed of coal beneath said farm or tract of land on
where (if any) are notified that any objections they may high they are required to make by Section 3 of and Code, if will cause a dangerous condition in or shout their respective a Department of Mines within tent days from the receipt of and Department Sand ocal operations are further notified will be immediated to them by the Department of Mines promptly will be immediated to them by the Department of Mines promptly sorth as definitely as is reasonably possible the ground or details the creation and distance the proposed legation should	The above named coal operators or coal or desire to make its such proposed location, or what he drilling of a well at said proposed location a coal mines, must be received by, or filed with the a copy of this notice and accompanying plat by that forms for use in making such objections we no request and that all such objections must set.
t only in remainded by registered mail, or delivered to the above	
thove shown respective address day helors, ery of this copy to the Department of Mines at Charleston,	named cost operators or cost owners at their
Very truly yours,	
Webster Myers	
MOTASPAG JAINY	
1614 Seventh Avenue	
	Well Ope
ANDT RO 1715	08/25/2023
West Virginia.	

Formation Color Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate	5879 ×	0020 0	talväeptn A	4.00	н
Dig Six	3833	5679	3648-100/	10 Water 8	n
Corniferdus Lime	3155 3100	5052	Ges 5662	LO/10 Wate	r l" gas at
White Slate	39.62	2722	Black Wat	er 5270 -	
Brown Shale	2530	29.62			
Erown Shile	3 490	2530			
Slate & Thells	27.46 2.465	2465 2490			
Teles Settes Sings	STSS	SIGG			
Sate a Thells	Teeo	SITE			5
Slate & Shells	1595	T000 T002		1 5 4 7	
Slate : Injum Sand	1561	T28 2		W	
Pig Line Injun	1465	Tese		STARY N	Sales Sales
Little Line	1212	1318 1485			
minimiz glate & Shells	3169	7888			
Sand Salt Skind	T020	TOSO P	ele full v	ater at 10	20
Slate	752	Jeso			
STATE TO THE STATE OF THE STATE	500	500 751			
Slate Send	300	39.0 460 \(\frac{1}{12}\)	ter at 470	ft	
4 T.C.	75	20			
Elate Hed Rocio	55	75			
Red Rock	28	¥0.			
Surface	0		a de la companya de l	100	
- Manager College Coll	Joh		63. 54.94 CH	goure	1/2/19/1/20
Truck as	and the second s		201 (1985) 100 (1985)	1984(1)	
270 & 1650			Taca		3000000000
. 100	This case as has		CONTATERO.		TAINER INCUES
Loco A			neme		
Metha Bore a	7,000		NASET!	No. 3	a yers
Open Place Long Place 1	116.00		none		
With both				Per	f. holten
not shot				1.0	
Darlay company 3/6/60			9696	389.6	2772 3529 6
Structure different owner by Some				2.	.T8
Some,	Wayne, Way	9.*	JAJ3	JAJS	This it
969C0	Terdue et	T	253 5505 1719	1000	
Union We				77 117	84"x30"
Twestern (Waters Big Creek	760			1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TIT SO BUGUET
Grace Perdue of al	148 ; 53			LCRE	tton hole
Andres 161: 7th Ave Eunting	ten, W. Va		\$1984 34 \$143000	NOT.	Federa
Donna Gas Campany (se	uster Wyers)			5/2023
Pown No. Way 15 02	ALP PARTE			The or Gan A	Gas
CONTROL	*		I.	0./	5 60

APPROVED / Control Negro, Owner

By Partner

MATHEWS PRINTING AND LITHOGRAPHING



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

Quadrangle GUYANDOT

WELL RECORD

Gas

Permit No. Way 13 02 Oil or Gas Well Company Donna Gas Company (Webster Myers) Used in Drilling Left in Well Casing and Tubing Packers Address 1614 7th Ave Huntington, W.Va Acres 148.33 Farm Grace Perdue et al Bottom Hole Wall & Anchor Size Location (waters) Big Creek Elev. 760 Kind of Packer. Wayne Union District_ 7"x8\damx30" Size of County. 253 253 The surface of tract is owned in fee by Grace Perdue et alio. Pulled 1303 3"x7"x30" Address RFD Wayne, W. Va. 81/4_ 1712 1712 Depth set 1712 ft Mineral rights are owned by Same 3719 5 3/16_ 8/8/60 3896 3896 Perf. top 2872 Drilling commenced_ Perf. bottom 389 6 11/16/60 Drilling completed_ Date Shot not shot From Liners Used Perf. top_ To. Perf. bottom_ Open Flow 12 /10ths Water in_ Inch none CASING CEMENTED _/10ths Merc. in_ Inch Cu. Ft. Volume_ 48 1000 none Rock Pressure_ hrs. COAL WAS ENCOUNTERED AT_ INCHES FEET _bbls., 1st 24 hrs. 100

	0 & 1050	feet	feet	FE	ETINCH	ESFEET	INCH
alt water 47		1000	Teet	F.		1	
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	5			
Slate			5	25			
Red Rock			25	40			
Slate			40	55			
ted Rock			55	75			
and			75	90			
Slate			90	390			
and			390	460 W	ater at 470	ft	
late		-7 - 4 -	460	500			
THE RESERVE OF THE PARTY OF THE	en some	STate	500	751			
Slate			751	2050			
and			1050	1169	Hole full w	rater at 105	0
alt Sand	late & S	helle	1169	1298			
ittle Li		HETTS	1298	1313			
Big Lime	THE.		1313	1485			
Injun			1485	1525		0526272	
Slate			1525	1561		Carl Cococico	333
Injun San	d		1561	1595		AV	
Slate & S	hells		1595	1645		10 0 96	0 5
Sand			1645	1660	100	E TECE!	· co
late &	hells		1660	2115		RECEIVEST VIEW	DE
offie Sh			2115	2133		WEST VIRGINGS DEPT. OF MINES	14 0
Berea			2133	2146		MINES	, O.J.
Slate &	Shells		2146	2465		11151319	16.0
Brown Sh			2465	2490		- PECT VI	
Slate			2490	2530			
Brown Sha	ale		2530	2625			
Grey Shal			2625	2962			
White Sl			2962	3153	Black Wat	er 3270	
Brown Sha			3153	3188	0 7070	70/70 100/0	12022
cornifer	ous Lime		3188	3832		10/10 108/2	
Big Six			3832	3879		10 Water 2	
Slate	1		3879	3896 t	otal depth		

Permit No. WAY-1302

9-29-60

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Oil or Gas Well Gas

DISTRICT WELL INSPECTOR 08/25/2023

Webst	er Myers	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
1614	- 7-th. Avenue ngton, W. Va.	Size			acala subjects is garded
Grace P	erdue	16		18 47 2 48 77	_ Kind of Packer
Farm	AD STREET	13	5	eralization in	
Well No. 1		10	2351		Size of 8111
District_Union	County_ Wayne	81/4	13031		Steel Shoe
	8-4-60	65%	1712		Depth set 1712
Drilling commenced	0-4-00	5 3/16			Hottom Hole
Drilling completed	Total depth	3 3/10			Packer Perf. top
Date shot	Depth of shot	2			Perf. bottom
Initial open flow	/10ths Water inInch	Liners Used			Perf. top
	/10ths Merc. inInch				Perf. bottom
Rock pressure	Cu. Fthrs.				No. FTDate
Oil	bbls., 1st 24 hrs.	COAL WAS E	NCOUNTEREI	AT_	FEEDCT1960 INCHES
Fresh water 470	feetfeet	FEET	INC	HES 8	FEET VE INCHES
Salt water 1050	feetfeet	FEET.	INC	HES	FEET INCHES
Drillers' Names	Hilbert Lusher				ES-85 81 Trans
]	Bennie Morrison				
Remarks: Salt S drilling d	Sand 1050'-1169'; Bi epth- 1978'.	g Lime 131	131-14851	; Injun	Sand 1485 -1525


STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No						Well No.				
COMPANY	ro rio		ADDRESS	¥	201	17.44	a cold have			
FARM	With the same	DISTRI	CT_	cou	NTY					
Dillion Material Hard			91	Jijova	J-7 - 1	For	2 7 P (19) 13			
Filling Material Used				• • • • •	neagara	Idia	12431)			
Liner Loc	cation	Amoun	t Packer		CASING AND TUBING					
PLUGS USED A	ND DEPTH PLACED	0.0	BRIDGES	age is a special or an analysis of the special or analysis of the special or an analysis of the special or analysis of the special or an analysis of the special or an analysis of the special or analysis of the special or an analysis of the special or analysis of the special or an analysis of the special or analysis of the special or an analysis of the special or a						
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOC	ATION	RECOVERED	SIZE	LOST			
10101	1	Prof	9000	Was a second		noin				
o follower acti				Or	- 1/2		in here			
TORUM				a maisana (rings the			
	1, 3				aatt					
			and seem							
			line)	Waster	A		1 0 0 1			
	The second secon		193			10 (10 to 1	i v P a s			
Fire Caracter by		NOT HOME					1 1 1 1 1 1 1			
		1				1711				
Orillers' Names						it in	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
Remarks:			enter de la comunicación de la c	and the state of t						
			T.							
					Carrie					
SCI-'CSI DING		N-iETCI	deal air :190	10501-11						
					- IJ leb					
			77							
	I horoby contify I	visited the a	bove well on this date.							



K-E 150 IMPERIAL

Date 6-10-60

Scale_

of original tracing.