

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES, Charleston, W. Va.	West in the Chilehous Cill Company
Ruth and Orris Adkins	Huntington-Oklahoma Oil Company & Midway City Gas Company
ich hit balcoal owner not open	
Prichard, W. Va.	P. O. Box 424, Huntington, W. Va.
ADDRESS	COMPLETE ADDRESS
	Nov.15th 1960
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
	Butler District
ADDRESS	District
Ruth and Orris Adkins	Weyne County
OWNER OF MINERAL RIGHTS	Well No. F-1 82°30' E. 750
Prichard, W. Va.	Well No.
ADDRESS	Orris Adkins Farm
GENTLEMEN:	100 acres
The undersigned well operator is entitled to	drill upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the cas	
	deby Ruth and Orris Adkins to
Libby Owens Gas Co.	, and recorded on the 30th day
August, 1958	, in the office of the County Clerk for said County in
Book 49 , page 91 .	, seems, seems, and downly, in
and marks. The undersigned well operator is informed an of coal beneath said farm or tract of land on which	nd courses and distances from two permanent points, or and believes there are no coal operators operating beds a said well is located, or within 500 feet of the bounders and filed their maps as required by law, excepting the
The above named coal operators or coal owners desire to make to such proposed location, or which the drilling of a well at said proposed location will ocal mines, must be received by, or filed with the Department of this notice and accompanying plat by said that forms for use in making such objections will be no request and that all such objections must set forth grounds on which such objections are based and indicate the moved to overcome same.	s (if any) are notified that any objections they may they are required to make by Section 3 of said Code, if cause a dangerous condition in or about their respective partment of Mines within ten* days from the receipt of a Department. Said coal operators are further notified be furnished to them by the Department of Mines promptly in as definitely as is reasonably possible the ground or the the direction and distance the proposed location should
(The next paragraph is to be completed on	HT :
named coal operators or coal owners at their above	re mailed by registered mail, or delivered to the above e shown respective addressday before, of this copy to the Department of Mines at Charleston,
	y truly yours, Huntington-Oklahoma Oil Co.
10/1/20	Midway City Gas Company.
189701121374	By Des WELL PPERATOR DE
Address	P. O. Box 424
	The sand is not as
Well Operato	city or town 08/25/2023
Well Operato	West Virginia.
Co. T. D.	
*Section 3 If no such objections be filed or ten days from the receipt of said notice and plat by the ment shall forthwith issue to the well operator a drillin	be found by the department of mines, within said period of department of mines, to said proposed location, the departg permit reciting the filing of such plat, that no objections or found thereto by the department, and that the same is
have been made by the coal operators to the location, approved and the well operator authorized to proceed t	to drill at said location. WAY-1332

Ruth and Orris Adding

Prichard, ". Va.

Huntington-Oklahoma Oil Company & Midway City Cas Company

P. C. Box 424, Puntington, 7. Ve.

Oh didi.voW

Butler

Orris, Adkins

Ruth and Orris Adkins

Prichard, Va.

June 11th, 1958 Libby Owens Gas Co. 8001 JauguA

Ruth and Orris Adkins

Huntington-Oklahoma Cil Co. & Midway City Cas Company.

P. C. Box 424

Huntington

Test Virginia.

08/25/2023

November 17, 1960

Huntington-Oklahoma Oil Company and Midway City Gas Company P. O. Box 424 Huntington, West Virginia

Dear Sirs:

We are returning your application for permit to drill Well No. F-1 on Orris Adkins Farm, Butler District, Wayne County and will appreciate having an official of the company sign it.

Please return as soon as possible.

Very truly yours,

CRAWFORD L. WILSON Director DEPARTMENT OF MINES

Assistant Director
OIL AND GAS DIVISION

MG/m

enclosure - 1

Man 1332

HUNTINGTON-OKLAHOMA OIL COMPANY

PRODUCERS OF NATURAL GAS

P. O. BOX 424 HUNTINGTON 9, W. VA.

18 November, 1960

Oil and Gas Division Department of Mines State of West Virginia Charleston, West Virginia

Attention: Mr. M. E. Griffith

Dear Sir:

As per your letter of 17 November, we are returning our application, which has now been signed, for permit to drill Well No. F-1 on the Orris Adkins farm, Butler District, Wayne County.

It was an oversight that an unsigned application was submitted and we thank you for bringing this so promptly to our attention.

Yours very truly,

HUNTINGTON OKLAHOMA OIL COMPANY

MIDWAY CITY GAS COMPANY

Carol Thomas Secretary

CT/c Encl



State of Cost Virginia

Attention: In. M. E. Oriffith

As gen your letter of IT Havember, we are returning our filità co pigner non . Semula desti von una foldy apritabilique Well No. F-1 on the Orris Advice Parmy Butlet District, isyne Country.

submitted and we thank you for bringing this so promptly to our attention.

. viunt when annul

MINITED THE THE CONTRACT OF THE CONTRACT

08/25/2023

November 28, 1960

Huntington-Oklahoma Oil Company and Midway City Gas Company P. O. Box 121 Huntington, West Virginia

Dear Sirs:

Enclosed is Permit WAY-1332 for drilling Well No. F-1 on Orris Adkins Farm, Butler District, Wayne County.

Please post one copy of permit at the well site and send us two copies of the well record when drilling is completed.

Please note the enclosed directive on casing of wells.

Very truly yours,

CRAWFORD L. WILSON Director DEPARTMENT OF MINES

Assistant Director OIL AND GAS DIVISION

MG/m enclosures cc Mr. James W. Pack, Inspector

> Mr. R. C. Tucker, Assistant State Geologist

Formation	Color	Hard or Soft	Тор /7	Bottom	Oil, Gas or Water	Depth Found	Remarks
Broken Sand Dark Slate Lime Shells Salt Sand			810 829 850 868	829 850 868 1000	(Water	950	HFW
Slate Lime Shells Sand Black Slate Sand			1000 1011 1028 1052 1105	1011 1028 1052 1105 1135	Water	565	3 Blr./hr.
Slate & She Maxon Sand Big Lime Injun Sand Sand	lls		1135 1147 1185 1320 1510	1147 1185 1320 1510 1547	das à Oil	-545-550	Chall show
Slate Lime Shell Slate & She Brown Shale Berea Sand			1547 1561 1585 1932 1952	1561 1585 1932 1952 1974	Meser Oil	330-400 1954	SLM 1565 Smell
Lime Shell	ı		1974 1987	1987			
Packer Shell Packer Shell Packer Shell	1	1730-1740 1815-1825 1871-1915	180 240 240 240	240 240 250 25 220	Water	105	l Blr. Perior
Blate of Brown a	hale hale		1987	2032 2050 2050	No.		
Formatien,		11.000 or	Q 24b	Intron.	or Wakes	Soond Soond	* Remarks
Freely water A		feet.	[04]	Led EED	TIMES VILLE	es nes	TACHER
Volume No.	G	lis-	Line Cu Ft	corr avair	ACOBNIESS D	Na Sae	BICHES
Open Flow	/ Louis Water / Louis Merc.	II	Inch 	. CASTING ONK	364.RD	The Mark of	Date of
Date Strange		mber, 1960 mary, 1961	1	Place Unit		Per Per	coologn
The surface of the Routes Mineral rights at		ise by Much As Addies Frite Lane		88	1565) Del	(p kg *
Assertion (waters Well-No. NI District Dur	Gilkers ler	in Dranch Leany Mayn	1/64 2/0	18 18 218	281		d of Paper
MEGA	ngton Old y Ctly ca myton 9, Ruth	Co., P.C.	30x 7t2lt	Castog and Tabing	Usad In Drilling	08/2	25/2023
Permit No EXX	1332		WETT	RECORE)	Oil or Cas 1	att a Day

HUNTINGTON OKLAHOMA OIL COMPANY
APPROVED MIDWAY CITY GAS COMPANY

(Title) President

MATHEWS PRINTING AND LITHOGRAPHING C



OIL AND GAS DIVISION / 7

Quadrangle Louisa

WELL RECORD

Permit No. WAY 1332			Oil or	Gas Well Dr	(KIND)
Company Huntington Oklahoma Oil Co. Midway City Gas Co., P.O. Box 424 Huntington 9, West Virginia	Casing and Tubing	Used in Drilling	Left in Well	Pack	cers
Farm Ruth Adkins Acres 100 Location (waters) Gilkerson Branch Well No. 1 Elev. 750'	Size 16			_ Kind of Pack	cer
District Butler County Wayne The surface of tract is owned in fee by Ruth Adkins Route 2 Address Pritchard, W.Va.	10	28' 379'		Size of	
Mineral rights are owned by Same Address	5 3/16	1565'		Depth set	
Drilling commenced 15 December, 1960 Drilling completed 21% February, 1961 Date Shot From To	3			Perf. top Perf. bottom Perf. top	
With Not shot Open Flow /10ths Water in Inch				Perf. bottom.	
/10ths Merc. in Inch Volume Cu. Ft.		NTED	SIZE	No. Ft.	Date
Rock Pressure lbs. hrs. Dil bbls., 1st 24 hrs.	COAL WAS EN				
Fresh water feet feet Salt water feet feet					

alt water		feet	feet	FEE	rINCH	ESFE	ETINCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	10			
Blue Mud			10	30			
Gray Mud			30	75			1
Slate			75	140			
White Slate	Table -		140	180			
Dark Slate		ToTL-1915/	180	185	Water	185	1 Blr. per hr
White Slate		1015-1025-1	185	240			
Sand	T	IL30-Ilmo/	240	250			
Slate			250	295			
Sand			295	320			
Slate White			320	350			
Black Slate			350	360			
Sand			360	375	-02T	159p	gmogg
Slate		200	375	380			
Sand			380	400	Water	390-400	3 Blr per hr.
Lime Shell			1561	1565			
MAXAK			400	443			
Slate			443	453			
Sand Slate			453	475			
Sand			475	490			
Slate			490	540			
prace a but	TTC /	232425262	13,47	-			
Sand	(30)	(30,0005)	540	555	Gas & Oil	545-550	Small show
Slate	100	-61 '09'	555	560	Water	565	3 Blr./hr.
Sand	(0)	FEB 190 IED	560	575	water	202	3 Bir./iir.
Slate Sand	AND TOTAL STATE OF THE PARTY OF	FEB 196 ECEIVED ECEIVEDINA West Virginia Dept. of Mines	575	595 610			
STAGE	P.C. F	West of Mines	1000	TOTE		08.	/25/2023
Slate	En.	Dept.	610	660	(ascertul a	ong	70/2020
Broken Sand	1	11010019	660	750	(Mater	950	HAM
Slate		110168	750	775			
Sand			775	786			
Slate			786	810			

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. WAY-1332			Oil or	Gas Well F-1	
Huntington Oklahome Oil	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKE	RS
Company Box 424 Address Huntington, W. Va.	Size			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Farm Orris Adkins	16			Kind of Packe	er
Well No. F-1	13	271611	1 (3 to 1 to	Size of	
District_Butler County_ Wayne	81/4	39912"		2015 8 1657 6	
Drilling commenced 12-15-60	65%			_ Depth set	
	5 3/16				
Drilling completedTotal depth	3			Perf. top	
Date shotDepth of shot	2			Perf. bottom.	
Initial open flow/10ths Water in	Inch Liners Used			Perf. top Perf. bottom.	
Open flow after tubing/10ths Merc. in	Inch				
VolumeCu	i. Ft. CASING CEME	ENTED	SIZE	No. FT	Date
Rock pressurelbs	_hrs				
Oilbbls., 1st 24	hrs. COAL WAS E	NCOUNTEREI	AT none	FEET	_INCHES
Fresh water 185 feet 565	_feetFEET	INC	HES	FEET	_INCHES
Salt waterfeet	_feet FEET	INC	HES	FEET	INCHE
Drillers' Names F. M. Hicks			31123	456	182 (347.6)
Ira Castelle			By JA	1961	
Remarks: Drilling @ 850'.		6	RECE	IVED TO	

08/25/2023

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.	-				We	II No	
COMPANY	55 1 (1) 12 21 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		ADDR	ESS	8.6	EL-YA	
FARM	MITTER THE	DISTRICT	1	fig one co	OUNTY	aldnu	I
Filling Material Used						ALTER BOX II	2
				•	. 4 (1.00)	rendan.	
Liner Lo	cation	Amount		Packer	Location	. Birn)
PLUGS USED A	AND DEPTH PLACED	1.5	a	BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTR	JCTION-LOCATION	RECOVERED	SIZE	LOST
				9 TYSW		19.5	ture
			- 1		18-11-91		
						A 100 100 100 100 100 100 100 100 100 10	in to get
					D(.14).		
						5,732 1 4	
	= 0 VJA	D. B. Project	107.727 N	1000			2.13
	enon						
				202		No.	
rillers' Names	the second second second		1 9				
emarks:		THE PROPERTY SECTION					and the state of
marks.							
				.1089	anilli		
	I hereby certify I vi	sited the above	ve well on th	ais date.			
DATE							

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

ARM Ruth Adkins DISTRICT Dutler COUNTY Wayne Illing Material Used Iner Location Amount Packer Location PLUGS USED AND DEPTH PLACED BRIDGES CASING AND TUBING CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LOST DISTRICT WATER PROPERTY OF THE PR	burtaington Oklah	noma Oil Co).	ADD	RESS Huntingto	n, W. Va.		
They have not done any thing toward plugging this well as of this date. They have not done any thing toward plugging this well as of this date. They have not done any thing toward plugging this well as of this date. They have not done any thing toward plugging this well as of this date. They have not done any thing toward plugging this well as of this date. They have not done any thing toward plugging this well as of this date. They have not done any thing toward plugging this well as of this date. They have not done any thing toward plugging this well as of this date. They have not done any thing toward plugging this well as of this date. They have not done any thing toward plugging this well as of this date. They have not done any thing toward plugging this well as of this date.	ARM Ruth Adkins	AT VEG.	DISTRIC	er_Butl	er	COUNTYW	ayne	vangm
PLUGS USED AND DEPTH PLACED PLUGS USED AND DEPTH PLACED CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LOST FILIERS' Names Femarks: They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virging Depth PLACED Mar 1961 RECEIVED West Virging Depth PLACED West Virging Depth PLACED BRIDGES CASING AND TUBING RECOVERED SIZE LOST ANAL 1961 RECEIVED West Virging Depth PLACED Depth of Mines of the Place of t	lling Material Used							
CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LOST WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LOST WOOD-SIZE LOST CONSTRUCTION-LOCATION RECOVERED SIZE LOST WOOD-SIZE LOST FILE CONSTRUCTION-LOCATION RECOVERED SIZE LOST WOOD-SIZE LOST FILE CONSTRUCTION-LOCATION RECOVERED SIZE LOST WOOD-SIZE LOST WOOD-SIZE LOST WOOD-SIZE LOST WOOD-SIZE LOST WOOD-SIZE LOST WOOD-SIZE LOST WE SIZE LOST WAR 1961 RECOVERED SIZE LOST WAS	iner Loc	eation	Amoun	t	Packer	Location		
rillers' Names	PLUGS USED A	ND DEPTH PLACED			BRIDGES	CASIN	G AND TU	BING
They have not done any thing toward plugging this well as of this date. They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines A A A A A A A A A A A A A A A A A A A	CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONS	TRUCTION-LOCATION	RECOVERED	SIZE	LOST
emarks: They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines A 3/2/61 I hereby certify I visited the above well on this date.				368				
emarks: They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines A 3/2/61 I hereby certify I visited the above well on this date.							Livragam	au i sailt
emarks: They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines A 3/2/61 I hereby certify I visited the above well on this date.				24.86	100			
emarks: They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines A 3/2/61 I hereby certify I visited the above well on this date.								
emarks: They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines A 3/2/61 I hereby certify I visited the above well on this date.								
emarks: They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines JAME JAM	703 11297			C. J. ENHALL	of Water Louisian Control			1980361
emarks: They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines DATE A DATE A DATE A DATE PATE A DATE PATE A DATE PATE They have not done any thing toward plugging this well as of the contractor with the contractor and the contractor well as of the contractor with the contractor with the contractor well as of the contractor with the contractor wi					doni		proteg red	a enda y
They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines And	4 1 374 STA	- Street Section 1	CTO COMMENTS	OLA GHA				
They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines And								
They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines A H DATE DATE I hereby certify I visited the above well on this date.					1.2715	Tell		
They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines And	H-241	TA 07 830	TRUMPIN R	77	2-1 10 437 cs 61			
They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines A H DATE DATE I hereby certify I visited the above well on this date.								
They have not done any thing toward plugging this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines DATE A A A Amples	rillers' Names					2.1781		
They have not done any thing toward pluggling this well as of this date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines DATE A A A Ammules								
This date. Bud Hicks Contractor MAR 1961 RECEIVED West Virginia Dept. of Mines A A A Ammula	emarks:	ve not done	any th	ing tow	ard plugging	this well	as 0:	f tas
I hereby certify I visited the above well on this date.	this dat	te. Bud	Hicks C	ontract	or		015E	1700
I hereby certify I visited the above well on this date. A A A A A A A A A A A A A A A A A A A							2500	1000
I hereby certify I visited the above well on this date.						303	MAR	1961
I hereby certify I visited the above well on this date.						520	RECE	IVED
I hereby certify I visited the above well on this date. A H A Amples						12 [2]	Dept. Of	ginia
I hereby certify I visited the above well on this date. A H A Amples	3/2/61					THE STATE OF THE S	in 011	Mines C
Is It Damples		I hereby certify	I visited the	above well o	on this date.	4	2122233	05.9135
	DATE							

DEPARTMENT OF MINES OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No.	· · . Automit dans comm	dda	1000	(KIN	ND)	
Company	707/100 S	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKE	ERS MILA
Address		Size			Liberi Tahur	it same
Farm	498.48 ^Q	16	<u> </u>	- 460000	Kind of Pack	er
Well No		13	2.	1 ⁽¹ 1330 CHA	Size of_	
District	County	81/4	\$12 VEX18	-cnow	SIZE OI	
		65/8			Depth set	
		5 3/16				
	Total depth	3			Perf. top	
Date shot	Depth of shot	Liners Used			Perf. bottom Perf. top	
Initial open flow	/10ths Water inInch	Liners Osed	7		Perf. bottom	
Open flow after tubing	/10ths Merc. inInch					
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs.					
Oil	bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTERED	AT	FEET	_INCHES
Fresh water	feetfeet	FEET	INCI	HES	FEET	_INCHES
Salt water	feetfeet	FEET	INCI	HES	FEET_	_INCHES
Drillers' Names						religion i
Drillers Names	7.0	dozstnet e			to Liter	
Remarks:						

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

1987 7050 Total depth

Fill with clay or non-porous material to 1952'

Place 3 feet of crushed rock at 1952', followed by 3 sacks of neat cement; followed by 2 feet of crushed rock

Pull 7" Casing

Place 5 feetcrushed stone bridge at 1515-1510; followed by 3 sacks of neat cement, then 3 feet of crushed rock

Fill with clay or non-porous material to 1147'

Place 2 feet of crushed stone at 1147', followed by 2 sacks of neat cement Place 5 foot crushed stone bridge at 1025', followed by 3 sacks of neat

cement, then 2 feet of crushed rock

Fill to 870' with clay or non-porous material

Place 3 sacks of neat cement at 870' and 2 feet of crushed rock

Set 5 feet crushed stone at 560'

Fill to 380' with clay or non-porous material Pull 8" Casing

Fill to 30 feet with clay or non-porous material Pull 10" Casing

Fill to surface to with clay or non-porous material

Place suitable marker.

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandant the residual states of the said well and the said well are the said well as t don the said well on opposite side of this sheet.

> Very truly yours, HUNTINGTON OKLAHOMA OIL COMPANY MIDWAY CITY GAS COMPANY

> > President

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 3

23RD day of FEBRUARY , 19 61

DEPARTMENT OF MINES
Oil and Gas Division

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

TO THE DEPARTMENT OF MINES,	epen 1989 days	5 Ist
Charleston, W. Va.	th clay or non-perous exteriol to 19	ir IIII
wed by 3 sacks of nest century	feet of crushed ruck at 1952', follo	Flace 3
	Huntington Oklahoma Oil Compar	077
Coal not operated	Midway City Gas Company	13
Coal Operator or Coal Owner	Name of Well Operator	C 90522
	compart, then 3 feet, of crushed rock	
	P.O. Box 424	iv Iliz
from the for the amount C ve bear	Huntington 9, West Virginia	Constq.
Address c vd bewelloh	Complete Address	Flace 5
	in them 2 feet of oraginal reck	decree
Ruth Adkins	15 February,	10 67
Coal Owner or Coal Owner	5 5ds VIV vs. vience vs.	19 61
Godf Operator of Coal Owner	WELL TO BE ABANDONED	2 3 6 3
Route 2	Sept with clay or nor-verbus materia	of IIII
Pritchard, West Virginia	Butler	_ District
Address	30 foce with clay or non-persus mate	Contract to
		of firs
Total formation	Wayne	County
Ruth Adkins Lease or Property Owner	JEXMENACIMAKE	RIGHTE
Lease of Property Owner	Well No. 1	2 908
Route 2	Well Ho.	
Pritchard, West Virginia	Double Additional	
Address	Ruth Adkins's	Farm
A II CARETURE	CHARLESCHOOL IN THE PROPERTY OF COL	
Inspector to be notified G. H. SAMPLES,	CHARLESTON, W. VA. MONE DI3-0524	
G 41		
Gentlemen:— 24 HOURS I	n advance of plugging	
The undersigned well operator is about	to abandon the above described well and will	commence
ine unususgious won operator is used.	The description of the descripti	
Will advise jushelter		
the work of plugging and abandoning said	well on the date inspector is notified (which	date shall
	which this notice so mailed is received, or in c	
		ide course
should be received by the Department of M.	lines).	

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

HUNTINGTON OKLAHOMA OIL CO. MIDWAY CITY GAS COMPANY

President

Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a registered engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

NOTE: In case plugging is not commenced within four months from the above date, this permit shall expire and be of no further force or effect.

DEPARTMENT OF MINES OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE

P.O. BOX 424, Huntington 9, West Virgin ADDRESS COAL OPERATOR OR OWNER ADDRESS WELL AND LOCACION Butler District Wayne County Well No. 1 ADDRESS Wayne County Well No. 1 F. M. Hicks E. M. Hicks Description of Cabell F. M. Hicks Description of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks Description of Coal of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks AND AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, Second of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, Second of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, Second of Cabell F. M. Hicks AFFIDAVIT STATE OF WEST VIRGINIA, Butler Description of Monument Company's name, farm name, well number and data plugged Men. Men. Men. Description of Monument Company's name, farm name, well number and data plugged	Coal not ope		_	on Oklahoma (ity Gas Compa	any	and
The state of the s		P	.0. Box	424, Hunting	gton 9, Wes	t Virgini
COLL OPERATOR OR OWNER ADDRESS LEASE OR PROPERTY OWNER LEASE OR PROPERTY OWNER LEASE OR PROPERTY OWNER Well No. 1 ADDRESS Ruth Adkins Farm STATE INSPECTOR SUPERVISING PLUGGING. G. H. Samples. AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Huntington Oklahoma Oil & Midway well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the - 6th day of March and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FORMATION SIZE A KIND FORMATION SIZE A KIND FORMATION SIZE A KIND FORMATION TO - 1565' Bridge set at 15 10' with 5' crushed stone, 3 bags ment and 3' frushed a stone. Failled with clay to M5' with 2 bags cement and 2' crushed stone Bridged at 870' with 5' crushed stone, 3 bags ment, and 2' crushed stone. Bridged at 870' with 5' crushed stone and filled 150' with 2' stone and 3 bags cement Bridged at 870' with 5' crushed stone and filled 150' with Clay. B' casing pulled Off at 120'; hole filled from Marker set COAL SEAMS DESCRIPTION OF MONUMENT MED MED MED MED TO DISCRIPTION OF MONUMENT MED MED MED MED TO DISCRIPTION OF MONUMENT MED MED MED MED MED TO DISCRIPTION OF MONUMENT MED MED MED MED MED TO DISCRIPTION OF MONUMENT MED MED MED MED MED MED MED TO DISCRIPTION OF MONUMENT MED MED MED MED MED MED MED ME	ADI)RESS				10.67
Wayne County Lease on PROPERTY OWNER Well No. 1	COAL OPERA	TOR OR OWNER		WELL AND LO	OCATION	
Well No. 1 ADDRESS RUTH OWNER Well No. 1 Ruth Adkins Farm STATE INSPECTOR SUPERVISING PLUGGING. G. H. Samples. AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Huntington Oklahoma Oil & Midway well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 6th day of March 19 61, and that the well was plugged and filled in the following manner: BAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FORMATION SIZE A KIND SIZE A KIND FULLED LEFT IN 152'. 3' crushed rock at 1952'. 3 bags cement did 3' crushed rock at 1952'. 3 bags cement 3' crushed rock at 1952'. 3 bags cement 7" - 1565' Bridge set at 15 0' with 5' crushed stone, 3 bags ment and 3' grushed stone. Fitlled with clay to his in the 2 bags cement and 2' crushed stone. Bridge set at 1025', 5' crushed stone, 3 bags ment, and 2' crushed stone. Bridged at 560' with 2' stone and 3 bags cement Bridged at 560' with 5' crushed stone and filled 150' with clay. Bridged at 560' with 5' crushed stone and filled 150' with clay. Bridged at 560' with 5' crushed stone and filled 150' with clay. Bridged at 560' with 5' crushed stone and filled 100' -28' DESCRIPTION OF MONUMENT COMPANY'S name, farm name, well 10" -28' COMPANY'S name, farm name, well 10 number and date plugged	ADD	DRESS				
STATE INSPECTOR SUPERVISING PLUGGING. G. H. Samples AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell. F. M. Hicks being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Huntington Oklahoma Oil & Midway well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 6th day of March ,19.61 , and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FORMATION FILLING MATERIAL FLUGS USED CASING FORMATION Filled with clay from 2050' (total depth) to 52'. 3' crushed rock at 1952'. 3 bags cement dd 3' crushed rock on top of cement Bridge set at 15 lo' with 5' crushed stone, 3 bags ment and 3' crushed stone. Fmilled with clay to 45' with 2 bags cement and 2' crushed stone Bridge set at 102'; '5' crushed stone Bridged at 870' with 2' stone and 3 bags cement Bridged at 870' with 2' stone and 3 bags cement Bridged at 560' with 5' crushed stone and filled "Casing pulled off at 120'; hole filled from 8" - 120' 250' Total SEAMS COAL SEAMS DESCRIPTION OF MONUMENT COMPANY'S name, farm name, well number and date plugged	LEASE OR PR	OPERTY OWNER	~~~~~		yne	County
Ruth Adkins Farm STATE INSPECTOR SUPERVISING PLUGGING G. H. Samples AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks and H. B. Ward being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Huntington Oklahoma Oil & MidwRay well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 6th day of and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FORMATION Filled with clay from 2050' (total depth) to 152: 3' crushed rock at 1952'. 3 bags cement dd 3' crushed rock at 1952'. 3 bags cement dd 3' crushed rock on top of cement Pridge set at 1510' with 5' crushed stone, 3 bags ment and 3'frushed stone. Fwilled with clay to 45' with 2 bags cement and 2' crushed stone Bridged at 870' with 2' stone and 3 bags cement Bridged at 870' with 2' stone and 3 bags cement Bridged at 870' with 2' stone and 3 bags cement Bridged at 560' with 5' crushed stone and filled 1450' with clay. 8" casing pulled Marker set COAL SEAMS DESCRIPTION OF MONUMENT COMPANY'S name, farm name, well number and date plugged	ADD		Vell No	1		
AFFIDAVIT STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks and H. B. Ward being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Huntington Oklahoma Oil & Midway well operator, and participated in the work of plugging and filling oil and gas wells and were employed by Huntington Oklahoma Oil & Midway well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 6th day of March ,19.61 , and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FORMATION SIZE A KIND PLUGS USED CASING FILLING MATERIAL PLUGS USED CASING FORMATION POLICED CASING FILLING MATERIAL PLUGS USED CASING FORMATION SIZE A KIND PLUGS USED CASING FORMATION PULLED CASING FILLING MATERIAL PLUGS USED CASING FILLING MATERIAL PLUGS USED CASING FORMATION PULLED CASING FORMATION PULLED CASING FORMATION PULLED CASING FORMATION PULLED CASING FILLING MATERIAL PLUGS USED CASING FORMATION PULLED CASING FORMATION PULLED CASING FILLING MATERIAL PLUGS USED CASING FORMATION PULLED CASING FILLING MATERIAL PLUGS USED CASING FORMATION PULLED CASING FILLING MATERIAL PLUGS USED CASING FORMATION PULLED CAS				Ruth Ad	lkins	Farm
STATE OF WEST VIRGINIA, County of Cabell F. M. Hicks and H. B. Ward being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Huntington Oklahoma Oil & Midway well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 6th day of March ,1961, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FORMATION SIZE A KIND PULLED CASING FORMATION SIZE A KIND PULLED CASING FORMATION SIZE A KIND PULLED CASING FILLING MATERIAL PLUGS USED CASING FORMATION SIZE A KIND PULLED CASING FILLING MATERIAL PLUGS SIZE A KIND PULLED CASING FORMATION SIZE A KIND PULLED CASING FORMATION SIZE A KIND PULLED CASING FILLING MATERIAL PLUGS SIZE A KIND PULLED CASING FORMATION SIZE A KIND PULLED CASING FILLING MATERIAL PLUGS SIZE A KIND PULLED CASING FILLING MATERIAL PLUGS SIZE A KIND PULLED CASING FORMATION SIZE A KIND PULLED CASING FILLING MATERIAL PLUGS SI	TE INSPECTOR SUP	ERVISING PLUGGING G. H.	Samples		•••••	
County of Cabell F. M. Hicks and H. B. Ward being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by .Huntington Oklahoma Oil & Midway well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the .6th day of March .19.61 , and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FORMATION SIZE & KIND CSG		AFFIDAV	IT			
County of Cabell F. M. Hicks Being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Huntington Oklahoma Oil & Midway well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 6th day of March 1961, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FORMATION FILLING MATERIAL FLUGS USED CASING FORMATION FILLING WATERIAL FLUGS USED CASING FORMATION SIZE & KIND COSC CO	TE OF WEST VIR					
being first duly sworm according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Huntington Oklahoma Oil & Midway well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 6th day of March and filled in the following manner: SAND OR ZONE RECORD	nty of Cabell					
plugging and filling oil and gas wells and were employed by Huntington Oklahoma Oil & Midway well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the6th day ofMarch, 19.61 _, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD						
well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 6th day of March 1961, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FORMATION SIZE & KIND CASING		- CONTROL -				
was commenced on the 6th day of March 1961, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING	ging and filling oil operator, and part	and gas wells and were employ icipated in the work of pluggir	ed by Hu	intington Ok.	Lahoma Oil well that sa	& Midway
AND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FORMATION Filled with clay from 2050' (total depth) to 52'. 3' crushed rock at 1952'. 3 bags cement dd 3' crushed rock on top of cement Bridge set at 150' with 5' crushed stone, 3 bags ment and 3' frushed stone. Failled with clay to 45' with 2 bags cement and 2' crushed stone Bridge set at 1025', 5' crushed stone Bridge set at 1025', 5' crushed stone, 3 bags ment, and 2' crushed stone. Bridged at 870' with 2' stone and 3 bags cement Bridged at 560' with 5' crushed stone and filled 450' with clay. 8" casing pulled off at 120'; hole filled from Marker set COAL SEAMS DESCRIPTION OF MONUMENT Company's name, farm name, well number and date plugged						
FORMATION Filled with clay from 2050' (total depth) to 152'. 3' crushed rock at 1952'. 3 bags cement 103' crushed rock on top of cement Bridge set at 1510' with 5' crushed stone, 3 bags 145' with 2 bags cement and 2' crushed stone Bridge set at 1025', 5' crushed stone Bridge set at 1025', 5' crushed stone, 3 bags 156 ment, and 2' crushed stone. Bridged at 870' with 2' stone and 3 bags cement Bridged at 560' with 5' crushed stone and filled 158 asing pulled off at 120'; hole filled from 159 asing to top of hole with clay & crushed stone Marker set COAL SEAMS DESCRIPTION OF MONUMENT Company's name, farm name, well number and date plugged	filled in the follow	ing manner:	, 1 <i>0</i>	and that	the well was	pruggeu
Filled with clay from 2050' (total depth) to 52'. 3' crushed rock at 1952'. 3 bags cement d 3' crushed rock on top of cement Bridge set at 15 lo' with 5' crushed stone, 3 bags ment and 3'frushed stone. Fmilled with clay to 45' with 2 bags cement and 2' crushed stone Bridge set at 1025', 5' crushed stone Bridge set at 1025', 5' crushed stone, 3 bags ment, and 2' crushed stone. Bridged at 870' with 2' stone and 3 bags cement Bridged at 560' with 5' crushed stone and filled 450' with clay. 8" casing pulled off at 120'; hole filled from "casing to top of hole with clay & crushed stone Marker set COAL SEAMS DESCRIPTION OF MONUMENT Company's name, farm name, well number and date plugged	OR ZONE RECORD	FILLING MATERIAL		PLUGS USED	CAS	BING
Filled with clay from 2050' (total depth) to 52'. 3' crushed rock at 1952'. 3 bags cement d 3' crushed rock on top of cement 7" - 1565' Bridge set at 1510' with 5' crushed stone, 3 bags ment and 3' crushed stone. Fmilled with clay to 45' with 2 bags cement and 2' crushed stone Bridge set at 1025', 5' crushed stone Bridged at 870' with 2' stone and 3 bags cement Bridged at 560' with 5' crushed stone and filled 450' with clay. 8" casing pulled off at 120'; hole filled from "casing to top of hole with clay & crushed stone Marker set COAL SEAMS DESCRIPTION OF MONUMENT Company's name, farm name, well number and date plugged	FORMATION			SIZE & KIND		
d 3' crushed rock on top of cement 7" - 1565' Bridge set at 1510' with 5' crushed stone, 3 bags ment and 3'frushed stone. Fmilled with clay to 45' with 2 bags cement and 2' crushed stone Bridge set at 1025', 5' crushed stone, 3 bags ment, and 2' crushed stone. Bridged at 870' with 2' stone and 3 bags cement Bridged at 560' with 5' crushed stone and filled 450' with clay. 8" casing pulled off at 120'; hole filled from " casing to top of hole with clay & crushed stone Marker set COAL SEAMS DESCRIPTION OF MONUMENT Company's name, farm name, well number and date plugged	led with clay	from 2050' (total depth)	to			
Bridge set at 1510' with 5' crushed stone, 3 bags ment and 3'frushed stone. Fmilled with clay to 45' with 2 bags cement and 2' crushed stone Bridge set at 1025', 5' crushed stone, 3 bags ment, and 2' crushed stone. Bridged at 870' with 2' stone and 3 bags cement Bridged at 560' with 5' crushed stone and filled 450' with clay. 8" casing pulled off at 120'; hole filled from "casing to top of hole with clay & crushed stone Marker set COAL SEAMS DESCRIPTION OF MONUMENT Company's name, farm name, well number and date plugged			nt			
ment and 3'frushed stone. Fmilled with clay to 45' with 2 bags cement and 2' crushed stone Bridge set at 1025', 5' crushed stone, 3 bags ment, and 2' crushed stone. Bridged at 870' with 2' stone and 3 bags cement Bridged at 560' with 5' crushed stone and filled 450' with clay. 8" casing pulled off at 120'; hole filled from "casing to top of hole with clay & crushed stone Marker set COAL SEAMS DESCRIPTION OF MONUMENT Company's name, farm name, well number and date plugged					7" - 156	5'
#5' with 2 bags cement and 2' crushed stone Bridge set at 1025', 5' crushed stone, 3 bags ment, and 2' crushed stone. Bridged at 870' with 2' stone and 3 bags cement Bridged at 560' with 5' crushed stone and filled #450' with clay. 8" casing pulled off at 120'; hole filled from B" - 120' 250' "casing to top of hole with clay & crushed stone Marker set COAL SEAMS DESCRIPTION OF MONUMENT COMPANY'S name, farm name, well number and date plugged						
Bridge set at 1025', 5' crushed stone, 3 bags ment, and 2' crushed stone. Bridged at 870' with 2' stone and 3 bags cement Bridged at 560' with 5' crushed stone and filled 450' with clay. 8" casing pulled off at 120'; hole filled from "casing to top of hole with clay & crushed stone Marker set COAL SEAMS COAL SEAMS DESCRIPTION OF MONUMENT COMPANY'S name, farm name, well number and date plugged			to			
ment, and 2' crushed stone. Bridged at 870' with 2' stone and 3 bags cement Bridged at 560' with 5' crushed stone and filled 450' with clay. 8" casing pulled off at 120'; hole filled from "" casing to top of hole with clay & crushed stone Marker set COAL SEAMS DESCRIPTION OF MONUMENT Company's name, farm name, well number and date plugged			-			
Bridged at 870' with 2' stone and 3 bags cement Bridged at 560' with 5' crushed stone and filled 450' with clay. 8" casing pulled off at 120'; hole filled from "casing to top of hole with clay & crushed stone Marker set COAL SEAMS COAL SEAMS DESCRIPTION OF MONUMENT COMPANY'S name, farm name, well number and date plugged			gs			
Bridged at 560' with 5' crushed stone and filled 450' with clay. 8" casing pulled off at 120'; hole filled from 8" - 120' 250' Casing to top of hole with clay & crushed stone Marker set COAL SEAMS COMPANY'S name, farm name, well NME) NME) NME) Company's name, farm name, well number and date plugged						
8" casing pulled off at 120'; hole filled from 8" - 120' 250' "casing to top of hole with clay & crushed stone Marker set COAL SEAMS COMPANY'S NAME, farm name, well number and date plugged						
8" casing pulled off at 120'; hole filled from 8" - 120' 250' "casing to top of hole with clay & crushed stone Marker set COAL SEAMS COMPANY'S name, farm name, well number and date plugged		on 5 crushed stone and 1	TITEO			
COAL SEAMS COAL SEAMS COMPANY'S NAME, MARE COMPANY'S NAME, Well NUMBER COMPANY'S NAME, Well COMPANY'S NAME, Plugged		ff at 120's hole filled f	rom		8" - 1201	2501
Marker set COAL SEAMS DESCRIPTION OF MONUMENT Company's name, farm name, well ME) number and date plugged ME)					0 - 120	2)0
Company's name, farm name, well number and date plugged		TO AC WILLIAM OR OF CONTROL	Вооще		10" -28"	
Company's name, farm name, well number and date plugged ME)						
number and date plugged	OAL SEAMS					
ME)						
			n	umber and da	te plugged	
ME)						
				ompany's nam	on of monume ne, farm na	me, T
TOO O THE THE TOTAL OF THE TANK OF THE TANK OF THE TANK OF		이 아이는 물리가 하다면 하는 이번 아이를 보고 있는데 회원을 하다면 화장이다. 이 경험을 하면 되었다고 있다고 있는데 그 없는데 아이를 살아 없다.				
and that the work of plugging and filling said well was completed on the 14th day of March 1961			1	mal.	11.1	
March , 1961	and randler depone	38192022 mm	Alto	Thank	na/	25/2023
March , 1961. And further deponents saith not.	Sworn to and subse	cribed before me this	day of	marci	0	//
And further deponents saith not. Sworn to and subscribed before me this		18 180 ED 30/10	-11	The a	Douch	at
And further deponents saith not. Sworn to and subscribed before me this day of March 1961.	ommission expires:	DA MIN Elvinia 3 -			Notary P	ublic.
And further deponents saith not. Sworn to and subscribed before me this day of much 196/.	pour 31	Wines STU	LICE	Per	mit No. May	4-1332
And further deponents saith not. Sworn to and subscribed before me this day of	Move 3/	Man Virginia Solvento Nines Dept. of Mines		Millian	Per	Permit No.

TANDON PERMIT HATE
PANTE PO THINKING PROPERTY
WORK OF A POWER OF

ATTIMATE OF BLUGGING AND FILLING WELL

jeda (Milakata Oli Cangany and		MARIE DE EXAMPLE ANT TOTAL DE CONTROL DE CENTRO DE CENTR
City Off Company		Betatego ton Isol
The state of the s		
x 22, Institution 9, lest Virginia	08 .0.1	
and the second second		
IS street, and of		
dolonaldi		
Mayor		
1		
Ruth Adrias		
0.	G. H. Cample	
		Cabell
Story . S	•13	F. M. Ficks
		en wel er greneval sa ywa plac tesh gerar
ord the restriction of the construction of the		
19	cion si i	
A TONG THE PROPERTY OF THE PARTY OF THE PART		
	La garage and make any	
		Filled with clay from 2050' (sotel
		52'. 3', crushed rock of 1952'. 3 ba
	er5.50 45	d 3' crushed rock on top of coment
7" - 1565!		
		Bridge set at 1910' with 5' crapped
		pant and 3 drumbed stone. Imiliad wi
		151 vith 2 bage dement and 21 cruched
	e, space te	Eridge set at 1025', 5' orushed aton
		samb, end 2' arushed atome.
		Oridged at 870' Mith 2' atoms and 3
	Selfil bas s	Bridged at 5601 with 5: crushed ston
		M50' sith clay.
0" - 180" 250"	alled from	3 casing pulled off at 120'; hole f
	suched before	casing to top of hole with clay & c
1.0" -261		tea Teinni
Company's name, farm name, well		
	8.24	
number and dave lingged		
no 4 I are personal		
a la vata notat de la		March 61
The same of		
		ion sitta ameroqua antitul 167
		00/05/000

08/25/2023

le requirement explication et

OSLICO WARREN

- 1 2 3	Latitude 38° 15'
_1	
	+
	m)
	•
-2	Sold of the sold o
•	- 1/
	Robt. S. Burris
Bruce Salvers	
all /	
20 11	
, uco : 5%	
(b) +3/13	/
	Jos ithad
Small Hy	4 8'r
M. In on point	100
24-NO. 25A. Tr. 6 1900 1	
24-NO. 25Ac. Tr. 6 1895	
So de co point	75 Ac. Tr.
N.58E.65 145	\
Locust on hillside	
Eco Selle Selle	
S. J. S.	
7 3/1/2	
Bo of Elija	h Creek
N-26. M.	-3/1
Earl Hoosi	er
New Location⊠	
Drill Deeper□ Abandonment□	
HUNTINGTON OKLAHOMA OIL CO. Company & MIDWAY GITY GAS CO.	STATE OF WEST VIRGINIA
Address HUNTINGTON, W. VA.	DEPARTMENT OF MINES OIL AND GAS DIVISION
Farm ORRIS ADKINS	CHARLESTON
Tract Acres_/OO Lease No	WELL LOCATION MAP
Well (Farm) No Serial No	FILE NO. WAY - /33 98/25/2023
Elevation (Spirit Level) _750 =	FILE NO. WAY - 133 & TEST
Quadrangle LOUISA	→ Denotes location of well on United States
County WAYNE District BUTLER	Topographic Maps, scale 1 to 62,500, lat-
Engineer A. E. Ewing	itude and longitude lines being represented by border lines as shown.
Engineer's Registration No. 309	- Denotes one inch spaces on border line
File NoDrawing No	of original tracing.
Date _//-/5-60 Scale _ /"= 400'	The State of the S

K-E 166 IMPERIAL

65006