



DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL


To The Department of Mines, Charleston, W. Va.		
not operated	Webster Myers	
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR	
	1614 7th Ave Hunting	ton. W.Va.
ADDRESS	COMPLETE ADDRESS	
	February 10,196	3 10
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION	, 19
	Union	D
ADDRESS		District
Delbert Blankenship et al	Wayne	County
OWNER OF MINERAL RIGHTS	38 0 20'	, 25-0
RFD #2 Wayne, W.Va.	Well No. 1 820 15 6.	183.9
ADDRESS	Delbert Blankenship et	al Farm
GENTLEMEN:	66 acres	raim
The undersigned well operator is entitled to d	rill upon the above named farm or trac	et of land for
oil and gas, having fee title thereto, (or as the case		
	c.D. Blankenship et	
Webster Myers		
of Dec, 1962 ,i	, and recorded on the	day
Book 53 , page 415	n the office of the County Clerk for sa	id County in
to be drilled for oil and gas by the undersigned well of and County above named, determined by survey and land marks. The undersigned well operator is informed and of coal beneath said farm or tract of land on which so aries of the same, who have mapped their workings coal operators or coal owners (if any) above named a the above named coal operators or coal owners (desire to make to such proposed location, or which the the drilling of a well at said proposed location will cau coal mines, must be received by, or filed with the Depart a copy of this notice and accompanying plat by said I	believes there are no coal operators of aid well is located, or within 500 feet of and filed their maps as required by law, as addressees. if any) are notified that any objection y are required to make by Section 3 of the adaptive of Mines within ten* days from the department. Said coal operators are further than the section of the s	perating beds of the bound-excepting the ons they may said Code, if heir respective the receipt of orther notified
on request and that all such objections must set forth a grounds on which such objections are based and indicate be moved to overcome same.	furnished to them by the Department of M s definitely as is reasonably possible the the direction and distance the proposed lo	lines promptly
(The next paragraph is to be completed only		
Copies of this notice and the enclosed plat were named coal operators or coal owners at their above s or on the same day with the mailing or delivery of West Virginia.	hown respective addressthis copy to the Department of Mines	day before
	ruly yours,	, ,
FEB 1963 RECEIVED West Virginia Dept. of Mines *Section of the receipt of said notice and plat by the dept.	WELL OPERATOR	w
(C)	1614 7th Ave	
RECEIVED Address of	STREET	
West Virginia Well Operator	Huntington, W.Va.	0/07/0000
Dept. of Mines	CITY OR TOWN	0/2//2023
OS TOP		
*Section 11 If no such objections he filed or he	found by the department of mines within	maid and the
ten days from the receipt of said notice and plat by the dep ment shall forthwith issue to the well operator a drilling p have been made by the coal operators to the location, or approved and the well operator authorized to proceed to d	found thereto by the department and the	on, the depart-

1452

WAY-1452

PERMIT NUMBER

16



HOE THE IMPERIAL

February 28, 1963 "Centennial Year"

Mr. Webster Myers 1614 7th Avenue Huntington, West Virginia

Dear Mr. Myers:

Enclosed is Permit WAY-1452 for drilling Well No. 1 on Delbert Blankenship et al Lease, Union District, Wayne County.

Please post one copy of permit at the well site and send us two copies of the well record when drilling is completed.

Please refer to directive regarding casing of oil and gas wells sent you previously.

Very truly yours,

Executive Secretary OIL AND GAS DIVISION

GW/jb enclosure

cc: Mr. Kenneth E. Butcher, Inspector

Mr. R. C. Tucker, Assistant State Geologist

bc: Mr. C. E. Roberts, Deputy Securities Commissioner

B-2

Formation	Color	Hard or Soft 30	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Brown Shale			2892	3016	CA SLIZ-T	ra warecase	ASS JOACL
White Slate	e To	otal depth	CHOU	3042	ecc—salo a et Ariège	10 8880 co	2060
Brown Gasle			9676	9790 c	there bynt	E CL TO M	ecch at
Slete		W.	25.40	2640 n 2676 t	ot exhaust p 2860 out	in mid sa	teir shalle Leity sett
	TTO		2018	8248 3	hale 89.60	parter p	L pr-corga
Heree cend			2002	2012 2	S/10 Weter	The Sac	D-Water in
	IIs .		1000	1980 °C	b 80/10 Me	ter l" in ; rom l5/l0 :	Perec-Ses Pater 1 " to
Injum Said	4, 4, 5		3/7/2	TVAO	es incre p	cd from 10	TO MESCE I
Red Rock		1	1275	TOVS	accu JLo	Show of g	es in Injun
Meener Sind			BIX	1679 s	a in Rech	or when da	Lited Soylo
DITTOR			3333	TION			
Little Line			JUAN	3398			
Sariey andll	TIS		7702	1165 1174	1000	M317075X	
porio 44			TTVO	TTea	43	Continues SA	
This cholls			1110	TITTO	100 17	REPORT S	
Line Shells Salt Sand			076	070		CEIVEN F	
	CIJ		650	5.65	长人	ing 23	
Q1800		The state of the s	472	650	West.	W	
-Clate & the Send Broden	Alls (Cor	o Lino)	740-	77.0 27.0	No.	18272625	
Send brolen			105	TVE			
	ILS		20	TOS			
Send			C	25			
						1907	
W. T.					-00-00A		*
			O TO		700-990		1
		TO TO A	toon Silel	en spites na	to treate	OPINIA SO A	teccitie
	in B	kg imjun e. onner gend	(10/65 495 (0/14/60 4	e per 10°	10,000 10	-40 cand	
	In B	ig Imjun 0,	(10/63 495	In actor	10,000 HG	-20 Sand	
0.7				a. tellar	la la la sala		
TOP H				Denier to	Taron Ten	. No 1868	
			A. Santa Santa		24		5/1/65
9		8					
let Gnot	220 IP	s and shot	5800#				
7/16/	C5,	8008	3022		5"- 8050	000	
	6/2	/65			2088	5022	2022
	1/4	1/65			тета		8008 .
		gare			1010	3230	
sukcua, pqb	r oj	TED 34	S NE MIĞ'	Pull I	eg 18 58	-+24×4×4	
		Dolbe	TO		800.	200	No.
ASSIGN:	The supply	5.74.19	DO.	W	86	1.88.	
J			705.9				
Torrosso	Middl	Deferit of	TITIOLS FOR	K	3		
Delbert	Palmike	tenip et al	66				
21.61 res	ranig Vth	128 Co. (18	e with	e)	2011		
	307.					10/	27/2023

	Date	8/26/63		, 19
APPROVED	Blank	enship Gas	Company	_, Owner
Ву	MEL	ly (Line)	Partner	•

B1



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION 30

Quadrangle Wayne
Permit No. 1452 Way

WELL RECORD

Oil or Gas Well Gas

in Mell 26 26 255 255 2 32 222 519 1519 022 2022 030 1930	Packers none Kind of Packer Size of Depth set Perf. top 2002 Perf. bottom 2022
255 255 2 32 1232X 519 1519 022 2022	Size of Depth set Perf. top 2002
255 255 2 32 1232X 519 1519 022 2022	Size of Depth set Perf. top 2002
255 255 2 32 1232X 519 1519 022 2022	Size of Depth set Perf. top 2002
255 255 2 32 1232X 519 1519 022 2022	Size of
255 255 2 32 1232X 519 1519 022 2022	Depth setPerf. top2002
32 131 519 1519 022 2022	Depth setPerf. top2002
519 1519	Depth setPerf. top2002
519 1519	Perf. top 2002
082 2022	Perf. top 2002
082 2022	Perf. top 2002 Perf hottom 2022
	Perf. top 2002
	Perf hottom 2022
030 1930	I CII, DOVOVA
	Perf. top
	Perf. bottom
50 SIZE	No. Ft. 8/5/63 Dat
TOTA TO TO	52
TERED AT	FEETINCHE
INCHES	FEETINCHE
00 10-20 Sand	đ
os 20-40 San	A
DET DITA	& Practure
-830 Fee	et
	Remarks
ater	
20224	The same of the sa
105126C16820:	
July A W	23
4	
AUG 1963	23
DE DE	list the second
J TOUT WILL THE	
FIVEL	[4 (
West Virginia	25
West Virginia Dept. of Mines	456
West Virginia Dept. of Mines	4567
West Virginia Dept. of Mines	4567
West Virginia Dept. of Mines	4567
West Virginia Dept. of Mines	4567
RECEIVED West Virginia Dept. of Mines	4567
Keener when	drilled 20/10
Keener when	drilled 20/10
Keener when	drilled 20/10 f gas in Injun
Keener when l"-No Show of creased from	drilled 20/10 f gas in Injun 10/10 Water 1
Keener when l"-No Show of creased from 10 Water 1"	drilled 20/10 f gas in Injun 10/10 Water 1 in Berea-Gas
Keener when l"-No Show of creased from 10 Water 1" : sed from 15/:	drilled 20/10 f gas in Injun 10/10 Water 1 in Berea-Gas 10 Water 1* to
Keener when creased from 10 Water 1" : sed from 15/:	drilled 20/10 f gas in Injun 10/10 Water 1 in Berea-Gas 10 Water 1° to 2760-Water in
Keener when the No. Show of the Creased from 15/1 water 1 at 2 2960 1 bailer	drilled 20/10 f gas in Injun 10/10 Water 1 in Berea-Gas 10 Water 1* to 2760-Water in
Keener when 1 -No Show of creased from 15/2 water 1 at 2 29 60 1 baile: haust-Plubged	drilled 20/10 f gas in Injun 10/10 Water 1 in Berea-Gas 10 Water 1* to 2760-Water in r per hr-Would
Keener when 1 -No Show of creased from 15/2 water 1 at 2 29 60 1 baile: haust-Plubged	drilled 20/10 f gas in Injun 10/10 Water 1 in Berea-Gas 10 Water 1* to 2760-Water in r per hr-Would
Keener when land water land at 29 60 l baile: haust-Plugger	drilled 20/10 f gas in Injun 10/10 Water 1 in Berea-Gas 10 Water 1* to 2760-Water in r per hr-Would d back shale and clay sett
Keener when 1 -No Show of creased from 15/2 sed from 15/2 water 1 at 2 2960 l bailer haust-Plugger of 10	drilled 20/10 f gas in Injun 10/10 Water 1 in Berea-Gas 10 Water 1* to 2760-Water in r per hr-Would d back Shale and clay sett FT each at
Keener when 1 -No Show of creased from 10 Water 1 - 15/2 Water 1 - at 2 2960 1 baile: haust-Plugger 0 put in mud plugs of 10 810 and 2850	drilled 20/10 f gas in Injun 10/10 Water 1 in Berea-Gas 10 Water 1* to 2760-Water in r per hr-Would d back shale and clay sett FT each at to 2860
Keener when 1 -No Show of creased from 15/2 sed from 15/2 water 1 at 2 2960 l bailer haust-Plugger of 10	drilled 20/10 f gas in Injun 10/10 Water 1 in Berea-Gas 10 Water 1* to 2760-Water in r per hr-Would dozek shale and clay sett FT each at to 2860 he Berea at
	INCHES INCHES OO 10-20 Sand Iter shotXX 8 Gas Water Depth

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. 2004-1452	134		Oil or	Gas Well Has
Company Webster Myers	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address Austria ton WV	Size			Kind of Packer
Well No.	13		EURO GUA S	Size of
District Mulen County Wayne Drilling commenced	8½ 65/8			Depth set
Drilling completed Total depth Auced at 1438 - 1450 Depth of shot	5 3/16	er sa	ncl	Perf. top
Initial open flow	Liners Used	boot	1 10	Perf. top
Volume 230,000 lu, fo. Ft.	CASING CEME	Seco NTED	nd size	Jond-Frac No. FTDate
Rock pressurelbshrs. Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	1232425262 H CHES
Fresh waterfeetfeetfeetfeet		INCH	617	West Virginia
Drillers' Names Hellert Ju	sher	0:	· ·	Wines S
Contr. Willard F. Remarks: This Well is s	rank	make	ing	flerid.
No accurate test on Injun sand-frace	gas.	8-1	0 - 6	5
Hoener ", ", "	ld all	8-1	4-6	3
DATE DATE		_/_	.0,/	DISTRICT WELL INSPECTOR 10/27/2023

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No				Well	No	
OMPANY	110		ADDRESS			DIT NO
	ALTHER MICH	DIGMDICM		COUNTY		
ARM	3779	DISTRICT.		DOUNTI		a gonge
illing Material Used					1//	
ming material oscu			1 1 2 1 1 1 2 2 2 2			
iner Loc	ation	Amount	Packer	Location		No.
DI LICE LISED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
CEMENT-THICKNESS	WOOD-SIZE	LEAD		450	1/ //	in the state of
The second second						
					Line or a new land	
			<u> </u>			
got typ!						tos gmu
Port Mitega	KINDIN	74000	CIVI- ACAP THE	n pagers.	100 1	
		E-10	7			
The South	1-5		the state of the s		Ji I	free in
		Jan Bridge		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
A Day to the	11/2012 12/					
	1.5 X18	DOTENTIAL	12 12 12 12 12 12 12 12 12 12 12 12 12 1	1000		- K. 5/01
MACAS AS FORMS						The second second
165 m - 103	L. TA GISTI	Uspect all	VIAGO SOLUTION VIEW			
19 July 19						
Marine Carl Congress	E) <u>samania</u>	The straight				
Drillers' Names	3/	7.77	- 10W			
	7					
Remarks:		0	at an I am			
2 13 1111						
			and the		i Di	
				W. oft		
			I Win	THU,		
50	I hereby certify I	visited the ab	ove well on this date.		071	
DATE						

1.0 API well number: (If not available, leave blank. 14 digits.)	47-099-2-1452-0000
2.0 Type of determination being sought (Use the code; found on the front Fof this form.)	STRIPPER WELL Section of NGPA Category Code
3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)	JUN - 1 1979 teet
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank.)	Blankenship-Gasillos Name 1614 7th Avenue Street Huntington, W. VA. City State Zip Code
5.0 Location of this well. [Complete (a) or (b).]	SOUTHERN WEST VIRGINIA Field Name WAYNE County State
(b) For OCS wells	SOUTHERN WEST VIRGINIA Area Name Date of Lease MA Block Number OCS Lease Number
(c) Name and identification number of this well: (35 letters and digits maximum.)	Blankenship Gas Co. #/ Well
(d) If code 4 or 5 in 2.0 above, name of the reservoir (35 letters maximum.)	BROWN SHALE
6.0 (a) Name and code number of the purchaser (35 letters and digits maximum. If code number not available, leave blank.)	GAS SUPPLY CORPORATION Name Buyer Code
(b) Date of the contract.	0 19 27 6 3 Mo. Day Y
(c) Estimated annual production:	13978 MMc1.
	(a) Base Price (b) Tax (c) All Other (d) Total of all (b) and (c) (b) and (c)
7.0 Contract price (%) (As of filing date Complete to 3 decimal places)	2.22.4. 25 22 2.694
8.0 Maximum lawful rate (As of filing date. Complete to 3 decimal places.)	, 2.2242522 2.694
Agency Use Only Date Received by Juris Agency JUN 1 1979 JUN 1 1979	WEBSTER MYERS, BLANKENSHID, GAS. Co. AGENT Title Signature APRIL 4, 1979 Date Application is Completed Phone Number

weit op	ERATOR: Blankenship Gas Co.	NIA
	Cas Sunday Corneration	023382
	URCHASER: SUS SUPPLY COT POTACTION -	
OTHER:_	Lake modulia	
	artment of Minos, Oil & Gas Division STEPMINATION FILE NILLARED Jualifies	
	ETERIVITIVATION FILE NOMBER	
	01 -108 - 099 - 1432 Referred	
	to Determination of this Well	alated 8-5
-	CHECK EACH ITEM AS COMPLETE OR NOTE WHAT IS MISSING	•.
ITEM NO.		
•	-121 Items not completed - Line No	
2 IV-1	- Agent Webster Myers	•
3 IV-2	- Well Permit /	
4 .17-6	- Well Plat	-
5 IV-35	5- Well Record / Drilling / Deepening	
6 IV-30	6- Gas-Oil Test: Gas Only Was Oil Produced? Ratio	
•	9- Annual Production	•
	0- 90 day Production 92 Days off Line:	
	8- Application for Certification. Complete?	
	Airi	davit /
18 – 28 (Other: Survey Logs Geological Charts Structure	
(5)	1:4000 Map Well Tabulations Gas Analyses Date Completed: 8-10-63 Deepened	
(5)	Production Depth: 1314 - 1379 11442 - 1470	
(5)	Production Formation: Keener; InJun	
	Final OPEN FION: Initial Potential: NA	
	After R.P. FRAC: 190 #	
,	Other Gas Test:	1 1
(7)	Avg. Daily Gas from Armual Production: 365 38.2 M	V. 0:1
★ (8)	Avg. Daily Gas from 90-day endir, =/1-120 da 492 - 41.700	V. O.
(8)	Line Pressure: N/A PSIG from	m Daily Repor
(5)	Oil Production: NO From Completion Report	
10–17)	Does lease inventory indicate enhanced recovery being done: NO	
10–17)	Is affidavit signed? Notarized? 10/2	7/2023
	ial well record with the Department confirm the submitted information	tion? yes
	InformationDoes computer program confirm?	•
WAS Detain	ination Objected to?By Whom?	•
	이 등이 있는 이번 나는 아이를 하게 되었다면 하는 사람들이 모르게 되었다면 그 없었다.	

DEPARTMENT OF MINES, OIL AND GAS DIVISION

WELL CLASSIFICATION FORM

STRIPFER GAS WELL

NGPA Section 108

	ADDRESS 1614 7th AVE
7: 4:11 0 6	HUNTINGTON, W. VA. 25703
WELL OPERATOR BIAN KENSHIP GAS CO.	LOCATION: Elevation 783.9
ADDRESS 1614 7th AVE	Watershed EAST FORK OF 12 Pole CREEK
HUNTINGTON W. L'A.	Dist UNION County WAYNE Quad WAYNE
GAS PURCHASER BAS SUPPLY (CRD	Gas Purchase Contract No.
ADDRESS Rt. 1. Box 5656	Meter Chart Code
LAVALETTE, W. 1'A.	Date of Contract Sept. 27 53

DESIGNATED AGENT Webster

Provide a complete inventory of the lease and production equipment used for the well for the previous 24 months or, if less than 24 months, the period the well has been in production. Include a complete list of equipment or processes used in connection with recognized enhanced recovery techniques during completion or production. (Attach separate sheets, if necessary.)

STANDARD WELL HEAD

List all records reasonably available to you which characteristics information relevant to a determination indicate the location of such records. B&O Tak Records and royalty payment records) and

10/27/2023

the search made of any records listed above: Are you aware of any other information which would tend to be inconsistent with the information specified above? Yes No If yes, indicate the type and source of the I have caused to be made a diligent search of those records hereinbefore indicated in the manner herein described, that the information contained in this document is true and accurate and that on the basis of the records and examinations hereinbefore described, and to the best of my information, knowledge and belief, the well for which this certification is sought qualifies as a tripper well. STATE OF WEST YIRGINIA, COUNTY OF Cabell, TO WIT: I, Selic Collics, a Notary Public in and for the state and county aforesaid,

do certify that Mehster Myus whose name is signed to the writing above, bearing date the 20 day of Marely, 1979, has acknowledged the same before me, in my county aforesaid.

Given under my hand and official seal this 20th day of March, 1979 My term of office expires on the 1st day of April , 1980.

Notary Fublic Rise

[NOTARIAL SEAL]

10/27/2023

GAS VOLUMES IN MCF @ 14,73 OIL IN BARRELLS @ 60 DEGREES REPORT OF MONTHLY PRODUCTION

- OIL AND GAS

NOTSTATE

YEAR 19 /

STATE OF WEST VIRGINIA

IV-39-WC

DEPARTMENT - MINES

OPERATOR Blankeriship CAS (Reprent

TOTALS. TOTALS GAS OII, GAS OIL 3951 SHITT-IN PRESSURE SHIT-IN PRESSURE 1330 1391 S-S S AVG. FLOW PRESSIRE 355 " 1504 A--AVG. FI,OW PRESSURE. ME 1181 -X1117 M-1346 COUNTY COUNTY A-1328 Z L 1449 1333 17-1452 COFFARM FARM 7-DAYS ON LINE DAYS ON LINE

YEAR 19

DIT, BBI,

SAS MCF

API

MCF

SAS

1PI

III, BBL

Section 271. 804 (b)

In accordance with Section 271.804 (b) please list all other wells of Part 271 Subpart H. SUMMARIZATION SCHEDULE

AUG

5

GAS DIVISION
OF MINES

1980

API NUMBERS

222-1452-14

10/27/2023

DEPARTMENT - MINES DIVISION - DIL AND GAS STATE OF WEST YTROINTA DM_CC_AT

DAYS ONLINE

OIL BBL GAS MFC

API

OPERATOR .

FARM : Delbert Binutenship, ETAL COUNTY: WAYNE

BIANTENSHIP GAS CO. 10 !

AVO. FLOW PRESSURE 35#

SHUT-IN PRESSURE

In accordance with Section 271.804(b) please list all other wells which are to be used in determining this well classification under

Part 271 Subpart H.

API NUMBERS

SUMMARIZATION SCHEDULE Section 271, 804 (b) 47-099-2-1452 -0000

