

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS



ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Asbury, Barney C Operator Well No.: C-1-1143

LOCATION: Elevation: 694.92' Quadrangle: Ceredo
District: Ceredo County: Wayne
Latitude: 42 Feet South of 38 Deg. 672 Min. 6 Sec.
Longitude: 36 Feet West of 88 Deg. 11 Min. 3 Sec.

Well Type: OIL _____ GAS X

Company Enervest Operating LLC Coal Operator Pocahontas Land Corp
300 Capitol St. E., Ste 200 or Owner Three Commercial Drive
Charleston, WV 25301 Norfolk, Va 23510
Agent Steve Downey Coal Operator _____
Permit Issued Date 11-12-20 or Owner _____

AFFIDAVIT

STATE OF ~~WEST VIRGINIA~~ KY
County of Floyd ss:

Rodney Osborne and Estill Johnson being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 17 day of Dec, 2020, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
See Attachment			1568' of 5 1/2"	311' of 10 3/4"
			649' of 7"	1286' of 8 5/8"
				1460' 7"
				2124' of 5 1/2"

Description of monument: 7" casing w/ API # 36" above ground and that the work of plugging and filling said well was completed on the 30 day of Dec, 2020.

And further deponents saith not. [Signature]
[Signature]

Sworn and subscribe before me this 31 day of December, 2020

My commission expires: 2-4-2022

Stella M Stone
Notary Public



Affidavit reviewed by the Office of Oil and Gas: [Signature] 1-4-21 Title: Inspector DeBeauvoir

Fluid Type	Cement Plug/Gel Bottom Depth	Cement Plug/Gel Top Depth	Actual TOC	Cement Vol. Pumped (sks)
Cement	3685	3400	3520	30
Cement	3520	3480		5
gel Spacer	3480	3226		
Cement	3226	3125	3119	12
gel Spacer	3119	2851		
Cement	2851	2749		12
gel Spacer	2749	2162		
Cement	2162	1958	1846	40
gel Spacer	1846	1616		
Cement	1616	1465		35
gel Spacer	1465	1350		
Cement	1350	1244		40
gel Spacer	1244	1054		
Cement	1054	945	919	35
gel Spacer	919	720		
Cement	720	594		55
gel Spacer	594	453		
Cement	453	Surface		219
Cement		Topped off		12

47-99-1454
Asbury

John W. Miller
1-4-21

Asbury
47-99-01454

Perforation Date	Perforation Depth	Size of Casing/Tubing Perforated	Number of Charges Shot
12/21/2020	2850	5 1/2	5
12/21/2020	2813	5 1/2	5
12/21/2020	2750	5 1/2	5
12/22/2020	2158	5 1/2	5
12/22/2020	2131	5 1/2	11
12/22/2020	2131	5 1/2	11
12/22/2020	2058	5 1/2	5
12/22/2020	1958	5 1/2	5
12/22/2020	1568	5 1/2	11
12/28/2020	1600	7	5
12/28/2020	1500	7	5
12/28/2020	1465	7	5
12/28/2020	1296	7	22
12/28/2020	995	7	22
12/28/2020	1344	7	5
12/28/2020	1244	7	5
12/28/2020	1045	7	5
12/28/2020	995	7	5
12/28/2020	945	7	5
12/29/2020	694	8 5/8	5
12/29/2020	594	8 5/8	5
12/29/2020	450	8 5/8	5
12/29/2020	350	8 5/8	5
12/29/2020	300	8 5/8	5
12/29/2020	250	8 5/8	5
12/29/2020	200	8 5/8	5
12/29/2020	150	8 5/8	5
12/29/2020	100	8 5/8	5

Asbury
1-4-21