

DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES, Charleston, W. Va. Irene Olmstead Webster Myers COAL OPERATOR OR COAL OWNER NAME OF WELL OPERATOR 7th Ave Huntington, W. Va. Ferguson. W.Va. COMPLETE ADDRESS ADDRESS August 15,1963 COAL OPERATOR OR COAL OWNER PROPOSED LOCATION Lincoln District ADDRESS Wayne Irene Olmstead County OWNER OF MINERAL RIGHTS Well No. Ferguson W.Va. ADDRESS Irene Olmstead GENTLEMEN: 140 acres The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated June 18 th madeby C.V. Meabon & E.K. Bell assignment Webster Myers , and recorded on the 22 June, 1963 _, in the office of the County Clerk for said County in -, page 99 Book The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees. The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Code, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal apparent are further a tiffed. a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same. (The next paragraph is to be completed only in Department's copy.) Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address. or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, 11819202 Very truly yours, AUG 1963 RECEIVED 1614 West Virginia Address of Huntington, W.Va. Well Operator

*Section 3.... If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.



1470

WAY-1479 PERMIT NUMBER

STATE

. I. not prid ave Nuntington, I.

August 15,1965

Forguson W.Va.

June, 1963

Liet .W. I & modest .V. O ... Jenson & I.K. 1611

10/27/2023

CHINE TENNAL IS



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

Quadrangle WAYNE

Permit No. Way-1470	LL RECORD		Oil or	Gas Well Dry Hole
Company Webster Myers Address 1614 7th Ave Hunting ton, W.V. Farm Irene Olmstead Acres 140		Used in Drilling	Left in Well	Packers
Location (waters) Twelve Pole Creek Well No. 1 Elev. 820 District County Wayne	Size 16	30	30	Kind of Packer
The surface of tract is owned in fee by	10	306	306	Size of 7"x12"
Mineral rights are owned by Same Address Ferguson, W.	65/8	1170	1170	Depth set 1170
Drilling commenced 8/31/63 Drilling completed 10/12/63 Date Shot From To With	2Liners Used			Perf. topPerf. topPerf. bottom
Open Flow /10ths Water in	Inch CASING CEME	none		_No. FtDate
Rock Pressurelbsbbls., 1st 24	hrs. COAL WAS EN			_FEETINCHES
WELL ACIDIZED	FEET	'INC	HES	_FEETINCHES
WELL FRACTURED				_FEETINCHES
RESULT AFTER TREATMENT				1
ROCK PRESSURE AFTER TREATMENT				
Fresh Water none Feet		306-316-H	ole ful	at 666

RESULT	AFIER	IREAIMENI_

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth	Remarks
Slate Sand			0 95 184 215 255 269 316 350 365 393 412 460 473 564 595	95 184 215 255 269 316 350 365 393 412 460 473 564 595 630 sho	w of gas 6	60 *	
Salt San Big Lime Injun Sa	đ		630 1154 1283	1154 1283 1372-No		well logge	ed and coul
Lime She Slate &			1372	1392 1431 t	otal depth		7/2023

(over)

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
						*,	
						er Amerikan	
TALE STO	Ficlis		262T -	TORS A	epsy-geliju		
2~15 52 75~1.70 75-14 50 415 Ein 6	id No		7200 7300 000	01152 0265 0672-10	good send Caline goo	well logg a send	ed _e and cou
SSIG	C.		1164 . 290 466 284 712 430 413	718 460 473 595 595	- 1 %	Q.3-1	
Sand Slave Send Slave Welfi Slave Sand			200 200 200 200 200 200	2880 216 200 366 366			
Sláte Sent Sléte		-	%0 %05 %164 %154	DIO TOV DD			
						200 144	
	DOME.	And a			200-270-11	ole full c	ceoe
						many and fire	
						1	10 10 10 10 10 10 10 10 10 10 10 10 10 1
				" VERY		A*	
	prà Reje						en in was
					none		*
	10/1	/65 2/65					
		perc.	DOD * AAC		205 1170	TTAO.	TTAO
17	(реола)	99tic/	tra.		10		106 - 1
Theric	Tacjac	, kole Grec	050*0				
There	Stor Test Le Yeng Chusheed	s vo rambits	ton, W. Va.,		18540	A	Eschella.
a 710	7 - 147Q		AMERIT	REGORE		10/2	27/2023
	ANTICO DE LA CONTRACTOR						

APPROV

August 29, 1963 "Centennial Year"

Mr. Webster Myers 1614 - 7th Avenue Huntington, West Virginia

Dear Mr. Myers:

Enclosed is Permit WAY-1470 for drilling Well No. 1 on the Irene Olmstead Lease, Lincoln District, Wayne County.

Very truly yours,

Executive Secretary OIL AND GAS DIVISION

GW/dd enclosure

cc: Mr. Kenneth Butcher, Inspector

Mr. R. C. Tucker, Assistant State Geologist

Bc: Mr. C. E. Roberts, Deputy Securities Commissioner

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. 20 ay - 1470			Oil or	Gas Well
Company Webs ter Myers	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address Hunling ton, wva.	Size			Kind of Packer
Farm Jane Olmslead	13			Killi of Facket
Well No.	10			Size of
District Leuch County Wayne	65%			Depth set
Drilling commenced $8-26-63$	5 3/16			
Drilling completedTotal depth	3			Perf. top
Date shotDepth of shot	2			Perf. bottom
Initial open flow/10ths Water inInch	Liners Used			Perf. top
Open flow after tubing/10ths Merc. inInch				Terr. bottom
VolumeCu. Ft.	CASING CEME	ENTED	SIZE	No. FTDate
Rock pressurelbshrs.				
Oilbbls., 1st 24 hrs.	COAL WAS E	NCOUNTERED	AT	_FEETINCHES
Fresh waterfeetfeet	FEET	INCI	HES	_FEETINCHES
Salt water 660 feet feet	FEET	INC	HES	_FEETINCHES
Drillers' Names Brady Ne	ellia	ms		
Coult Bud Hix		6	alele	loals.
Starled drilling	g du:	this	date	,
37	12345			
S D	EP 1963	/	18	0 0
Day Well	CEIVED t Virginia of Mines	1		DISTRICT WELL INSPECTOR 10/27/2023

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No		5 54		Wel	I No		
COMPANY			ADDRESS			in the	
FARM DISTRICT COUNTY COUNTY							
					38	La very	
Filling Material Used							
Liner Loc	eation	Amount	Packer	Location	30		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASING AND TUBING			
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST	
			124 40	1			
						eras graff	
				13.0001			
w was well as a second with the second was a second with the s				(in the second		Y magnification	
					A. Part		
		THE STATE OF THE S				10000	
	7 8						
		THE STREET STREET, STR		The contract of the contract o			
rillers' Names							
			Etriy - transport and a second	ALCONO. Primor have		The second second second	
emarks:							
	I hereby certify I	visited the abo	ove well on this date.				
DATE							

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. Way - 1470P					I No	
COMPANY Wels	ter My	ers	ADDRESS_AU	uling	ton	, w
FARM Irene	Ilmster	DISTRIC	CT Jencoln C	OUNTY_2	1) ay	in
Filling Material Used	Stron	C	lay Cem	ent		- Kunding
Liner Loc	eation	Amoun	t Packer	Location		per a la
	ND DEPTH PLACED		BRIDGES	CASIN	CASING AND TUBING	
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
- 10-			10-Clay 11-	(4)	bucutson -	inisted organización
Parfy top			dight lat		_bo/siqua	on gedilin
notiod avel				ni qod		toda eta
got rea			Notes inluci		ente	ago Teran
331030000000000000000000000000000000000			by Merc, in	14	administis	will mai
8.0		USTRIBUTE	DESCRIPTION OF THE PROPERTY OF			and
			10			22121
HOMI TREE	TA CRYST	V 000001 8	W. (200) Con 12 of wise			
- Y3	1.00	HIL	iks			
Drillers' Names	fichs	dri	lling (a.	0.371		10
Remarks:				F REC	1963 EIVED Virginia of Mines	100 B200722
DATE	I hereby certify I	visited the a	above well on this date.	9 13	uti	he
NOTORNEHI LINYO TOLITRIG					10/27/	

DEPARTMENT OF MINES OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No.	- 1 + 1 + 1 =			Oil o	Gas Well	
Company	TANGE TANGE	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS
Address	The man of the	Size	تردر	20.	recial Used	M and III
Farm	Panker	16		noiteno	Kind of Pack	ter
Well No.		13	(30.)	к низас ама	0 20 300,00	
Well 140	3-9538 YOU KOOD-KOTTO HE	10	3.4 11212	-3029	Size of	
District	County	81/4				
Drilling commenced		65/8			Depth set	
		5 3/16				
Drilling completed	Total depth	3			Perf. top	
Date shot	Depth of shot	2			Perf. bottom	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch				Perf. bottom	
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs.					
Oil	bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTEREI) AT	FEET	INCHES
Fresh water	feetfeet	FEET	INC	HES	FEET	_INCHES
Salt water	feetfeet	FEET	INC	HES	_FEET	_INCHES
Drillers' Names		31.3 1.90077	JEC 10		7 10	silven
Remarks:						

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Total Depth 1431'

Fill with Clay from 1431 to 1283' Neat cement 1283' - 1273' 5' crushed stone 1273' to 1268' - sealing Big Injun Continue filling with Clay to 1190' 2 sacks neat cement 1190' - 1180' Pull 7-inch casing and fill with Clay from 1180' to 326' Neat cement 326' - 316' 5' crushed stone on cement Pull 8-inch casing and fill with Clay to 10' Cement 10' to surface

Monument to be inside of 10-inch conductor extended above surface markings on Monument Well No. 1 Irene Olmstead abn. date.

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date inspector is notified after permit is issued.

Very truly yours, Well Operator No objections have been filed by the coal owner or coal operator, or any available adjacent lease

or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby appropriately 23

23rd	day of-	OCTOBER	19_63
	uay or—	the state of the s	10

DEPARTMENT OF MINES Oil and Gas Division

By:

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

ACAT NOW ODDDAWND	LUDD COURT AGAIND C	
COAL NOT OPERATED	WEBSTER MYERS	
Coal Operator	Name of Well Operator	
	1614 7TH AVE., HUNTINGTON, W.	VA.
Address	Complete Address	
	OCTOBER 23, 1963	
Coal Owner	Date	
	WELL TO BE ABANDONED	
	LINCOLN Dis	strict
Address		
	WAYNECo	ounty
Lease or Property Owner	Well No. ONE (1)	
Address	IRENE OLMSTEAD	Farm
Inspector to be notified KENNETH E. BUTCHER	CityBARBOURSVILLE Telephone RE-	6193 3
24 HOURS IN ADVANCE OF P	LUGGING	
The undersigned well operator is about to about	andon the above described well and will comm	nence

the work of plugging and abandoning said well on the date inspector is notified (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

> Very truly yours, Well Operator

NOTE: Upon the abandonment of any well drilled prior to June 1, 1929, a plat prepared by a registered engineer, shall be filled with THREE COPIES OF APPLICATION, (OG-9) AND "WORK ORDER" AND TWO COPIES OF THE WELL RECORD, (OG-10). The map must show the district and county in which the tract of land is located, the name and acreage of same, the name or names of the owners and names of adjacent tracts and the location of the well to be abandoned, determined by survey with the courses and distances of such well from two perman-10/27/2023 ent points or landmarks on said tract.

NOTE: In case plugging is not commenced within four months from the date of permit, same shall expire and be of no further force or effect.

NOTE: PERMIT IS NOT TRANSFERABLE.

WAY-1470-P

Permit Number



FORM OG-8

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

ADDRI	A OK OWNER			NAME OF WELL O	DEPATOR	
	COAL OPERATOR OR OWNER			7th Ave		ton, W. Va
COAL OPERATO	ess	Feb	10,	COMPLETE ADD		19 64
	R OR OWNER	т.		WELL AND LO	CATION	
ADDRI	(SS		ncol	n		District
		M	layne			County
LEASE OR PROP	ERTY OWNER			0		
ADDR	TSS	Well N	0	0ne	of the field	region of the are on an an are the fact that are are also are not also
		Irene	Olms	tead		Farm
OF A FIRE VALORISTICATION OF CAMPAIN	K	enneth	Butc	her		
STATE INSPECTOR SUPE	RVISING PLUGGING		************		***************************************	
	AFFI	DAVIT				
STATE OF WEST VIRG						
County of Cabell	} ss:					
F.M. H	icks	and	We	bster Mye	ers	
being first duly sworn a	ccording to law depose	and say th	at the	y are experie	nced in the	work of
plugging and filling oil ar	nd gas wells and were er	nployed by	0111		74 .4 .	,
well operator, and partic	lpated in the work of pr	ugging and	nlling	the above v	well, that sa	aid work
was commenced on the and filled in the following	g manner:		, 19_0	2, and that t	he well was	plugged
SAND OR ZONE RECORD	FILLING MATERIAL					
FORMATION	TILLING MAILKIAL		F	LUGS USED	CSG	SING
	7).	27 7 202		SIZE & KIND	PULLED	LEFT IN
Filled CXXXXX C		31 - 1283	C	ement		
Big Injun		73-1268		Omorro		
	Clay	1190				- 1
		90-1180	1	Cement		
		it off	at 1	070		N 12 13 147
		80-326			6	011
	Stone on top	26 -3 16	t.	ement	100	FEB 1964
	alled 8" Csy				10	RECEIV
	illed with clay				A 55	Most Virgi
Ceme	ent 10: to top o	f Monume	nt		60	Dept. of M
					1	(E0000001)
						00 85 Fe
			-			
		7.7				
COAL SEAMS			Wol		N OF MONUME	
NAME)				1 No. 1 I		
COAL SEAMS NAME) NAME)						

ERMIN TO THE TRATEO

LIEW BULL OF PLUCCHED AND HE LING WELL

The same to sa

Elegador de la composición del composición de la composición de la composición de la composición de la composición del composición de la c

Tion to pulm 7: Graing ind to out it off at 1070 colors

Ligo to pulm 5: Graing ind to out it off at 1070 colors

Ligo to pulm 5: Grain colors colors

Carant Calar Carants

J. Stone on top of carents

J. Lilled with clay SIC carents

J. Lilled with oldy SIC-IC

Carant lot to top of carants

VO

10/27/2023

HORI, HI Jack

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. 4/04-1470P

Rolary	
Spudder	
Cable Tools	4
Storage	
Oil or Gas We	1

Company Welster Myers	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address Hentington WV	7 Size			Section of the sectio
Farm There Olmstead	16			Kind of Packer
Well No.	13		perde	Size of
District Lincoln County Ne ayn	C81/4			
Drilling commenced	65/8			Depth set
Drilling completedTotal depth	5 3/16			
	3			Perf. top
Date shotDepth of shot	2			Perf. bottom
Initial open flow/10ths Water inInch	Liners Used			Perf. top
Open flow after tubing/10ths Merc. inInch				Perf. bottom
VolumeCu. Ft.	CASING CEME	NTED	size5223	242No FTDate
Rock pressurelbshrs.	NAME OF SEE	RVICE COMPA	100	1964
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTEREI	AT REC	FINCED SINCHES
Fresh waterfeetfeet	FEET	INC		Virginia INCHES
Salt waterfeetfeet	FEET	INC	HES LUOI	FRED INCHES
Drillers' Names Brady Will	eams			Se Making
Contr. Bud Hicks				

Final inspection made for bond release

20-64



DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

-			Wel	I No		
		ADDRESS				
DISTRICTCOUNTY						
cation	Amount	Packer	Location			
SED AND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING	
WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST	
)	
				•	,	
			100			
	30					
77×3						
					,	
	The same of			AND PROPERTY AND ADDRESS OF		
I hereby certify I	visited the abo	ove well on this date.				
	Cation AND DEPTH PLACED WOOD-SIZE	eation Amount NND DEPTH PLACED WOOD-SIZE LEAD	ADDRESS DISTRICT Cation Amount Packer BRIDGES WOOD-SIZE LEAD CONSTRUCTION-LOCATION	ADDRESS	ADDRESS DISTRICT COUNTY Cation Amount Packer Location ND DEPTH PLACED BRIDGES CASING AND TO WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE ADDRESS CASING AND TO WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE ADDRESS CASING AND TO ADDRESS CASING AND	

February 25, 1964

Mr. Webster Myers 1614 Seventh Avenue Huntington, West Virginia

Dear Mr. Myers:

Well No. 1 on the Irene Olmstead Farm, Lincoln District, Wayne County, has been received in our office. Plugging was done under Permit WAY-1470-P.

As our Inspector, Mr. Kenneth Butcher, reports that everything is in good order, we are releasing this well under the Blanket Bond by which it is covered.

Yours very truly,

GURMER WAMOCK

SM

Coal not operated

COAL OPERATOR OR OWNER

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

Termit tort

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

Webster Myers

			on, W.Va		
ADDRESS		-11-0-0			
			19		
PERATOR OR OWNER		CATION			
ADDRESS			District		
	Wayne	Agental green in the	County		
R PROPERTY OWNER	vall av one				
ADDRESS	veii. No.		· W		
_	Irene Olmstead	11.	Fam		
SUPERVISING PLUGGING		w,			
AFFIDAV	/IT . IA	1 pt			
VIRGINIA,	1.10	OIU			
ss:	1100	N			
	y M				
	say that they are experie	enced in the	work of		
		siiced iii tiic	WOLK OI		
participated in the work of pluggin	g and filling the above	well, that s	aid work		
lowing manner:	and that t	me wen was	s prugged		
FILLING MATERIAL	DI UCC UCED				
PILLING MATERIAL			SING		
	SIZE & KIND	PULLED	LEFT IN		
Mud & Clay		1431	1283		
			1273 -		
			1190		
			1180		
			326		
		326	316		
		720			
Till with mud & clay		316	10		
Cement		10	0		
t to be incide of low o	anditator extended	above	surface		
nument Well No. 1 Irene					
	e Olystead abn. Da		ENT		
nument Well No. 1 Irene	DESCRIPTION	on of Monum			
nument Well No. 1 Irene	DESCRIPTION Plug this well.	on of Monum			
nument Well No. 1 Irene	DESCRIPTION Plug this well.	on of Monum			
is is the way I plan to	plug this well.	on of Monum			
is is the way I plan to ar aproval please issu	plug this well. e me a permit. ester Myers	on of Monum			
is is the way I plan to	plug this well. e me a permit. ester Myers	on of Monum			
is is the way I plan to ar aproval please issu	plug this well. e me a permit. ester Myers	on of Monum	Cy-		
is is the way I plan to ar aproval please issu Web	plug this well. ster Myers was connected on the	on of Monum	Cy-		
is is the way I plan to web of plugging and filling said well onents saith not.	plug this well. plug this well. ster Myers OCT 1963	on of Monumi	day of		
is is the way I plan to raprocal please issu Web of plugging and filling said well	plug this well. ster Myers was completed on the	on of Monumi	day of		
is is the way I plan to raprocal please issu Web of plugging and filling said well	plug this well. ster Myers was completed on the	on of Monumi	day of		
is is the way I plan to raprocal please issu Web of plugging and filling said well	plug this well. plug this well. ster Myers OCT 1963 DESCRIPTION D	on of Monumi	day of /27/2023		
The same of the sa	ADDRESS R PROPERTY OWNER ADDRESS SUPERVISING PLUGGING	COMPLETE AD OCTOBER 23,19 WELL AND LO Lincoln Address Wayne R PROPERTY OWNER ADDRESS Well No. ONE APPROPERTY OWNER Well No. ONE Trene Olmstead OTH according to law depose and say that they are experie oil and gas wells and were employed by articipated in the work of plugging and filling the above the day of owing manner: FILLING MATERIAL Mud & Clay 2 Sacks of Cement Mud & Clay 2 Sacks of Cement Mud & Clay 3 Sacks of Cement Mud & Clay 4 Sacks of Cement Mud & Clay 5 Sacks of Cement Mud & Clay Cement Complete AD Well AND LO Lincoln Wayne Well No. One Irene Olmstead OTHERS FILLING MATERIAL PLUGS USED SIZE & KIND Pull & Casing 306 ft Fill with mud & Clay Cement Complete AND C	COMPLETE ADDRESS OCTOBER 23,1963 WELL AND LOCATION Lincoln ADDRESS Wayne R PROPERTY OWNER Well No. One ADDRESS ITEME Olmstead UPERVISING PLUGGING. AFFIDAVIT VIRGINIA, SS: and orn according to law depose and say that they are experienced in the oil and gas wells and were employed by articipated in the work of plugging and filling the above well, that so the day of owing manner: FILLING MATERIAL PLUGS USED CSS PULLED Mud & Clay SIZE & KIND CSS PULLED Mud & Clay SACKS of CEMENT Mud & Clay SACKS of CEMENT Mud & Clay SACKS of CEMENT FILLING MATERIAL Mud & Clay SACKS of CEMENT MUD & CLAY SACKS		

ACCURATE THAT TO BE SEEN TO THAT IS NOT TH

DEW ONLINE ONA JANEE

acoster setedos

Coel got opensted

1614 7th Ave Auntington, W. Fe.

Cottober 23,1965

Lincoln

on sal

2010

Destail onerl


Slate Section (1975)

Injury Send (1975)

Standard (1975)

The contract of the contract o

10/27/2023



7-18-63

Scale_

1'= 400'

of original tracing.