

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, March 24, 2023 WELL WORK PLUGGING PERMIT Vertical Plugging

GREYLOCK CONVENTIONAL, LLC 500 CORPORATE LANDING

CHARLESTON, WV 25311

Re:

Permit approval for COASTAL LMBR. 1

47-101-00097-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: COASTAL LUMBER COMPA

U.S. WELL NUMBER: 47-101-00097-00-00

Vertical Plugging Date Issued: 3/24/2023

PERMIT CONDITIONS 47 1 0 1 0 0 0 9 7

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

47 1 0 1 0 0 0 9 7

1) Date March 1 , 20 23 2) Operator's Well No. Coastal Lumber # 1 3) API Well No. 47-101 - 00097

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PER	MIT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas x/ Liquid	
	(II "Gas, Production x or Und	derground storage) Deep/ Shallowx
5)	Location: Elevation_1673	Watershed Cougar for fork of oldlick creek
	District Holly	County Webster Quadrangle Diana 7.5'
6)	Well Operator Greylock Conventional, LLC.	7) Designated Agent Joe Farris
	Address 500 Corporate Landing	Address 500 Corporate Landing
	Charleston, WV 25311	Charleston, WV 25311
8)	Oil and Gas Inspector to be notified	9) Plugging Contractor
	Name Jeremy James	Name R & R Well Services
	Address P.O. Box 36	Address 42 Lynch Ridge Road
	Clendenin, WV 25045	Walton, WV 25286
-		
10)	Work Order: The work order for the mann	er of plugging this well is as follows:
F	PLEASE SEE ATTACHED	
Notif Work	ication must be given to the district oil can commence.	l and gas inspector 24 hours before permitted
		-
Work	order approved by inspector	Date 3-6-23





500 Corporate Landing Charleston WW 25311

Coastal Lumber #1 P&A Procedure:

- 1. Notify the inspector at least 24 hours prior to conducting abandonment operations.
- 2. Blow down well
- 3. POOH with Tubing, RIH and confirm TD and fill depth.
- 4. Prep for cement. NOTIFY INSPECTOR OF TAG DEPTH
- 5. Lead with gel spacer on ALL cement plugs
- PLUG 1 –Set cement plug from <u>Approved Tag Depth 6370</u> to cover casing shoe and perfs @ 6476.
- 7. Free point 4.5" casing, rip and pull pipe. Note: Pull pipe after cement plugs below are set
- 8. PLUG 2 casing cut Set 100' plug across casing cut. ETOC @ 2700'
- 9. PLUG 3 PUH and set balance plug from 1650' 1500' to cover shoe @ 1584'
- 10. PLUG 4 PUH and set balance plug from 550' 450' to cover shoe @ 512'
- 11. PLUG 5 PUH and set balance plug from 100'-surface to cover surface plug
- 12. Set monument 30" above ground with Well Name, API and plug date

Section	Size	Weight/Grade	Depth	Hole Size	Cement Cu. Ft.
Conductor	13 3-8"	NA	33'	NA	Driven
Surface	9-5/8"	26#	512′	12 3/8"	236 Cu ft. (surface)
Intermediate	7"	23#	1584′	8 7/8"	346 Cu ft. (surface)
Production	4-1/2"	11.6#	6840′	6 1/4"	423 Cu ft. (ETOC ~2700')





June

State of West Virginia Division of Environmental Protection Section of Oil and Gas Well Operator's Report of Well Work

API# 47 - 10100097

Farm name:

Coastal Lumber Company

Operator Well No.: Coastal Lumber #1

Cement

Fill Up

Cu. Ft.

Driven

236

346

423

LOCATION:

Elevation: 1673'

Quadrangle: Diana 7.5'

District: Holly

County: Webster

Casing

&

Tubing

13-3/8"

9-5/8"

4-1/2"

Used

in

Well

33'

512

1584

6840'

Left

in

Well

33'

512'

1584'

6840'

Latitude: 38° 37' 16

Longitude: 80° 25'33.3 "

Company:

EASTERN AMERICAN ENERGY CORPORATION

501 56th Street

Charleston, WV 25328

Agent: Rod A Winters

Inspector: Craig Duckworth

Permit Issued: 9/11/2006

Well work commenced: 10/28/2006

Well work completed: 12/2/2006

Verbal plugging

Permission granted on:

Rotary X Cable Rig

Total Depth (feet): 6876'

Fresh water depths (ft): 50'

Salt-water depths (ft): N/A

Is coal being mined in area? (Y/N) No

Coal Depths (ft): N/A

Open Flow Data

Oponia	OW Date						
Gas:	Initial open flow	Odor	MCF/d	Oil:	Initial open flow	0	Bbl/d
	Final open flow	119	MCF/d		Final open flow	0	Bb1/d
	Time of open flow be	tween initia	ıl and final t	ests	32		_ Bond
	Static rock pressure	1800			ressure) after		Davs
	ocing Formation	Devo	onian Shale	_	Pay zone depth (ft)	6746	,-
2nd Prod	ucing Formation				Pay zone depth (ft)		0700
3 rd Prod	ucing Formation				Pay zone depth (ft)		
					• • • • • • • • • • • • • • • • • • • •		

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1) DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2) THE WELL LOG WHICH IS SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE **W**ELLBORE.

Rodney A. Winters

EASTERN AMERIC AN ENERGY CORPORATION

Designated Agent By: Date: June 11, 2007

4710100097

Coastal Lumber 1

STAGE ONE: Devonian Shale

56 Holes 6476' - 6760'

60Q Foam Frac 99,159 lbs sand. 2,513 Mcf N2 682.5 bbl CFL

FORMATION COLOR, HARD OR SOFT	TOP FEET	BOTTOM FEET
Driller's Log		
Fill	0	5
Sand	5	50
Sdy Shale	50	330
Sand	330	360
Sandy Shale	360	411
Salt Sand Sand + Shale	411	570
Sand + Snale Sand	570	740
Sand + Shale	740 777	777 1182
L. Lime	1182	1250
Pencil Cave	1250	1266
B. Lime	1266	1515
Shale	1515	1532
B Injun	1532	1547
Shale	1547	1645
Sand Fifty Foot	1645	1660
Sand + Shale	1660	1685
Gordon	1685 1730	1730 1870
Shale	1870	1880
Fourth Sand	1880	1912
Shale	1912	1972
Fifth Sand	1972	2110
Sdy Shale	2110	2140
Elizabeth	2140	2282
Sand + Shale Shale	2282	2660
Bali Town	2660	2782
Shale	2782 2972	2972 3204
Bradford	3204	3393
Riley	3393	3764
Benson	3764	3860
Sdy Shale	3860	4065
Shale	4065	4190
Sdy Shale	4190	6710
Marcellus Huntersville Chert	6710	6780
TD TD	6780	<u> </u>
12	6859	
}	ſ	
Open Hole Log		
Salt Sand	538	563
Little Lime	1161	1214
Blue Monday	1214	1246
Pencil Curve	1246	1260
Big Lime Big Injun	1260	1508
Gantz	1530	1538
Gordon	1595 1688	1616 17 38
Fifth	1950	1996
Elizabeth	2165	2247
Benson	3788	3815
Marcellus	6714	6790
Onondaga	6790	6798
Huntersville Laggerie TD	6798	
Logger's TD	6876	
į		
1		
•	'	

REMARKS

Including indication of all fresh & salt water, coal, oil & gas

Fresh Water .5" Stream @ 50' Fresh Water 1" Stream @ 80'

Gas Checks:

1480 ' No Show 2570 ' No Show 5088 ' No Show

TD ' Odor

WW-4A Revised 6-07 47 1 0 1 0 0 0 9 7 March 1, 2023

1) Date:

2) Operator's Well Number

Coastal Lumber #1

3) API Well No.: 47 -

101

00097

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Ow	mer(s) to be served:	5)	(a) Coal Operato	r			
(a) Name	Coastal Timberlands Compa	ny	Name				
Address	P.O. Box 709		Address	7			
	Buckhannon, WV 26201			/ 			
(b) Name			(b) Coal Ov	wner(s) with D	eclaration	0	
Address			Name	Juliana Mining C		21	
			Address			antown, WV 26508	
(c) Name			Name	_			
Address			Address				
	-		- Address				
3) Inspector							
Address				ssee with Decl	aration		
1100000			Name				
Telephone			Address				
Lorophone			_	7			
Take notice accompanyir Protection, v the Applicat	you received these documents is ou are not required to take any ac- that under Chapter 22-6 of the V ing documents for a permit to plu with respect to the well at the loc ion, and the plat have been main instances) on or before the day of	Vest Virginia Code g and abandon a vertion described on	e, the undersigned well of well with the Chief of the the attached Application	operator proposes to Office of Oil and O	file or has file Gas, West Virg	ed this Notice and Applica	ation and
	W	ell Operator	Greylock Conventional,	шс			
	By		6-net	LLU.			
	Its		Asset Development Ma	nager			
		dress	500 Corporate Landing				
	*****	norm Makelet	Charleston, WV 25311				
	Te	lephone	(304) 925-6100				
ubscribed and so y Commission I	worn before me this	lot day	y of Mar	CL Notar		OFFICIAL SEAL lotary Public, State Of Wes MELISSA A. KNUCKL 500 Corporate Landii Charleston, WV 253	.ES T
l and Gas Privacy	v Notice	J	1	}	M	y Commission Expires July	20, 2025
				5		**********	~~~

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.



LATERIAL STATES

Coastal Timberland Company P.O. Box 709 Buckhannon, WV 26201

EYL(C)CK : R G Y 500 Corporate Landing Charleston, WV 25311






Coastal Timberland Company P.O. Box 709 Buckhannon, WV 26201

EYL()CK : R G Y 500 Corporate Landing Charleston, WV 25311

DELIVERY Agent Addressee C. Date of Delivery	om item 1? \(\text{TVes}\) below: \(\text{DNo}\)	Priority Mail Express® Registered Mail** Registered Mail** Registered Mail Restricted Delivery Delivery Restricted Rest	Merchadise Merchadise Merchadise Signature Confirmation Restricted Delivery Domestic Return Receipt
COMPLETE THIS SECTION ON DELIVERY A. Signature X R Received by (Printed Name) C. DE	D. Is delivery address different from Item 1? If YES, enter delivery address below:	3. Service Type Adult Signature Adult Signature Restricted Delivery (2 Certified Mail®	Certified Mail Restricted Delivery Collect on Delivery Restricted Delivery Insured Mail Insured Mail Insured Mail Restricted Delivery Insured Mail Restricted Delivery (over \$500)
SENDER: COMPLETE THIS SECTION Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you.	Attach this card to the back of the mailpiece, or on the front if space permits. 1. Article Addressed to: Articl	9=	9590 9402 5486 9249 15/1 23 7019 1120 0001 1696 8183



Juliana Mining C, Inc. 2708 Cranberry Square Morgantown, WV 26508



FECEIPT website at www.usps.com*.	Postmark Here	Smare Sware See Reverse for instructions
CERTIFIED MAIL® ((ECEIPT Domestic Mail Only For delivery information, visit our website at www.usps.com)		Street and App. 100 Po Par No. City, State, ZIP-19 O Can bow.

Juliana Mining C, Inc. 2708 Cranberry Square Morgantown, WV 26508

COMPLETE THIS SECTION ON DELIVERY A. Signature	□ Agent □ Addressee	100	 U. Is delivery address different from item 1? ☐ Yes If YES, enter delivery address below: ☐ No 			Service Type Defority Mail Express® Defority Mail Express® Deforition Mail® Deforition Mail® Deforition Mail® Deforition Mail® Deforition Mail®	Restricted Delivery
SENDER: COMPLETE THIS SECTION Complete items 1, 2, and 3.	s on the reverse	or on the front if space permits.	Mining G. Ire	2708 Garbeny Square	Magantoun Walsoe	9590 9402 5486 9249 1570 86	2. Article Number (Transfer from service label) Collect on Delivery COLH 1120 0001 1698 6783 0 Insured Mail Restrict on Delivery



04/07/2023

4710100097

API Number 4	7 - 101	_ 00097
Operator's Well	No.	-

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

FLUIDS/ CUTTINGS DIS	POSAL & RECLAMATION PLAN
Operator Name_Greylock Conventional, LLC.	OP Code 494521205
Watershed (HUC 10) Cougar fork of oldlick Creek	Quadrangle Diana 7.5'
Do you anticipate using more than 5,000 bbls of water to com	plete the proposed well work? Yes No
Will a pit be used? Yes No	
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes	No ✓ If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Off Site Disposal (Supply form W	W-9 for disposal location)
Other (Explain	
Will closed loop system be used? If so, describe: Yes, tank re Drilling medium anticipated for this well (vertical and horizon -If oil based, what type? Synthetic, petroleum, etc. n/	turns at tanks tal)? Air, freshwater, oil based, etc. Freshwater
Additives to be used in drilling medium?	
Drill cuttings disposal method? Leave in pit, landfill, removed	offsite, etc. No cuttngs expected
-If left in pit and plan to solidify what medium will be	used? (cement, lime, sawdust)
-Landfill or offsite name/permit number?	
Permittee shall provide written notice to the Office of Oil and O	ias of any load of drill cuttings or associated waste rejected at any within 24 hours of rejection and the permittee shall also disclose
provisions of the permit are enforceable by law. Violations of a or regulation can lead to enforcement action. I certify under penalty of law that I have personally application form and all attachments thereto and that based one	conditions of the GENERAL WATER POLLUTION PERMIT issued ginia Department of Environmental Protection. I understand that the any term or condition of the general permit and/or other applicable law examined and am familiar with the information submitted on this my inquiry of those individuals immediately responsible for obtaining e, and complete. I am aware that there are significant penalties for imprisonment.
Company Official Title Asset Development Manager	
Subscribed and swom before me this 15t day of 1 My commission expires Quy 20, 20	OFFICIAL SEAL OFFICIAL SEAL INITIATRY Public, State Of West Virginia MELISSA A. KNUCKLES 500 Corporate Charleston, WV 25311 My Commission Expires July 20, 2025

Proposed Revegetation Treatment:		Preveg etation pH _	
Lime <u>3</u>	ons/acre or to correct to pl	H 6.5	
Fertilizer type 10-10-20			
Fertilizer amount 500		bs/acre	
Mulch_ Hay Bales		/acre	
	See	ed Mixtures	
Temporar		Permanen	ŧ
Seed Type	lbs/acre	Seed Type	lbs/acre
ORCHARD GRASS	12	ORCHARD GRASS	12
LANDINO CLOVER	3	LANDINO CLOVER	3
TIMOTHY	10	TIMOTHY	10
Attach: Maps(s) of road, location, pit and proportion of the pit will to the pit will be p	application area.	ation (unless engineered plans including atter volume, include dimensions (L, W, I	this info have been O) of the pit, and di
Maps(s) of road, location, pit and proportion of material street from the pit will be a considered by the land thotocopied section of involved 7.5' lan Approved by	application area.	ation (unless engineered plans including atter volume, include dimensions (L, W, I	O) of the pit, and di
Maps(s) of road, location, pit and proportion of rowided. If water from the pit will be the control of the land thotocopied section of involved 7.5'	application area.	iter volume, include dimensions (L, W, I	O) of the pit, and di
Maps(s) of road, location, pit and proportion of material street from the pit will be a considered by the land thotocopied section of involved 7.5' lan Approved by	application area.	iter volume, include dimensions (L, W, I	O) of the pit, and di
Maps(s) of road, location, pit and proportion of material street from the pit will be a considered by the land thotocopied section of involved 7.5' lan Approved by	application area.	iter volume, include dimensions (L, W, I	O) of the pit, and di
Maps(s) of road, location, pit and proportion of material street from the pit will be a considered by the land thotocopied section of involved 7.5' lan Approved by	application area.	iter volume, include dimensions (L, W, I	O) of the pit, and di
Maps(s) of road, location, pit and proportion of material street from the pit will be a considered by the land thotocopied section of involved 7.5' lan Approved by	application area.	iter volume, include dimensions (L, W, I	O) of the pit, and di
Maps(s) of road, location, pit and proportion of material street from the pit will be a considered by the land thotocopied section of involved 7.5' lan Approved by	application area.	iter volume, include dimensions (L, W, I	O) of the pit, and di
Maps(s) of road, location, pit and proportion of material street from the pit will be a considered by the land thotocopied section of involved 7.5' lan Approved by	application area. topographic sheet.	iter volume, include dimensions (L, W, I	O) of the pit, and di

WW-9-GPP Rev. 5/16

1460 01	4.7	1	0	1 _{of} 0	0	0	9	7
---------	------------	---	---	-------------------	---	---	---	---


API Number 47 - 101	- 00097
Operator's Well No.	


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

GROONDWATER FR	OTECHON PLAN
Operator Name: Greylock Conventional, LLC.	
Watershed (HUC 10): Cougar fork of oldlick creek	Quad: Diana 7.5'
Farm Name	
List the procedures used for the treatment and discharge of flugroundwater.	uids. Include a list of all operations that could contaminate th
N/A - no discharge of fluids	
2. Describe procedures and equipment used to protect groundwat	ter quality from the list of potential contaminant sources above
Closed loop system, all returns will be taken in ta	nks and hauled to WVDEP approved facility.
 List the closest water body, distance to closest water body, a discharge area. 	and distance from closest Well Head Protection Area to the
N/A	
Summarize all activities at your facility that are already regulate	ed for groundwater protection.
N/A	

WW-9- GPP Rev. 5/16

N/A
5. Provide a statement that no waste material will be used for deicing or fill material on the property.
Greylock will not use any waste material for deicing or fill material on property
Describe the groundwater protection instruction and training to be provided to the employees. Job procedures shall provide direction on how to prevent groundwater contamination.
N/A SEE SECTION 2
Provide provisions and frequency for inspections of all GPP elements and equipment.
Daily inspections of equipment will be preformed
gnature:
ate: $\frac{3}{\sqrt{23}}$







West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: CDS

WELL LC	CATION FURM: GPS	
_{API:} 47-101-00097	WELL NO.:_1	
FARM NAME: Coastal Lu	mber # 1	
RESPONSIBLE PARTY NAME:	Greylock Convention	nal, LLC
COUNTY: WEBSTER	DISTRICT: Ho	lly
QUADRANGLE: Diana 7.5	•	
SURFACE OWNER: Coasta	l Timberlands Co.	
ROYALTY OWNER: Coasta	l Timberlands Co.	
UTM GPS NORTHING: 42748	399.04)
UTM GPS EASTING: 549992	2.35 GPS ELEVATI	ON: 1,666 ft
The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and Gathe following requirements: 1. Datum: NAD 1983, Zone height above mean sea level be above mean sea level be above to Datum - 3.03. 2. Accuracy to Datum - 3.03. 3. Data Collection Method: Survey grade GPS: Post Pro-	or a plugging permit or assigned A as will not accept GPS coordinates: 17 North, Coordinate Units: met vel (MSL) – meters. 5 meters	PI number on the s that do not meet
	me Differential	
Mapping Grade GPS X Post	The state of the s	
	-Time Differential X	
4. Letter size copy of the to I the undersigned, hereby certify this belief and shows all the information r prescribed by the Office of Oil and G	equired by law and the regulation	nowledge and
15.M.U	Asset Development Manager	03/01/2023
Signature	Title	Date



PLUGGING PERMIT CHECKLIST

Pluggii	ng Permit
<u> </u>	WW-4B
$\bot\bot$	WW-4B signed by inspector
	WW-4A
П	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
Д	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL
	WW-9 PAGE 1 (NOTARIZED)
\Box	WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application
	WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
	RECENT MYLAR PLAT OR WW-7
$\underline{\square}$	WELL RECORDS/COMPLETION REPORT
\coprod	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
\coprod	MUST HAVE VALID BOND IN OPERATOR'S NAME
	CHECK FOR \$100 IF PIT IS USED

04/07/2023

SURFACE OWNER WAIVER

Operator's Well Number

47-101-00097

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective:
- 3) Damage would occur to publicly owned lands or resources:
- 4) The proposed well work fails to protect fresh water sources or supplies:
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22. and has failed to abate or seek review of the violation."

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I had objection to a permit being issue	ave no objection to the d on those materials.	e planned wo	ork described in these ma	iterials, and I have no
FOR EXECUTION BY A NATU ETC.	RAL PERSON		FOR EXECUTION	BY A CORPORATION.
	Date	Name	Coastal Timberlands	Co.
Signature	<u> </u>	By		
		Its		Date
			Signature	Data

47-101-00097
Coastal Lumber # 1

INSTRUCTIONS TO COAL OPERATORS **OWNERS AND LESSEE**

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER
has examined this proposed plugging v	/ owner/ lessee/ of the coal under this well location work order. The undersigned has no objection to the work proposed to be rell operator has complied with all applicable requirements of the West ations.
Date:	
	By:
	Its



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued 471010097 10100109 10100114

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Fri, Mar 24, 2023 at 11:18 AM


To: "Knuckles, Melissa" <mknuckles@greylockenergy.com>, Jeremy E James <jeremy.e.james@wv.gov>, mcochran@assessor.state.wv.us


To whom it may concern, plugging permits have been issued for 471010097 10100109 10100114.


James Kennedy

WVDEP OOG

6 attachments









4710100109.pdf 3191K

4710100114.pdf 3025K