

LATITUDE 39 37 30

5408

LONGITUDE

0 → 0615 7.5
100

7.5 0615 topo location

7.5' loc	<u>2855</u>	15' loc	<u>51755</u>
	<u>1.580</u>	(calc.)	<u>1.580</u>

Company _____

Farm _____

EC
Quad Posters Falls NewMartinsville

County _____

District Green

WELL LOCATION MAP

File No. Wet.84

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WV 1011

1011

WELL RECORD

NO. 9

Permit No. Wet.-84

Oil or Gas Well Oil
(KIND)

Company Rawe Brothers
Address New Martinsville, W. Va.
Farm Anna Morgan Acres 121
Location (waters) Big Fishing Creek
Well No. 1 Elev. 701
District Green County Wetzel
The surface of tract is owned in Mrs. John Chaplin
Porters Falls Address W. Va.
Mineral rights are owned by Mrs. John Chaplin &
Fred Jones & Address Porters Falls
Drilling commenced July 20/34
Drilling completed Aug. 4/34
Date shot July 18/35 Depth of shot 1576-1581
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil When drilled in 1000 100 bbls., 1st 24 hrs.
Fresh water 241 feet 380 feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13	<u>25"</u>	<u>25'</u>	<u>Parnee</u>
10	<u>280'</u>	<u>280'</u>	Size of <u>8 1/2"</u>
8 1/4	<u>624'</u>	<u>624'</u>	Depth set <u>1546</u>
6 1/2	<u>1546'</u>	<u>1546'</u>	
5 3/16			
3			Perf. top
2	<u>1598'</u>	<u>1598'</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 218 FEET 465 INCHES
Show 218 FEET 465 INCHES
Show _____ FEET _____ INCHES
Show _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay			0	10			
Gravel			10	20			
Slate			20	100			
R. Rock			100	140			
Slate & Red Rock			140	218			
✓ Show of Coal				218			
Slate			218	235			
Lime			235	245			
				241	Water	241	
R. R			245	316			
Sand			316	330			
Lime & slate			330	376			
Sand			376	425	Water	380	
Slate & Lime			425	465			
✓ Show of Coal Pgh?				465			
Lime			465	490			
Slate & Lime			490	566			
M.R.			566	574			
Slate			574	603			
Sand			603	620			
Slate			620	638			
Red R.			638	655			
Lime & Slate			655	787			
Sand			787	812			
Slate			812	824			
✓ Sand	1st Cow Run		824	833			
Slate & Lime			833	1055			
✓ Sand	2nd Cow Run Gas Sand		1055	1087			
Slate			1087	1110			
Sand			1110	1150			
Slate & Lime			1150	1248			
✓ Sand 1st Salt			1248	1305			
Slate			1305	1310			
✓ Sand 2nd Salt			1310	1362			
Slate			1362	1387			
✓ Sand 3rd Salt			1387	1400			
Slate			1400	1546			
✓ Maxton Sand			1546	1582	Oil	1576	
Slate			1582	1588			
Lime			1588	1600			
Total Depth				1600			

