

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 2, CHAPTER 22, CODE 1931)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

Coal Not Sold

COAL OPERATOR OR COAL OWNER

Sam Morris

NAME OF WELL OPERATOR

ADDRESS

New Martinsville

COMPLETE ADDRESS

W. Va.

COAL OPERATOR OR COAL OWNER

July 20, 19340

PROPOSED LOCATION

ADDRESS

Magnolia

District

Beatrice Yeater

OWNER OF MINERAL RIGHTS

Wetzel

County

New Martinsville

ADDRESS

W. Va.

Well No. One 39° 45'
80° 45'

Beatrice Yeater

Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated 27 day

March 1940, made by Beatrice Yeater, to

Sam Morris, and recorded on the 19 day

of July A.D. 1940, in the office of the County Clerk for said County in

Book 34A, page 53.

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Code, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address _____ day _____ before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

Sam Morris

WELL OPERATOR

R.F.D.

STREET

Address of Well Operator }

New Martinsville

CITY OR TOWN

West Virginia

STATE

09/22/2023



*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

240



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
CHARLESTON

N. P. RHINEHART
CHIEF

July 26, 1940

Mr. F. W. Parsons
Proctor, West Virginia

Dear Sir:

We are returning tracing showing location No. 1 on the Beatrice Yeater Farm, Proctor District, Wetzel County, for correction.

You have shown latitude 39d-45' and longitude 80d-45', but when superimposing the tracing on the topographic sheet in the New Martinsville quadrangle, the cross falls in longitude 80d-50' and locates the well in Ohio District instead of Proctor.

Please make correction and return as soon as possible.

Very truly yours,

Marie E. Giffith

Secretary
OIL AND GAS DIVISION

MG/em
enc-1

The location of well on topo sheet is south of the letter "t" in the word Steelton magnolia Dist where elevation is marked "641"

09/22/2023

August 3, 1940

Mr. Sam Morris
New Martinsville, W. Va.

Dear Sir:

Permit WET-240 to drill Well No. 1 on the
Beatrice Yeater Farm, Magnolia District, Wetzel County,
is enclosed.

Duplicate permit shall be posted on the rig.

When the well is completed, please file complete
record on the enclosed forms OO-10.

Very truly yours,

Secretary
OIL AND GAS DIVISION

MG/cm
enc-4

Lat39d-45"
Long80d-45"

09/22/2023

4-12
August 5, 1940

Wet-240

D. G. Courtney, Inspector Oil & Gas Wells
Box 151
Bridgeport, West Virginia

Dear Mr. Courtney:

I am enclosing tracing for the Beatrice Yeater
Well No. 1, Magnolia District, Wetzel County, made by
F. W. Parsons for Sam Morris, New Martinsville, West Virginia.

I know that you have made one trip to see him
and explain the meaning of our tracing, but you can see
by the enclosed letter that I wrote him on July 26th and
his notation on the bottom, that he is still in the dark
about the whole matter.

Please have the tracing corrected and returned
as soon as possible, and incidentally, you might tactfully
let him know that we would appreciate a little more care
in their preparation.

Very truly yours,

MG/am
encl.

09/22/2023

New Martinsville B-1

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. WET-240

Oil or Gas Well Gas
(KIND)

| | | | | |
|---|-------------------------|-------------------|-------------------|--|
| Company <u>Sam Morris</u> | Casing and Tubing | Used in Drilling | Left in Well | Packers |
| Address <u>New Martinsville W. Va</u> | Size | | | |
| Farm <u>Pealuse Yeater</u> Acres <u>335</u> | 16 | | | Kind of Packer |
| Location (waters) <u>Ohio River</u> | 18 | | | Size of |
| Well No. <u>1</u> Elev. <u>641'</u> | 10 | | | Depth set |
| District <u>Magnolia</u> County <u>Putnam</u> | 8 1/4 | <u>54 ft 8 in</u> | <u>54 ft 8 in</u> | Perf. top |
| The surface of tract is owned in fee by <u>Sam Morris</u> | 6% | <u>400 ft</u> | <u>400 ft</u> | Perf. bottom <input checked="" type="checkbox"/> |
| Mineral rights are owned by <u>Both above</u> | 5 3/16 | <u>490 ft</u> | <u>490 ft</u> | Perf. top |
| Drilling commenced <u>Aug 3, 1940</u> | 3 | | | Perf. bottom |
| Drilling completed <u>Sept 5, 1940</u> | 2 | <u>635</u> | <u>635</u> | Liners Used |
| Date shot <u>Sept 19</u> Depth of shot <u>635</u> | | | | |
| Open Flow <u>1/10ths</u> Water in <u> </u> Inch | | | | |
| <u> </u> /10ths Merc. in <u> </u> Inch | | | | |
| Volume <u>125,000</u> Cu. Ft. | CASING CEMENTED | SIZE | No. Ft. | Date |
| Rock Pressure <u>125</u> lbs. <u>24</u> hrs. | | | | |
| Oil <u> </u> bbls., 1st 24 hrs. | COAL WAS ENCOUNTERED AT | <u>253</u> | FEET | INCHES |
| Fresh water <u>80</u> feet <u>120</u> feet | | | FEET | INCHES |
| Salt water <u> </u> feet <u> </u> feet | | | FEET | INCHES |


| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|-----------------------|-------|--------------|-----|--------|-------------------|-------------|---------|
| Gravel | | soft | 0 | 54 | | | |
| Coop stone | blue | soft | 54 | 64 | | | |
| Blue rock | blue | soft | 64 | 96 | | | |
| Sandy lime | grey | hard | 96 | 159 | | | |
| Shale | blue | soft | 159 | 232 | | | |
| Sand | grey | hard | 232 | 250 | | | |
| Hardshell | grey | hard | 250 | 253 | | | |
| Coal <u>Pittsburg</u> | black | soft | 253 | 263 | | | |
| Red rock | red | soft | 370 | 465 | | | |
| Shale | blue | soft | 465 | 484 | | | |
| Red rock | red | soft | 484 | 508 | | | |
| Fore neck sand | grey | hard | 508 | 539 | | | |
| shale | blue | soft | 539 | 573 | | | |
| Lime | grey | hard | 573 | 585 | | | |
| Red rock | red | soft | 585 | 612 | | | |
| Sand | grey | soft | 612 | 635 | Gas | 614 | |
| shale | blue | soft | 635 | 645 | | | |



Well has finally settled to 90 lb per inch and 36,000 ft

09/22/2023

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION



INSPECTOR'S WELL REPORT

Permit No. Applied For

Map returned to Mr Parsons

Oil or Gas Well
(KIND)

| Company | Casing and Tubing | Used in Drilling | Left in Well | Packers |
|---|-------------------|------------------|--------------|----------------|
| Clark Faggott + Sam Morris | Size | | | |
| Address: <u>Hanibal Ohio</u> | 16 | | | Kind of Packer |
| Farm: <u>B Yeater</u> | 13 | | | |
| Well No. <u>1</u> | 10 | <u>47</u> | | Size of |
| District: <u>Magnolia</u> County: <u>Wetzel</u> | 8 1/4 | <u>300</u> | | Depth set |
| Drilling commenced | 6 1/2 | | | |
| Drilling completed | 5 3/16 | | | Perf. top |
| Total Depth: <u>300</u> | 3 | | | Perf. bottom |
| Date shot | 2 | | | |
| Depth of shot | Liners Used | | | Perf. top |
| Initial Open Flow | | | | Perf. bottom |
| /10ths Water in | | | | |
| Inch | | | | |
| Open Flow after tubing | | | | |
| /10ths Merc. in | | | | |
| Inch | | | | |
| Volume | | | | |
| Cu. Ft. | | | | |
| Rock Pressure | | | | |
| lbs. | | | | |
| hrs. | | | | |
| Oil | | | | |
| bbls, 1st 24 hrs. | | | | |
| Fresh water | | | | |
| feet | | | | |
| feet | | | | |
| Salt water | | | | |
| feet | | | | |
| feet | | | | |

CASING CEMENTED SIZE No. FT. Date

COAL WAS ENCOUNTERED AT 167 FEET 11 1/2 INCHES

253 FEET 10 INCHES 9 FEET 11 1/2 INCHES

FEET INCHES FEET INCHES

Drillers' Names EC. Pickens

Richard Davis

Well Abandoned and Plugged, 19

REMARKS: Fishing boiler - saw Mr Parsons and had plat for this well corrected.

Aug 8, 1940
DATE

D. J. Flournoy
DISTRICT WELL INSPECTOR

09/22/2023

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
INSPECTOR'S WELL REPORT

Oil or Gas Well
 (Name)

Permit No. _____

| Depth in Well | Kind of Rock | Gravel and Sand | Water | Oil | Gas | Remarks |
|---------------|--------------|-----------------|-------|-----|-----|---------|
| 0 | | | | | | |
| 5 | | | | | | |
| 10 | | | | | | |
| 15 | | | | | | |
| 20 | | | | | | |
| 25 | | | | | | |
| 30 | | | | | | |
| 35 | | | | | | |
| 40 | | | | | | |
| 45 | | | | | | |
| 50 | | | | | | |
| 55 | | | | | | |
| 60 | | | | | | |
| 65 | | | | | | |
| 70 | | | | | | |
| 75 | | | | | | |
| 80 | | | | | | |
| 85 | | | | | | |
| 90 | | | | | | |
| 95 | | | | | | |
| 100 | | | | | | |
| 105 | | | | | | |
| 110 | | | | | | |
| 115 | | | | | | |
| 120 | | | | | | |
| 125 | | | | | | |
| 130 | | | | | | |
| 135 | | | | | | |
| 140 | | | | | | |
| 145 | | | | | | |
| 150 | | | | | | |
| 155 | | | | | | |
| 160 | | | | | | |
| 165 | | | | | | |
| 170 | | | | | | |
| 175 | | | | | | |
| 180 | | | | | | |
| 185 | | | | | | |
| 190 | | | | | | |
| 195 | | | | | | |
| 200 | | | | | | |



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. _____

Oil or Gas Well _____
(KIND)

| Company _____ Address _____ Farm _____ Well No. _____ District _____ County _____ Drilling commenced _____ Drilling completed _____ Total depth _____ Date shot _____ Depth of shot _____ Initial open flow _____ /10ths Water in _____ Inch Open flow after tubing _____ /10ths Merc. in _____ Inch Volume _____ Cu. Ft. Rock pressure _____ lbs. _____ hrs. Oil _____ bbls., 1st 24 hrs. Fresh water _____ feet _____ feet Salt water _____ feet _____ feet | CASING AND TUBING | USED IN DRILLING | LEFT IN WELL | PACKERS |
|---|---|-------------------------|-------------------------|-------------------------|
| | Size | | | Kind of Packer |
| | 16 | | | |
| | 13 | | | |
| | 10 | | | Size of _____ |
| | 8 1/4 | | | |
| | 6 5/8 | | | Depth set _____ |
| | 5 3/16 | | | |
| | 3 | | | Perf. top _____ |
| | 2 | | | Perf. bottom _____ |
| | Liners Used _____ | | | Perf. top _____ |
| | | | | Perf. bottom _____ |
| | CASING CEMENTED _____ SIZE _____ No. FT. _____ Date _____ | | | |
| | COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES | | | |
| | _____ FEET _____ INCHES | _____ FEET _____ INCHES | _____ FEET _____ INCHES | _____ FEET _____ INCHES |
| | _____ FEET _____ INCHES | _____ FEET _____ INCHES | _____ FEET _____ INCHES | _____ FEET _____ INCHES |

Drillers' Names _____

Remarks: _____

DATE

DISTRICT INSPECTOR

09/22/2023

Clark Sagert.

Clancon, 1940

wet-240

Clarington, Ohio

09/22/2023

E-4

Jan 12 1941

Proctor
w & c

100-240

Department of Mines
in reply to your letter
they turned over
all the leases to

Clark Taggart of
Cleveland, Ohio
he was to carry me
a letter in the well
springtime & you said
he had out his report
and sent it in as he seems
to be able to keep all
records of the well
if you get last Jan
sending your letter to
Taggart and the Clark
Farms I will see

7

Taggart as soon
as you Jan send
me the Clark Farms
to him and if he
don't send it in please
let me know

yours very truly

Sam Morris

09/22/2023

E-5

November 18, 1954

Mr. Clarke Fagert
Timber, Posts, Piling
Clarrington, Ohio

Dear Sir:

We are in receipt of your undated letter requesting a blank to pull and plug an old gas well and, wish to advise that there are certain formalities to fulfill before a permit can be issued in West Virginia for plugging a well. If the well was drilled prior to June 1, 1929, which is before there was an oil or gas law and permits were not then issued, it will be necessary to furnish the following information.

1. A tracing (map on tracing cloth) of the location, by a registered engineer, made in the form of sample map enclosed and in compliance with Rule 6 of the Rules and Regulations.
2. Three copies of the application (Form OG-9) together with the specifications of plugging on the reverse side of these forms. Specifications must comply with Sections 9 and 10 of the Oil and Gas Laws.
3. Two copies of the well record or log as it is known on forms OG-10.

If the well was drilled under state permit, please advise us who drilled it, approximately what year and the name of the farm and well number. In a case such as this, the tracing or map will not be required. In either case, permit must be obtained from this office before filling and plugging a well.

Very truly yours,

Administrative Assistant
OIL AND GAS DIVISION

MG:g
encl

cc: Mr. Bryan Shuman, Inspector

09/22/2023

E-4
November 23, 1954

Mr. Clarke Fagert
Timber, Posts, Piling
Clarington, Ohio

Dear Sir:

On November 18th we received from you an undated letter stating "Please send me a blank affidavit for pulling and plugging a old gas well." On the same date, we sent you a letter stating the necessary forms to be filed to obtain permit together with instructions and, under separate cover, sent the necessary forms. Incidentally, this is the only correspondence we have received from you which gave no information, whatever.

Under separate cover, we are again sending forms and refer you to our letter of November 18 for instructions.

Very truly yours,

Administrative Assistant
OIL AND GAS DIVISION

MG:g

cc: Mr. Bryan Shuman, Inspector

09/22/2023

E-7

Wet. 240

November 30, 1954

Mr. Bryan Shuman, Inspector
Oil and Gas Wells
Wileyville, W. Va.

Dear Mr. Shuman:

We sent you a copy of our letter of November 23rd to Mr. Clarke Fagert of Clarington, Ohio. He was pretty discourteous on the 'phone and seemed to be ready to begin plugging, as he explained over the 'phone, Well No. 1 on the Beatrice Yeater Farm, Magnolia District, Wetzel County. This is located on State Route No. 2 near Steelton. Up to this time, we have received nothing from him although our letter of November 18, detailed everything he was to do to get permit.

Please check on this location. Mr. Sam Morris of New Martinsville, may also give you information on this. If they are working on the well, please shut them down.

Very truly yours,

Administrative Assistant
OIL AND GAS DIVISION

MG:g

09/22/2023

