



Company RAWE Brothers
 Address NEW Martinsville W. Va.
 Farm Okey L Rice
 Tract One Acres 40 Lease No. 1
 Well (Farm) No. One Serial No. _____
 Quadrangle New Martinsville / Portersfalls
 County Wetzel & Tyler
 District Green & Ellsworth
 Engineer Geo. L. McWhorter
 Date July 31 1940 Scale 1 Inch = 300 Feet

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. WET-24!
 (Well actually in Tyler County)
 + Denotes location of well on United States
 Topographic Maps, scale 1 to 62,500, lat-
 itude and longitude lines being represented
 by border lines as shown.

GINIA DEPARTMENT OF
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Wet-241
New Martinsville Quad.

Dry Hole

Company Rawe Bros.
Address New Martinsville, W. Va.
Farm Okey L. Rice ACRES 80
Location Middle Fork Run
Well No. 1 ELEV. 1144
District Green - Wetzel County
Surface Address Okey L. Rice
Mineral -
Commenced 8/5/40 - completed 9/3/40
Gas -
Oil Dry Hole
Fresh Water 90
Salt Water ½ bbl. pr. hr. 2133-2140

CASING & TUBING

16 Con.	14	14
10	265	265
8-1/4	1428	1428
6-5/8	2065	2065

Clay	0	12	Slate	1165	1187	
Sand	12	25	R.R.	1187	1196	Cave 1185-
R R	25	80	Lime	1196	1202	1196
Slate	80	110	R.R.	1202	1220	
R R	110	120	Slate	1220	1263	
Slate	120	130	Lime	1263	1273	
R R	130	140	Slate	1273	1336	
Slate	140	150	Lime	1336	1350	
R. R.	150	165	Sand L.D.	1350	1408	
Slate	165	212	Slate & Pink Rock	1408	1419	
Lime	212	222	Lime or B.D.	1419	1427	
R R	222	235	Slate	1427	1478	
Sand	235	242	Lime	1478	1492	
Slate	242	258	Slate	1492	1530	
Lime	258	275	Sand	1530	1570	
Slate	275	285	Lime	1570	1608	
R R	285	290	Sand	1608	1638	
Lime	290	305	Shale	1638	1735	
Slate	305	310	Salt Sand	1735	1755	
Lime	310	340	Slate & Lime	1755	1770	
R R	340	360	Caved Salt Sand	1770	1910	Sh. Gas
Lime	360	375	350-360 Shale	1910	1975	1808-1810
R R	375	400	Lime	1975	1980	
Slate	400	425	Slate	1980	1985	
R R	425	435	Maxon S. Very hard	1985	2000	
Lime	435	453	Slate & Lime	2000	2028	
Slate	453	460	Little Lime	2028	2036	
Lime	460	466	Pencil Cave	2036	2039	
R R	466	478	Big Lime	2039	2100	
Slate	478	505	Big Injun sand	2100		
R R	505	510	Soft	2100	2105	
Slate	510	545	Hard	2105	2115	
R R	545	580	Gritty Lime	2115	2120	
Slate	580	618	Hard S.	2120	2133	
Lime	618	655	Soft	2133	2140	½ bbl.
R R	655	690	Hard	2140	2157	S.W. hr.
Lime	690	740	Soft	2157	2164	
R R	740	748	Hard	2164	2170	
Slate	748	782	Break	2170	2183	
Sand	782	795	Hard	2183	2200	
Slate	795	840	Soft	2200	2210	
Lime	840	860	Hard	2210	2219	
Slate	860	890	Firm	2219	2226	
Lime	890	914	Hard	2226	2247	
Sand	914	940	Total Depth		2247	
Slate	940	946				
R R	946	954				
Slate	954	990				
Sand	990	1000				
Slate	1000	1013				
Lime	1013	1060				
Slate	1060	1150				
Gritty Lime	1150	1165				

(Application for plugging has been submitted)

2039
120
2169
1144
1025

2039
1144
895