



COAL OWNED OWNED BY R.L. CRAWFORD EST

- New Location...
- Drill Deeper.....
- Abandonment.....

✓ JAN 27 1941

3166 W  
0185

Company THE MANUFACTURERS LIGHT & HEAT CO.  
 Address 800 UNION TRUST BLD'G. PITTSBURGH PA  
 Farm J.R. PARSONS  
 Tract Acres 71 5/8 Lease No. 19029  
 Well (Farm) No. 1 Serial No. 3599  
 Elevation (Spirit Level) 1228'  
 Quadrangle LITTLETON N.W 1/4  
 County WETZEL District PROCTOR  
 Engineer Donald H. Bell  
 Engineer's Registration No.  
 File No. Drawing No. Y-8-990  
 Date JANUARY 14-1941 Scale 1"=400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 File No. WET-250

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 — Denotes one inch spaces on border line of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

832  
Same as 8

Permit No. WET-250

Oil or Gas Well Dry Hole  
(Kind)

Company The Manufacturers Light & Heat Co.  
Address 800 Union Trust Bldg., Pittsburgh, Pa.  
Farm J. R. Parsons Acres 72  
Location (waters) \_\_\_\_\_  
Well No. 1 - 3599 Elev. 1229 ft.  
District Proctor County Wetzel  
The surface of tract is owned in fee by J. R. Parsons  
New Martinsville Address W. Va.  
Mineral rights are owned by The M L & H Co.  
800 Union Trust Bldg. Address Pittsburgh, Pa.  
Drilling commenced 2/12/41  
Drilling completed 3/22/41  
Date shot \_\_\_\_\_ Depth of shot \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	<u>104.11"</u>		Size of
8 1/4	<u>1108' 8"</u>		
6 5/8	<u>21528 0"</u>		Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. FT. \_\_\_\_\_ Dat \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 562 FEET 12 INCHES  
700 FEET 12 INCHES 916 FEET 12 INCHES  
1011 FEET 60 INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Clay, Slate, Lime, Red Rock			0	562			
Coal			562	563			
Slate & Lime			563	700			
Waynesburg Coal			700	701			
Lime, Slate, Red Rock			701	916			
Mapkown Coal			916	917			
Lime & Slate			917	1011			
Pittsburgh Coal			1011	1016	Show of gas		in Pgh Coal
Lime, Slate, Red Rock			1016	1375			
Little Dunkard Sand			1375	1428			
Shale, Slate, Pink Rock			1428	1512			
Salt Sand <u>R.D.</u>			1512	1532			
Slate & Lime			1532	1565			
Gas Sand <u>u.</u>			1565	1615			
Slate			1615	1635			
Salt Sand <u>L.W.S.</u>			1635	1675			
Slate, Sand & Shale			1675	1815	Show of water	1755-1760	
Salt Sand <u>15</u>			1815	1862			
Black Shale			1862	1901			
Salt Sand <u>2nd</u>			1901	1930			
Slate & Lime			1930	2028			
Maxon Sand			2028	2070			
Slate & Lime			2070	2089			
Pencil Cave			2089	2102			
Big Lime			2102	2165	Steel line run at	2141	
Sand & Lime <u>Keener</u>			2165	2180			
Big Injun Sand			2180	2418	Show of gas	2208-2210	
Break			2275	2288			
Sand			2288	2418	Show of gas	2365-2368	
Slate, Shells, Lime			2418	2530			
<del>Barn Sand</del> <u>Wain Squaw</u>			2530	2590			
Slate & Lime			2590	2770			
<del>50-Foot Sand</del> <u>Beaver</u>			2770	2785			
Slate, Lime & Shells			2785	3114			
Total depth <u>in No. Devonian shale</u>			3114	3114			

2102  
1278  
873



