



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses

<p><u>LEATHERWOOD, LLC.</u> Coal Operator or Owner <u>1000 CONSOL ENERGY DR. CANONSBURG, PA 15317</u> Address <u>UNKNOWN</u> Coal Operator or Owner <u>UNKNOWN</u> Address <u>KERN DELBERT VICTOR HRS. C/ HAYHURST COMPANY</u> Lease or Property Owner <u>PO BOX 5065 FAIRMONT, WV 26555</u> Address</p>	<p><u>LEATHERWOOD, LLC.</u> Name of Well Operator <u>1000 CONSOL ENERGY DR. CANONSBURG, PA 15317</u> Complete Address <u>HUNDRED</u> Well Location <u>CHURCH</u> District <u>WETZEL</u> County <u>5137</u> Well No. <u>CARNEY</u> Farm</p>
--	--

STATE INSPECTOR SUPERVISING PLUGGING Derek M. Haught

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:  
JOSEPH P. THORNE and MATTHEW A. YEARSLEY being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 19<sup>TH</sup> day of November, 2019 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In	
Formation					
Pulled 2324' of 2" tubing from surface to 2324'. Left 816' of 2" tubing from 2324' to 3140'. Pulled 1321' of 7" casing from surface to 1321'. Left 690' of 7" casing from 1321' to 1930'. Placed cuts in 7" casing at 1912' and 1812'. Placed 4 shots at 1712', 1612', 1512' and 1412' in 7" casing. Pulled 850' of 8 5/8" casing from surface to 850'. Left 350' of 8 5/8" casing from 850' to 1200'. Placed 4 shots at 1100', 1000' and 900' in 8 5/8" casing. Pulled 504' of 10" casing from surface to 504'. Left 251' of 10" casing from 504' to 755'. Placed 4 shots at 655' in 10" casing. Pittsburgh Coal Seam located from 734.6' to 739.8'. Attempted to remove remaining 7", 8 5/8" and 10 3/4" casing by pulling 150% of string weight. All attempts were unsuccessful. Cemented hole from 2324' to surface as follows: From 2324' to 1900' with 71 sacks of Class A Cement. From 1900' to 1250' with 105 sacks of Expanding Cement. From 1250' to surface with 465 sacks of Expanding Cement. Cement did circulate at surface. Left 165' of 13 3/8" casing from surface to 165'.		2 3/8" Tubing	2324'	816'	
			7" Casing	1321'	690'
			8 5/8" Casing	850'	350'
			10 3/4" Casing	504'	251'
			13 3/8" Casing	0	165'
Coal Seams		Description of Monument			
Pittsburgh	735'-740'	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.			

... and that the work of plugging and filling said well was completed on the 20<sup>th</sup> of December, 2019

And further deponents saith not.


Joseph P. Thorne  
Matthew A. Yearsley  
Matthew A. Yearsley

Sworn to and subscribed before me this 13<sup>th</sup> day of January 2020

Richard O'Dell 05/07/2021  
Notary Public

My commission expires:

06/17/2021



Permit No. 47-103-00856  
Well No. 5137 SS. Carney  
Latitude: 39° 38' 19.66920"N  
Longitude: 80° 28' 53.59080"W