

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

December 12, 2014

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-10301027, issued to HG ENERGY, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Operator's Well No: 2

Farm Name: LONG, S. C. API Well Number: 47-10301027

Permit Type: Plugging

Date Issued: 12/12/2014

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date	October	2 ,	20	14
2) Opera				
Well	No. McC	oy Heirs 16		
3) API V	Well No.	47- 103	+ 25	63

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FO	R A PERMIT TO PLUG AND ABANDON
4) Well Type: Oil X / Gas X	/ Liquid injection/ Waste disposal/
(If "Gas, Production	or Underground storage/ Deep/ Shallow X
5) Location: Elevation 1325'	Watershed Piney Fork
District Green	County Wetzel Quadrangle Pine Grove 7.5
	Diana Milita
6) Well Operator HG Energy, LLC	7) Designated Agent Diane White
Address 5260 Dupont Road	Address 5260 Dupont Road Parkersburg, WV 26101
Parkersburg, WV 26	Faikersburg, WV 20101
8) Oil and Gas Inspector to be noti	fied 9) Plugging Contractor
Name Derek Haught	Name To Be Determined Upon Approval of Permit
Address P. O. Box 85	Address
Smithville, WV 26178	
Casing: TD - 3410' 7" - 1150' CTS 4 1/2" - 3307', est TOC 1800'	Plug No. 1 - 3150' - 3050' 2950' Freepoint, cut & pull 4 1/2", est 1800' Plug No. 2 - 1820' - 1750' Plug No. 3 - 1200' - 1100' Plug No. 4 - 100' - 0' SET MOUMENT PER WV CODE.
6% gel between cement plugs	Received Office of Oil & Gas NOV 07 2014
Notification must be given to the dis work can commence.	strict oil and gas inspector 24 hours before permitted
Work order approved by inspector	Date 10-16-19

API# 47

State of West Virginia Division of Environmental Protection Section of Oil and Gas



Well Operator's Report of Well Work

		Wen Operator 8	troport or vien	11 02 22		
Farm name:	COASTAL	LUMBER CO.	Operator Well	No.: MCCC	Y HEIRS 16	
LOCATION:	Elevation:	1,314'	Quadrangle:	PINE GROV	VE 7.5'	
	District: Latitude: Longitude:	GREEN 11,725 Feet south of 7,225 Feet west of	County: WE 39 Deg 32 80 Deg 40		Sec. Sec.	
Company:	P.O. BOX 5	OURCES, INC. 519 /V 26105-5519	Casing Tubing Size	Used in Drilling	Left in Well	Cement Fill Up Cu. Ft.
Agent:	PHILIP S. C	NDRUSEK				
Inspector: Permit Issued: Well work Con Well work Con Verbal pluggin permission gra	mpleted:	RANAGE 08/13/09 08/19/09 08/28/09				
Rotary X Total Depth (fe	Cable eet)	Rig 3410'	7"	1150'	1150'	290 sks
Fresh water dept		N/A	4 1/2"	3307.95'	3307.95'	150 sks
Is coal being m Coal Depths (f		(/N) NA N				
OPEN FLOW	DATA	* WATERFLOOD PROI	DUCER			
Gas:	cing formation Initial open Final open f Time of op rock pressure	flow * Modern flow between initial ar	ICF/d Oil: Initi ICF/d Fina	al open flow I open flow		3165', 3176'-3177' * Bbl/d * Bbl/d Hours
Gas:	d producing for Initial open Final open f Time of op rock pressure	flow Modern Initial are flow between initial are	1CF/d Fina	Pay zone de al open flow al open flow	pth (ft) Hours	Bbl/d Bbl/d Hours
OR STIMULATI	NG, PHYSICAL	M, PUT THE FOLLOWING: 1) I CHANGE, ETC. 2) THE WELL FORMATIONS, INCLUDING	LOG WHICH IS A	SYSTEMATIC	CDETAILED	CTURING
Office	leceived of Oil & Ga	By:	ESOURCES, IN	Ger Kh	14/19	
MO	V 07 2014					10/10/11

<u>Treatment:</u> Treated perfs (3150'-3165', 3176'-3177") w/ 250 gals. 15% HCl, 315 bbls cross linked gel, and 20,000 # 30/50 sand.

Well Log:	0	420	Sand and Shale	
	420	448	Sand	
	448	510	Shale	
	510	546	Sand	
	546	850	Shale	
	850	876	Sand	
	876	886	Shale	
	886	954	Sand	
•	954	962	Shale	
	962	970	Sand	
	970	1016	Shale	
	1016	1037	Sand	
	1037	1052	Shale	
	1052	1087	Sand	
	1087	1110	Shale	
	1110	1154	Sand	
	1154	1192	Shale	•
	1192	1213	Sand	
	1213	1498	Shale	
	1498	1522	Sand	
•	1522	1582	Shale	•
	1582	1636	Sand	
	1636	1675	Shale	
	1675	1718	Sand	
	1718	1734	Shale	
	1734	1783	Sand	
	1783	1885	Shale	
	1885	1902	Sand	
	1902	1975	Shale	
	1975	1997	Sand	
	1997	2070	Shale	
	2070	2106	Sand	
	2106	2249	Shale	
	2249	2264	Sand	
	2264	2288	Shale	
	2288	2365	Big Lime	
	2365	2550	Big Injun	
	2550	3118	Shale	
	3118	3134	Gordon Stray	
	3134	3144	Shale	
	3144	3165	Gordon	Received
	3165	3174	Shale	Office of Oil & Gas
	3174	3178	Sand	Cinob or on a das
	3178	3410	Shale	NOV 07 2014
	3410		TD	

Z.CI	O VII Distric	. /E	W Seens Nedicell	3	Lot Rig Dru	Farm Name tion Made Completed Commenced			P D S	urchaeed Fr ate Purchas old To ate Sold	om -		
St	ath Rights C		W. Va.		JUMPAN MARKET BELL COL	Contractor			A STATE OF THE PARTY OF THE PAR	ate Abando	ned 🖔		
1	A Thats			MATION	Eleva	tion 757	polysica (s		C/	SING REC	ORD	Z de z ar gel	table a
- Fe	Kind	20 20	Тор	Bottom	Steel Line Mess.	Tests	Size	Botton	n Casing	Put in Well Tally Meas.	Pulled Tally Meas	TO PERSON AND PROPERTY.	Cemented
GC	tray Sa ordon S st/.Pay otal De leaned ordepth	and pth out	2550 2590 2592 2609	2583			8½" 6=5/8" 5=3/16 5=3/16 5=3/16	ent.		1035 1768 1756 1917 626	12 2556	Date Size (Top Bot.	A CONTRACTOR OF THE PERSON
2	61 Se	pt.			44	حسبب إرسهاي	-	Activity	PAC	KERS AND	SHOES		
T. Const	0, 9 19 of 1 De	ptil.	2517	16			il and countries	nd Hoo		18 8/36	Depth S		Oate Set (28 =1929
LI A	10 t 20 10 t 3 t	n. Sand	5040 4010	326 2070 108					TC	RPEDO RE	CORD		
e a pa pe	i ni ivy Si ovyon it Pay	ave in Spo ind	1689 1668	1680 2005			0ab 7=15=1 9=13=1 3=21=1 1-08-1	903 905 908	No. Qts. 30 30 50 60	Size Shell I 11' 11' 3-4"x8'			No Goo
Т	otal De	epth	4	2617	and and an			-				à	
1	.4			İ			The same of the sa		, D	RILLING D	EEPER	Carrery .	N 100 LV C
2	1.		F ₃₁	E-69 (2,600		Commence	1 (Complete	d Original Depth	Final!	Depth	Contractor
	11-19-4	7 77	the tee		1600	aya.	(Secretary		ABA	NDONMEN	T RECO	RD PL	/* n. * ±
TOTAL ST		3	/ 25				Filled With	_	From	To	S(zu	Kind	Depth
-	5					i	χ	-	Offic	Receiv			
110	Initial Prod.	s. Gord		At Completic	in ★/30,De	ys After 🖈	APPROVE	ED.		ce of Oi	CONTRACT OF	a	Lu. nsiliano

	Facility (1)				
				REPAIRS TO WELL	
Commenced	Completed	E blaineo o	EFPER OF	Hemarks	
		7			
		der en en en			
To the second			objects	the state of the s	
1000	No. of the second			A Company of the Comp	
- May Carlo	The second	e in the			
10,130			-		
3 / - 3 · - 3		1			
United Section 1	المرابط المستحاق		1000		
				OLUME AND PRESSURE TESTS	
	77.0		W. 100 3 This way	Apple to the second	
Date	Reading	d lauld Opening	Turbing Line Practi	The Land Column Sale of the Sa	
×4960			504 1 775	and the same of th	
	64		把付款		
704				A SECOND CONTROL OF THE PROPERTY OF THE PROPER	
136		Part Contract			
1916	81:	Marin day			
1900	69	20.0			
77 274 1	. 53	2 3	719		
A Community of the Comm			1922		
	PROD	UCTION	Inmeture Process	REMARKS	
	18 ()		political and the second	Jan.8,1929; The 6-5/8" casing was leaking	
Year	Barrels	Year	Barrols	and hole filled up with cavings to 2580'and Clea	
1930	549	1945	50	Run 626' of 5-3/16" casing liner, lower section 2	
1931	598	1996	56	10-jts., 2nd.section2231,10-jts.,top section,187	AND THE PARTY OF T
1932	376	1947	42	Lower joint perforated bottom setting on shoulds	r. Top
1933	323	1948	62	of liner 1956'.	
1934	359	1949	49	Feb.28, 1929; Run 1917' of 5-3/16" casing	on
1935	₹ 33 5	1950	-44	5-3/16"x 6-5/8"x10" parmaco hook wall packer.	
1935	244	1951	45		
1937	217	1952	62		1000
1938	216	1953	96	Quantitative Control	773
1939	194	1959	109	Received	
1,940	1.51	1955	28	Office of Oil & Gas	1974
1,941	. 114	1956	70	NOV 07 2014	
1942		1957	7/	140 A A V FOLA	
-1943	100.	1958	90		
1944	95	1359	77.	Tar Marines	
				The second second	

WW-4A Revised 6-07

1)	Date:	Septembe	r 23, 2014		
2)	Operator's S. C. Long 2	Well Numbe	er		
3)	API Well N	0.: 47 -	103	01027	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

(a) Name	rner(s) to be served: Keith & Rebecca Rush	1	5) (a) Coal Operator Name	
Address	HC 62, Box 3A		Address	
	Pine Grove, WV 26419			
(b) Name			(b) Coal Ow	mer(s) with Declaration
Address			Name	
	-		Address	
(c) Name			Name	-
Address			Address	
) Inspector	-		(c) Coal Les	ssee with Declaration
Address			Name	CONSOL Energy
			Address	1000 CONSOL Energy Drive
Telephone				Cannonsburg, PA 15317

- The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

OFFICIAL SEAL Well Operat	or HG Energy, LLC				
NOTARY PUBLIC WEIT OPERAT	Diane White Diane White				
TINAL PETHICL ITS:	Agent				
HG Energy, LLC	5260 Dupont Road	5260 Dupont Road			
Parkersburg, West Virginia 26101 My Commission Expires Nov. 12, 2018	Parkersburg, WV 26101				
My Commission Expires No.	304-420-1119	Don.:			
Subscribed and sworn before me this 23rd	day of September 2014	Received Office of Oil & Ga			
Ing IA	Notary Public	- NOV 07 2014			
My Commission Expires Nov	12 2018				

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.



(Domestic Mail C	D MAIL™ RE Only; No Insurance	Coverage Provided)
	ation visit our website	at www.usps.com _®
	CLAL	
Postage	\$ 1.40	1380
		1/2/ 3/
Certified Fee	3.30	Postmark
Return Receipt Fee (Endorsement Required)	0.70	Postanark V
Bestricted Delivery For	2.10	18/19/18/
Restricted Delivery Fee (Endorsement Required) Total Postage & Fees		6.
□ Total Pasters 0.5	\$ 7,40	
Total Postage & Fees	\$ 1110	5CLong 2
Sent To	-	
Street, Apt. No.; or PO Box No.	ONSOL Ene	rgy
or PO Box No.	DOD CONSOL	Energy Dr
City, State, ZIP+4	annons burg	4.
PS Form 3800, August 2		PA 15317

Received Office of Oil & Gas NOV 07 2014 WW-9 Rev. 5/08


Pa	age_		of	
API Number 47 -	103		2503	
Operator's Well No.	McCoy	Heirs 16		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Nat	me_ HG Energ	y, LLC		OP Code	494497948	
Watershed_	Piney Fork		Qua	drangle Pine Grov	/e 7.5'	
Elevation _	1325'	County_	Wetzel	District	Green	
Description of	of anticipated Pit Was	te: Fluids e	ncountered	while plugging	subject well	_
Will a synthe	etic liner be used in th	e pit? Yes	20 HIL.			
Proposed Dis	sposal Method For Tro	eated Pit Wastes:				
		round Injection (1	JIC Permit Numb	er		
		at API Number_	The state and	De la vide de la companie		
		Dispposal (Supp) Explain_	ly form WW-9 for	disposal location)		
	Other (Explain				Dayll
Proposed Wo	ork For Which Pit Wil			0		DMH 10-16-14
	Drilling Workov		×	Swabbing Plugging		10 10-11
		Explain				
law or regula I ce application f obtaining the	ntion can lead to enfor ertify under penalty of form and all attachm	eement action. If law that I have the thereto and the ents thereto and the ents the information in the ents that the information in the ents that the information in the ents that the ents the ents that the ents	personally exami that, based on m nation is true, acc	ned and am familiar w y inquiry of those inc curate, and complete.	general permit and/or of with the information sub- dividuals immediately re I am aware that there a	mitted on this
	fficial Signature	Diane (Rec	eived
		Diane W			Office of	Oil & Gas
	fficial (Typed Name)	Agent	into		NOV 0	7 2014
Company Of	fficial Title	7.907.1				=
Subscribed a	and sworn before me the	and 2nd	day of Oct	ober	2014	7
	-/4	nu Xt	2	Note:	ory Public	
My commiss	sion expires	Nov	1. 12, 20	218	STATE TIN	FFICIAL SEAL DTARY PUBLIC OF WEST VIRGINIA A L. PETHTEL G Energy, LLC 60 Dupont Road rg, West Virginia 26101 sion Evajires Noy 12, 2018

	LI	EGEND						
Property Boundary		Diversion William 111111111111111111111111111111111111						
Road = = = = = = = = = = = = = = = = = = =		Spring Wet Spot Drain Pipe with size in inches Waterway Waterway						
					Open Ditch		Cross Drain 7777	
					Rock \$55685		Artificial Filter Strip	XXXXXXXXXXXXXXX
					North N		Pit: cut walls	3
Buildings		Pit: compacted fill walls	William Control					
Water wells		Area for Land Application	n of Pit Waste					
Drill site								
	, 0.7 a	ncres	Sa. vi					
Proposed Revegetation Treatment: Acres Distur	rbed	Prevegeiati	ion pH					
Lime Tons/acre or t	to correct to pH _	0.0						
Fertilizer (10-20-20 or equivalent)	EOO	cre (500 lbs minimum)						
Straw	2	Contract to the second						
Mulch_Straw	Tons/acr	re						
	Seed I	Mixtures						
(F-2)			Area II					
Area I Seed Type lbs/acre		Seed Type	lbs/acre					
Tall Fescue 40		Tall Fescue	40					
			5					
Ladino Clover 5		Ladino Clover	3					
Aucobi								
Attach: Drawing(s) of road, location,pit and proposed a	rea for land appli	cation.						
Photocopied section of involved 7.5' topographi	c sneet.							
Plan Approved by:								
Comments:			-					
WALL 2015		n. In to w	Received					
Title: Oil + Ges Inspector	-	Date: 10-16-14	Office of Oil & Gas					
Field Reviewed? () Yes	() No						
1			NOV 07 2014					



West Virginia Department of Environmental Protection Office of Oil & Gas

WELL LOCATION FORM: GPS

API: 47- 10	03 -Q027 P	WELL NO: No.2		
FARM NAME: S.	C. Long			
RESPONSIBLE PARTY NAM	ME: HG Energy, LLC			
COUNTY: W	etzel	DISTRICT: Gra	int 4	
QUADRANGLE:	Pine Grove 7.5' 548			
SURFACE OWNER:	Keith & Rebecca Rush			
ROYALTY OWNER:	HG Energy LLC et al.			
UTM GPS NORTHING:	4,380,728			
UTM GPS EASTING:	528,063	GPS ELEVATION:	230 m. (754	
	Real-Time Differential	-		
Mapping Grade GP	S X Post Processed Differential Real-Time Differential	<u>X</u>		
	ify this data is correct to the best of mation required by law and the regular and Gas.			
Diane White	Diane White	Designated Agent		
Signature		Title		
Date September 4, 2014		Received Office of Oil & Gas		
		NOV 07 2014		
		NUV U1 ZUI4		



HG Energy, LLC 5260 Dupont Road Parkersburg, WV 26101 (304) 420-1100 - Office (304) 863-3172 - Fax

September 23, 2014

Jeff McLaughlin WVDEP Division of Oil & Gas 601 57th Street Charleston, West Virginia 25304

RE: S. C. Long No. 2 (47-103-01027) Grant District, Wetzel County

West Virginia

Dear Mr. McLaughlin:

Enclosed are Forms WW-4(A), WW-4(B), WW-9, and WW-7, topo map, well record, copy of certified mailing receipt and a check in the amount of \$100.00 to cover the permit fee to plug and abandon the above-captioned well.

Very truly yours,

Diane White

Diane C. White

Enclosures

Received Office of Oil & Gas NOV 07 2014

ce:

Keith & Rebecca Rush – Certified CONSOL Energy - Certified Derek Haught - Inspector