

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: P. Edgell Heirs Operator Well No.: 7208

LOCATION: Elevation: 986.88' Quadrangle: Folsom WV 7.5'
District: Grant County: Wetzel
Latitude: 39.493844 Feet South of 39 Deg. 29 Min. 37.8384 Sec.
Longitude: -80.541144 Feet West of -80 Deg. 32 Min. 28.1184 Sec.

Well Type: OIL X GAS _____

Company Consolidation Coal Co. Coal Operator Consolidation Coal Co.
1 Bridge Street or Owner 1 Bridge Street
Monongah, WV 26554 Monongah, WV 26554
Coal Operator _____
Agent David Roddy or Owner _____
Permit Issued Date 09/27/2019

AFFIDAVIT


STATE OF WEST VIRGINIA,
County of Monongalia ss:

Matthew A. Yearsley and Kevin S. Wright being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 8th day of September, 2020, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Expandable Cement w/ Gas Blocker	1723'	1063'		
Thixotropic Cement w/ Green Dye	1063'	590'		
Expandable Cement	590	Surface		
5 1/2" Casing	1723'	Unknown	1723'	Unknown
7" Casing	999'	Unknown	999'	Unknown
16" Conductor Casing	Surface	20'	0'	20'

Description of monument: 77" of 7" casing with company name, well #, API #, and date cemented. and that the work of plugging and filling said well was completed on the 17th day of September, 2020.

And further deponents saith not. Matthew A. Yearsley
Kevin S. Wright



Sworn and subscribe before me this 25th day of Oct, 2020
My commission expires: 09/15/22
[Signature]
Notary Public

Affidavit reviewed by the Office of Oil and Gas: Derek M. Haught Title: Oil & Gas Inspector 06/04/2021

Plugging Report for MSHA

Well Number: 7208

Mine: Harrison County Mine

Surface

Permit Number: 47-103-03327

Date Clean Out Started: 9/8/2020

Date Well Bore Plugged: 9/17/2020

Pittsburgh Coal Seam: 790 ft. To 797 ft.

Plugs:	From	To	Type of Cement
	1723'	1063'	Expandable Cement w/ Gas Blocker
	1063'	590'	Thixotropic Cement w/ Green Dye
	590'	Surface	Expandable Cement

Casing Remaining in Well Bore

Thix Top: 590'

	Top	Bottom	Left	Pulled
Sucker Rods				
2 3/8" tubing				
5 1/2" casing	1723'	Unkown	Unkown	1723'
7" casing	999'	Unkown	Unkown	999'
7" fiberglass				
8 5/8" casing				
10 3/4" casing				
16" Conductor	Surface	26'	26'	0'

645

790' - 797'

Pittsburgh Coal

Cement:

Expandable	545	sacks
Thixotropic	260	sacks
Econofill		sacks
Mud Flush	1000	gal
Other		
Est. Top Thix		ft
Did Cement Circ.	Yes	

Comments:

Caving: Extreme Moderate **Normal**

Lost Circulation: Extreme Moderate **Normal**

Difficulty in Removing Casing: **Extreme** Moderate Normal

Debris in Well Bore: **Wood** **Steel** Other: _____

Thix Bottom: 1063'

Surface Elevation (Surveyed)	987'
Bottom of Coal Structure (Map)	190'
Difference	797'

Total Depth: 1723'

Expandable Cement

Thixotropic Cement w/ Green Dye

Thixotropic Cement w/ Green Dye

Expandable Cement

Top of 16" Conductor at Surface
Bottom of 16" Conductor at 20'

Top of 7" Casing at 999'

Bottom of 7" Casing is unknown
Top of 5 1/2" Casing at 1723'
Bottom of 5 1/2" Casing is unknown

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATED, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
SHELIA JEAN & JOHN CHARLES TEDROW
Lease or Property Owner
199 STOUT RUN RD. SMITHFIELD, WV 26437
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
FOLSOM, WV 7.5'
Well Location
GRANT
District
WETZEL
County
7208
Well No.
P. EDGELL HIERS
Farm

STATE INSPECTOR SUPERVISING PLUGGING Derek M. Haught

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MATTHEW A. YEARSLEY and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 8th day of September, 2020 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Removed 1723' of 5 1/2" casing from the surface to 1723'. Left an unknown amount of 5 1/2" casing in the hole from 1723' to an unknown depth. Cemented the bottom hole from 1723' to 1063' with 125 sacks of Expandable Cement with a Gas Blocker additive. Removed 999' of 7" casing from the surface to 999'. Left an unknown amount of 7" casing in the hole from 999' to an unknown depth. Cleaned the hole with a 12 1/4" bit from the surface to 468'. Reduced the hole to 9 7/8" at 468' Cleaned a 9 7/8" hole from 468' to top of the remaining 7" casing at 999'. Reduced the hole to 6 1/4" at 999'. Cleaned a 6 1/4" hole from 999' to the top of the bottom hole plug at 1063. Cleaned a 9 7/8" hole through the Pittsburgh Coal Seam from 790' to 797'. Left 20' of 16" conductor pipe in the hole from 20' to surface.		5 1/2" Casing	1723'	Unknown
		7" Casing	999'	Unknown
		16" Conductor	20'	20'
Cemented the hole from 1063' to surface as follows: From 1063' to 590' with 260 sacks of Thixotropic Cement with Green Dye. Tagged the cement plug at 590'. From 590' to surface with 420 sacks of Expandable Cement. Cement did circulate at surface. A total of 805 sacks of cement were used to fill the hole from 1723' to surface.				
Coal Seams		Description of Monument		
<u>Pittsburgh</u>	<u>790' - 797'</u>	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 17th day of September, 2020


And further deponents saith not.

Matthew A. Yearsley

Matthew A. Yearsley

Kevin S. Wright

Kevin S. Wright



Sworn to and subscribed before me this 26th day of Oct, 2020

[Signature]

Notary Public

06/04/2021

My commission expires: 09/15/22

Permit No. 47-103-03327
Well No. 7208
Latitude: 39° 29' 37.8384"N
Longitude: -80° 32' 28.1184"W