

west virginia department of environmental protection

Office of Oil and Gas 601 57<sup>th</sup> Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Thursday, October 10, 2024 WELL WORK PERMIT Horizontal 6A / New Drill

EQT PRODUCTION COMPANY 400 WOODCLIFF DR.

CANONSBURG, PA 15317

Re: Permit approval for Nextwave EFT 31H 47-103-03682-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

. Marti

Operator's Well Number: Nextwave EFT 31H Farm Name: RDFS, LLC U.S. WELL NUMBER: 47-103-03682-00-00 Horizontal 6A New Drill Date Issued: 10/10/2024

Promoting a healthy environment.

# **PERMIT CONDITIONS**

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

#### CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Also, 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.



API NO. 47 10 303682 OPERATOR WELL NO. 31H

Well Pad Name: Nextwave EFT

DEPARTMENT OF EN	VIRONMENTA	WEST VIRGINIA L PROTECTION, ERMIT APPLICA	OFFICE OF O	IL AND GA	AS
1) Well Operator: EQT Produc	ction Company	306686	Wetzel	Church	Hundred
<i>P</i>		Operator ID	County	District	Quadrangle
2) Operator's Well Number: 31	Н	Well Pac	Name: Nextw	vave EFT	1
3) Farm Name/Surface Owner:	RDFS LLC	Public Roa	d Access: CR	250/2	
4) Elevation, current ground:	1,443' El	evation, proposed	post-constructio	on: <u>1,443'</u>	(
5) Well Type (a) Gas X Other	Oil	Unde	erground Storag	e	
	llow X	Deep		1	
	izontal X	= F		-	
6) Existing Pad: Yes or No No	2				
7) Proposed Target Formation(s) Marcellus, 7,820', 52', 2,620 PS		ipated Thickness a	nd Expected Pr	essure(s):	
8) Proposed Total Vertical Depth	n: 7,820'				
9) Formation at Total Vertical D		1			
10) Proposed Total Measured De	epth: 8,282'	1			
11) Proposed Horizontal Leg Ler	ngth: 80' 🖌				
12) Approximate Fresh Water St	rata Depths:	377', 457', 482'	1		
13) Method to Determine Fresh		Offset Wells - 103	-00290, 103-3	0382, 103-	-30006, 103-30696
14) Approximate Saltwater Dept		4 0701 4 0001 4 4	04144041		
15) Approximate Coal Seam Dep					
16) Approximate Depth to Possil	ole Void (coal mi	ne, karst, other): <u> </u>	N/A		
17) Does Proposed well location directly overlying or adjacent to		ns Yes	No	Х	RECEIVED
(a) If Yes, provide Mine Info:	Name:			Off	tice of Un
	Depth:				AUG 2 9 2024
	Seam:				
	Owner:				W Department Of Environmental Protection

Page 1 of 3 10/11/2024 0:20-24

WW-6B (04/15)

API NO. 47 10 303682

OPERATOR WELL NO. <u>31H</u> Well Pad Name: Nextwave EFT

18)

## CASING AND TUBING PROGRAM

TYPE	Size (in)	<u>New</u> <u>or</u> <u>Used</u>	Grade	<u>Weight per ft.</u> (lb/ft)	<u>FOOTAGE: For</u> <u>Drilling (ft)</u>	INTERVALS: Left in Well (ft)	<u>CEMENT:</u> <u>Fill-up</u> (Cu. Ft.)/CTS
Conductor	26	New	A252 GR 3 Bare	85.6	53	53 🖌	45 ft^3 / CTS
Fresh Water	13 3/8	New	J-55	54.5	1241	1241 🥓	1100 ft^3 / CTS
Coal							
Intermediate	9 5/8	New	J-55	36	2866	2866 🖌	1100 ft^3 / CTS
Production	5 1/2	New	P-110	20	8282	8282 🖌	500' above intermediate casing
Tubing							
Liners							

TYPE	Size (in)	<u>Wellbore</u> <u>Diameter (in)</u>	<u>Wall</u> <u>Thickness</u> (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	<u>Cement</u> <u>Type</u>	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	26	30	0.312	1000	18	Class A/L	1.04 - 1.20
Fresh Water	13 3/8	17 1/2	0.380	2730	2184	Class A/L	1.04 - 1.20
Coal							
Intermediate	9 5/8	12 3/8	0.352	3520	2816	Class A/L	1.04 - 1.20
Production	5 1/2	8 1/2	0.361	14360	11488	Class A/H/L	1.04 - 2.10
Tubing							
Liners							

### PACKERS

Kind:	μ. 	RECEIVED Office of Oil and Gas
Sizes:		HUG 2 9 2024
Depths Set:		W Department of www.pepartment.of warmental Protection

Environmer

Page 2 of 3 10/11/2024 5-20-24

(04/15)

WW-6B

**OPERATOR WELL NO. 31H** Well Pad Name: Nextwave EFT

### 19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill and complete a new horizontal well in the Marcellus Formation. Drill the vertical, kick off and drill curve. Drill the lateral in the Marcellus. Cement casing.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Hydraulic fracturing is completed in accordance with state regulations using water recycled from previously fractured wells and obtained from freshwater sources. This water is mixed with sand and a small percentage (less than 0.1%) of chemicals (including 15% Hydrochloric acid, friction reducer, biocide, and scale inhibitor), referred to in the industry as a "slickwater" completion. Maximum anticipated internal casing pressure is expected to be approximately 10,000 psi, maximum anticipated treating rates are expected to average approximately 100 bpm. Stage lengths vary from 150 to 300 feet. Average approximately 350,000 gallons of water per stage. Sand sizes vary from 100 mesh to 20/40 mesh. Average approximately 200,000-600,000 pounds of proppant per stage.

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 42.82 acres

22) Area to be disturbed for well pad only, less access road (acres): 13.26 acres

23) Describe centralizer placement for each casing string:

• Surface: Bow spring centralizers - One centralizer at the shoe and one spaced every 500'.

• Intermediate: Bow spring centralizers- One centralizer at the shoe and one spaced every 500'.

· Production: One solid body centralizer spaced every other joint from production casing shoe to landing point. One solid body centralizer spaced every joint from landing point to planned top of cement.

24) Describe all cement additives associated with each cement type:

Conductor: No additives

Surface: Calcium Chloride. Used to speed the setting of cement slurries

Intermediate: Calcium Chloride. Used to speed the setting of cement slurries.

Production: Calcium Carbonate, Fluid Loss, Extender, Dispersent, Viscosifier, Defoamer, POZ, Bonding Agent, Retarder, Anti-Settling/Suspension Agent

25) Proposed borehole conditioning procedures:

Surface: Circulate hole clean while rotating & reciprocating the drill string until cuttings diminish at surface.

Intermediate: Circulate hole clean while rotating & reciprocating the drill string until cuttings diminish at surface.

Production: Perform a cleanup cycle by pumping 3-8 bottoms up or until the shakers are clean. Check HEUEIVEN Gas volume of cuttings coming across the shakers every 15 minutes.

\*Note: Attach additional sheets as needed.

AUG 29 2024 WV Department of Environmental Protection

Page 3 of

		WEST VIRGINIA GEOLOGICAL PROGNOSIS
		Nextwave EFT
		Nextwave EFT North
Drilling Objectives:	Marcellus	S-001218
County:	Wetzel	0 001210
Elevation:	1456 KB	1443 GL
Recommended Azimuth	335 Degrees	THE GE

Pilot Hole Logging planned on Nextwave EFT Proposed Logging Suite:

@ Pilot Hole TD - Run Quad Combo open hole logs for evaluation of uphole zones.

ESTIMATED FORMATION TOPS	Derived From :	4710302767	4710302580			
Formation	Top (TVD)	Base (TVD)	Lithology	Comments	Top RR	Base RR
Fresh Water Zone	1	482		FW @ 377,457,482,	489	
Waynesburg Coal	839	843 Co	al	Not Mined	489	
Sewickley Coal	1078	1082 Co	al	Not Mined	564	
Pittsburgh Coal	1184	1191 Co	al	Not Mined		
Big Lime	2563	2693 Lit		SW @ , , ,	1067	
Big Injun	2693	2816 Sa		SW (@ ,	1201	
Int. csg pt	2866	2010 04	lastone		1254	
Weir	2943	2963 Sa	ndstone	Nu	1302	
Gordon	3388	3449 Sil		Not near storage	1314	2 92567530
Fifty Foot	3481	3501 Sil			1352	
Bayard	3620	3706 Sil		Des COCCANUED CONTRACTOR	1410	
Alexander	6108	6137 Sil		Base of Offset Well Perforations at 3355' TVD	1442	
Elks	6540		ay Shales and Silts		1454	
Sonyea	7348	7506 Gr			1459	
Middlesex	7506	7549 Sh			1544	A CONTRACTOR OF A CONTRACTOR O
Genesee	7549		ay shale interbedded			Red Rock
Geneseo	7631		ick Shale			
Tully	7662	7685 Lir				
Hamilton	7685		ay shale with some			
Marcellus	7794		ick Shale			
Purcell	7811	7840 Bia 7813 Lin				
-Lateral Zone	7820	7015 LII	liestone	0		
Cherry Valley	7826	7828 Lin	aastana	Start Lateral at 7820'		
Onondaga	7846		nestone			
Pilot Hole TD	7946	Lin	nestone			
Target Thickness	52 feet					
Max Anticipated Rock Prosource	32 Teel					

Target Thickness Max Anticipated Rock Pressure

#### Comments:

Intermediate casing point is recommended beneath the Big Injun to shut off any water production from the Upper Devonian sands. Intermediate casing should be cemented into the surface string, per WV regulations.

#### LATERAL DRILLING TOLERANCES

Deviate as little as possible to the left or right of the planned wellbore. Mapview - Lateral: Mapview - TD: DO NOT EXTEND beyond recommended wellbore to avoid leaseline.

2620 PSI

#### RECOMMENDED CASING POINTS

RECOMMENDED CASI	NG POINTS			Planned Depth KB	Planned Depth GL	
Conductor:	CSG OD	26"	CSG DEPTH:	40		FW NEEDS UPDATED WITH EQT SAMPLING PRIOR TO DRILLING
Fresh Water/Coal	CSG OD	13 3/8"	CSG DEPTH:	1241		50 ft below mineable coal
Intermediate 1:	CSG OD	9 5/8"	CSG DEPTH:	2866		50 ft below base of Big Injun
Production:	CSG OD	5 1/2"	CSG DEPTH:	@ TD	@ TD	o n olor olor of big injul

RECEIVED Office of Oil and Gas AUG 292024 W Department of Environmental Protection

EQT Production	47 10 3 0 3 6 8 2 Wellbore Diagram
Well:Nextwave 31HPad:NextwaveElevation:1443' GL1456' KB	County: Wetzel State: West Virginia
	Conductor     @     53'       26", 85.6#, A252, cement to surface w/ Class A/L
	Surface         @         1,241'           13-3/8", 54.5#, J-55, cement to surface w/ Class A/L
	Intermediate @ 2,866'
	9-5/8", 36#, J-55, cement to surface w/ Class A/L RECEIVED Office of Oil and Gas AUG 2 9 2024 WV Department of Environmental Protection
	Production @ 8,282' MD / 7,820' TVD 5-1/2", 20#, P-110, cement to 500' inside 9-5/8" w/ Class A/H/L
Formation: Marcellus	
	1009T1720224LE

4	1	(Terranal)	0	3	0	3	6	8	2

-

W	W	-9
(4,	/16	5)

API Number 47 -Operator's Well No. Nextwave EFT 31H

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION **OFFICE OF OIL AND GAS**

#### FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name_EQT Production Company	OP Code _ 306686
Watershed (HUC 10) West Virginia Fork Fish Creek	Quadrangle Hundred
Do you anticipate using more than 5,000 bbls of water to complete	ete the proposed well work? Yes No
Will a pit be used? Yes No V	
If so, please describe anticipated pit waste:N/A	
Will a synthetic liner be used in the pit? Yes	No $\checkmark$ If so, what ml.? N/A
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	
Underground Injection (UIC Permit	Number0014, 8462, 4037)
Reuse (at API Number_Various	)
Off Site Disposal (Supply form WW	-9 for disposal location)
Other (Explain	
Will closed loop system be used? If so, describe: Yes, The closed then prepared for	loop system will remove drill cuttings from the drilling fluid. The drill cuttings are r transportation to an off-site disposal facility.
Drilling medium anticipated for this well (vertical and horizonta	al)? Air, freshwater, oil based, etc. See Attached
-If oil based, what type? Synthetic, petroleum, etc. Synthetic, petroleum, etc.	nthetic Mud
Additives to be used in drilling medium? See Attached	
Drill cuttings disposal method? Leave in pit, landfill, removed of	offsite, etcLandfill
-If left in pit and plan to solidify what medium will be u	used? (cement, lime, sawdust)_N/A
-Landfill or offsite name/permit number? See Attached	List
Permittee shall provide written notice to the Office of Oil and G West Virginia solid waste facility. The notice shall be provided where it was properly disposed.	as of any load of drill cuttings or associated waste rejected at any within 24 hours of rejection and the permittee shall also disclose
on August 1, 2005, by the Office of Oil and Gas of the West Vir provisions of the permit are enforceable by law. Violations of law or regulation can lead to enforcement action. I certify under penalty of law that I have personally application form and all attachments thereto and that, based	onditions of the GENERAL WATER POLLUTION PERMIT issu ginia Department of Environmental Protection. I understand that t any term or condition of the general permit and/or other applical examined and am familiar with the information submitted on th on my inquiry of those individuals immediately responsible rue, accurate, and complete. I am aware that there are significa-

penalties for submitting faise information, including the possibility of line or imprisonmen	IL. of Oil and
Company Official Signature	Office of Oil and AUG 29 2024
Company Official (Typed Name) John Zavatchan	
Company Official Title Project Specialist - Permitting	WV Department of Environmental Protection
	Environing
Subscribed and sworn before me this 27th day of August	_, 20 <u>24</u>
	Notary Public
My commission expires $007.25,2027$	Commonwealth of Pennsylvania - Notary Seal Olivia Wilson, Notary Public Allegheny County My commission pumber 1359968

Member, Pennsylvania Association of Notaries

## 4710303682

#### WW-9 Attachment

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.

• Air is used to drill the top-hole sections of the wellbore (surface, intermediate, and pilot). Water based mud may be necessary depending on hole conditions to stabilize and drill the intermediate section. The pilot hole, curve, and lateral sections will be drilled with either air, water based mud, or synthetic mud.

Additives to be used in drilling medium?

- Air biodegradable oil lubricant, detergent, defoaming, water.
- Water based mud Barite, viscosifer, alkalinity control, lime, filtration control, deflocculates, biodegradable oil lubricant, defoaming, walnut shell, salt, x-cide, carbonates.
- Synthetic mud synthetic base oil, emulsifier, salt, lime, viscosifer, alkalinity control, filtration control, deflocculates, biodegradable oil lubricant, defoaming, carbonates.

RECEIVED Offlice of Oil and Gas AUG 29 2024 WV Department of Environmental Protection

Form	WW-9

## Operator's Well No. Nextwave EFT 31H

roposed Revegetation Treat	tment: Acres Disturbed	Prevegetation pH	Ι
Lime_3	Tons/acre or to correc	ct to pH6.5	
Fertilizer type Gra	nular 10-20-20		
Fertilizer amount 500 lbs/acre			
MulchTons/acre			
		Seed Mixtures	
Te	emporary	Perma	nent
Seed Type lbs/acre		Seed Type	lbs/acre
KY-31 40		Orchard Grass	15
Alsike Clover 5		Alsike Clover	5
Annual Rye	15		

Attach:


Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area


Photocopied section of involved 7.5' topographic sheet.

Plan Approved Stephen	Mccoy Digitally signed Date: 2024.09.1	d by Stephen Mccoy 13 15:25:18 -04'00'	
		areas as soon as reas	onably possible,
per regulation. Up	grade E&S as neo	cessary per WV DEP E	&S Manual.
			RECEIVED Office of Oil and Gas
			Office of One 29 2024
			AUG 20 - Cont of
Title: Mile Gaz	Typeson	Date: 8.10-24	WV Department of WV Departmental Protection Environmental Protection
Field Reviewed?	Yes (	) No	

			RECORD OF	
			Revision #	+
			1	
				+
				-
EMERGENCY RE (SITE SAFETY AN	SPONSE PLAN D ENVIRONMENTAL PLAN)	(ERP)		
EQT Nextwa	ave EFT Well Pa	d		
Chur	ch District			
Wetzel	County, WV			-
	twave EFT 31H			
				$\uparrow$
				-
Prepared By: Scott M. Held, CSP, Sen				+
Approved By: <u>Scott M. Held, CSP, Sen</u> Created Date: <u>2-Jul-24</u>	ior EHS Coordinator			+
				-
MORED	Stephen	Digitally signed by Stephen Mccoy		
HID.	Mccoy	Date: 2024.08.23 11:58:58 -04'00'	Plan Administrato Scott M. Held, CS	
John Zavatchan	Stephen McC		Senior EHS Coord	lina
Permitting Specialist	Oil and Gas I	nspector		
EQT Production Company	WVDEP Offic	e of Oil and Gas		

Revision #	Date	Change/s
1	12/10/2020	Plan total revision and reformat.
	en al anticipat de state anno anno anno anno anno	
		•
an Administrator:		Approver:
ott M. Held, CSP mior EHS Coordina		Michael Lauderbaugh Vice President of EHS





Nextwave EFT 31H			
Nextwave EFT			
EQT Production Compan Tract ID. Tax Map No. Parcel No. County Dist		/	
1 7 5.0 Wetzel Chu	rch RDFS LLC	Acres 58.00	
Lease Ow 119573002 Three Rivers Roy			ve EFT 31H
			1" = 2000'         Well References         Ref Stake         N07'43'02W"         296'         Ref Stake         S17'56'34"W
		1	Ret Stake
NEXTWAVE EFT PAD			Notes: <u>NEXTWAVE EFT 31H coordinates are</u> NAD 27 N: 431,413,193 E: 1,733,086,262 NAD 27 Lat: 39,680609 Long: -80,448354 NAD 83 UTM N: 4,392,463,606 E: 547,324,067 <u>NEXTWAVE EFT 31H Landing Point coordinates are</u> NAD 27 N: 431,852,568 E: 1,733,200,317 NAD 27 Lat: 39,681819 Long: -80,447965 NAD 83 UTM N: 4,392,598,048 E: 547,356,584 <u>NEXTWAVE EFT 31H Bottom Hole coordinates are</u> NAD 27 N: 431,925,148 E: 1,733,166,469 NAD 27 N: 431,925,148 E: 1,733,166,469 NAD 27 N: 4,392,619,989 E: 547,345,904 West Virginia Coordinates system of 1927 (North Zone) based upon Differential GPS Measurements Plat orientation, Correr and well ties are based upon the grid north meridian. Well location references are based upon the grid north meridian.
KEYSTONE CONSULTANTS, LLC	correct to the best and shows all the in the regulations issue Department of Enviro	ereby certify that this p of my knowledge and be formation required by la d and prescribed by the onvertal Protection.	elief
TILE NO: DRAWING NO: SCALE: 1" = 1000' MINIMUM DEGREE OF ACCURACY 1:2500 PROVEN SOURCE OF ELEVATION NGS CORS Station	OILA	ST WEST VIRGINIA F VEST VIRGINIA VIRGNMENT L PROTECTIO	DATE:
WELL TYPE:  OIL  GA (IF GAS) PRODUC OCATION ELEVATION: 1443' DISTRICT:  Church SURFACE OWNER: RD	TION: STORAGE	□ WASTE DISPOSAL □ DEEP ⊠ SHALLOW st Virginia Fork Fish Creek COUNTY:Wetzel	QUADRANGLE: Hundred
ROYALTY OWNER: Three Rivers PROPOSED WORK: ⊠ DRILL □ PERFORATE NEW FORMATIO □ PLUG AND ABANDON □ CL	Royalty II, LLC, et al. CONVERT DRILL DEEF ON DOTHER PHYSICAL	LEASE NO: 11957; PER I FRACTURE OR STIMU CHANGE IN WELL (SPECIFY) ARGET FORMATION: Marci	JLATE DPLUG OFF OLD FORMATION
	ction Company		ph C Mallow
ADDRESS: 400 Woodd			Midstate Drive
Canonsbu	rg, PA 15317	Clark	ksburg, WV 26301

WW-6A1 (5/13)

#### Operator's Well No. Nextwave EFT 31H

#### INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

	_			
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Rovalty	Book/Page
1 tanito et	orantor, Dessor, etc.	Orantee, Lessee, etc.	Royany	DUUKITag

See Attached

RECEIVED Office of Oil and Gas

AUG 2 9 2024

WV Department of Environmental Protection

#### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	EQT Production Company
By:	John Zavatchan
Its:	Project Specialist - Permitting

Page 1 of 2

WW-6A1 attachment			Operator's Well No.		Nextwave EFT 31H	
Lease No.	Grantor, Lessor, etc.	Acres	Grantee, Lessee, etc.	Royalty	Book/Page	
	Three Rivers Royalty II, LLC, et al.			"at least 1/8th p Code 22-6-8"	per WV	
119573002	Three Rivers Royalty II, LLC	95.95 ac	EQT Production Company		OG 208A/335	

18.

AECENED Gas WN Department of WN Department Protection Environmental Protection HUG 2 9 2024

4710303682

# 4710303682

 EQT
 PRODUCTION
 COMPANY

 400
 Woodcliff Drive
 |
 Canonsburg, PA 15317



August 26, 2024

Mr. Taylor Brewer West Virginia Department of Environmental Protection Office of Oil and Gas 601 57th Street SE Charleston, WV 25304

Re: Nextwave EFT 31H Church District, Wetzel County, WV

Dear Mr. Brewer,

EQT Production Company is applying for a new well work permit for the well referenced above. Upon information and belief, the Operator's lease and/ or other real property rights permit it to conduct drilling operations for the subject well in the location shown on the plat, including under any public roads that the well lateral crosses.

Sincerely,

Olivia Wilson Project Specialist – Permitting

RECEIVED Office of Oil and Gas HUG 29 2024 WV Department of WV Departurent of Environmental Protection

#### Horizontal Natural Gas Well Work Permit Application Notice By Publication

Notice is hereby given:

Pursuant to West Virginia Code 22-6A-10(e) prior to filing an application for a permit for a horizontal well the applicant shall publish in the county in which the well is located or is proposed to be located a Class II legal advertisement.

Paper: Wetzel Chronicle

Public Notice Date: 6/5/2024, 6/12/2024

The following applicant intends to apply for a horizontal natural well work permit which disturbs three acres or more of surface excluding pipelines, gathering lines and roads or utilizes more than two hundred ten thousand gallons of water in any thirty day period.

Applicant: EQT Production Company		Well Num	ber: Nextwave	EFT 31H		
Address	: 400 Wood	dcliff Drive				
	Canonsbu	irg, PA 15317				
Busines	s Conduct	ed: Natural gas productior	1.			RECEIVED Office of Oil and Gas
Location	n —					AUG 2 9 2024
	State:	West Virginia		County:	Wetzel	WV Department of
	District:	Church		Quadrangle:	Hundred	WV Department of Environmental Protection
	UTM Coo	ordinate NAD83 Northing:	4392463.60 🗸			Lation
	UTM coo Watershee	rdinate NAD83 Easting: d: West Virginia Fork Fish Cree	547324.067 🗸			

#### **Coordinate Conversion:**

To convert the coordinates above into longitude and latitude, visit: http://tagis.dep.wv.gov/convert/llutm\_conus.php

#### **Electronic notification:**

To receive an email when applications have been received or issued by the Office of Oil and Gas, visit <u>http://www.dep.wv.gov/insidedep/Pages/DEPMailingLists.aspx</u> to sign up.

#### **Reviewing Applications:**

Copies of the proposed permit application may be reviewed at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE Charleston, WV 25304 (304-926-0450). Full copies or scans of the proposed permit application will cost \$15, whether mailed or obtained at DEP headquarters. Copies may be requested by calling the office or by sending an email to <u>DEP.comments@wv.gov</u>.

#### Submitting Comments:

Comments may be submitted online at <u>https://apps.dep.wv.gov/oog/comments/comments.cfm</u>, or by letter to Permit Review, Office of Oil and Gas, 601 57<sup>th</sup> Street, SE Charleston, WV 25304. Please reference the county, well number, and operator when using this option.

Regardless of format for comment submissions, they must be received no later than thirty days after the permit application is received by the Office of Oil and Gas.

For information related to horizontal drilling visit: www.dep.wv.gov/oil-and-gas/pages/default.aspx



### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE CERTIFICATION</u>

#### Date of Notice Certification: 08/27/2024

API No. 47-	-
Operator's Well No	Nextwave EFT 31H
Well Pad Name: N	lextwave EFT

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	West Virginia	LITMANAD 92	Easting:	547324.067	
County:	Wetzel	UTM NAD 83	Northing:	4392463.60	
District:	Church	Public Road Acc	cess:	CR 250/2	
Quadrangle:	Hundred	Generally used f	arm name:	RDFS LLC	
Watershed:	West Virginia Fork Fish Creek				

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of subsection ten of this article have been completed by the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following:	
*PLEASE CHECK ALL THAT APPLY	OOG OFFICE USE ONLY
□ 1. NOTICE OF SEISMIC ACTIVITY or ■ NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	RECEIVED/ NOT REQUIRED
□ 2. NOTICE OF ENTRY FOR PLAT SURVEY or ■ NO PLAT SURVEY WAS CONDUCTED	□ RECEIVED
■ 3. NOTICE OF INTENT TO DRILL or □ NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or	RECEIVED/ NOT REQUIRED
WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)	
<ul> <li>(PLEASE ATTACH)</li> <li>4. NOTICE OF PLANNED OPERATION</li> <li>FUBLIC NOTICE</li> <li>(PLEASE ATTACH)</li> <li>PLANNED OPERATION</li> <li>PLANED OPERA</li></ul>	□ RECEIVED
■ 5. PUBLIC NOTICE Of LIATION Office of a 29 2024	□ RECEIVED
5. PUBLIC NOTICE     AUG 2     AUG 2     WV Department of     wv Department of     wv Departmental Protection     Environmental Protection	RECEIVED

#### **Required Attachments:**

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

# 4710303682

#### Certification of Notice is hereby given:

#### THEREFORE, I John Zavatchan

, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	EQT Production Company	Address:	400 Woodcliff Drive
By:	John Zavatchan		Canonsburg, PA 15317
Its:	Project Specialist - Permitting	Facsimile:	412-395-2974
Telephone:	412-584-3132	Email:	jzavatchan@eqt.com
Oli My comm	NOTARY SEAL ealth of Pennsylvania - Notary Seal via Wilson, Notary Public Allegheny County ission expires October 25, 2027 amission number 1359968	Subscribed and swo	orn before me this 27th day of <u>August</u> , 2024 Notary Public spires 0ct. 25, 2027
Member, P	ennsylvania Association of Notaries		ē.

#### **Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED Office of Oil and Gas AUG 2 9 2024 WV Department of Environmental Protection

OPERATOR WELL NO. <u>31H</u> Well Pad Name: Nextwave EFT

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF APPLICATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notice: 8/26/2024 Date Permit Application Filed: 8/27/2024

INOL	ice of:
$\overline{\mathbf{A}}$	PERMIT F

W

RMIT FOR ANY	CERTIFICATE OF APPROVAL FOR THE
ELL WORK	CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

PERSONAL	REGISTERED	METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

☑ Application Notice ☑ WSSP Notice ☑ E&S Plan Notice	otice I Well Plat Notice is hereby provided to:
☑ SURFACE OWNER(s)	Otice       ☑ Well Plat Notice is hereby provided to:       RECEIVED         □ COAL OWNER OR LESSEE       Office of Oil and Gas
Name: See Attached List	Name: See Attached List
Address:	Name: See Attached List Address:
Name:	COAL OPERATOR WV Department of Name:
Address:	Name:
SURFACE OWNER(s) (Road and/or Other Disturbance)	
Name: See Attached List	□ SURFACE OWNER OF WATER WELL
Address:	AND/OR WATER PURVEYOR(s)
	Name:
Name:	Address:
Address:	
	OPERATOR OF ANY NATURAL GAS STORAGE FIELD
□ SURFACE OWNER(s) (Impoundments or Pits)	Name:
Name:	Address:
Address:	
	*Please attach additional forms if necessary

OPERATOR WELL NO. <u>31H</u> Well Pad Name: Nextwave EFT

#### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

#### This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

#### Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items





OPERATOR WELL NO. <u>31H</u> Well Pad Name: Nextwave EFT

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

#### Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

#### Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

#### Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

#### Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> St. SE Charleston, WV 25304 (**304**) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.



OPERATOR WELL NO. <u>31H</u> Well Pad Name: Nextwave EFT

#### Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

#### **Comment Requirements**

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-

<u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

#### Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED Office of Oil and Gas AUG 29 2024 WV Department of Environmental Protection

# APINO. 47 10 303682

OPERATOR WELL NO. <u>31H</u> Well Pad Name: Nextwave EFT

	ereby given h		1A	3AD	Ad
Telephone:	Concerning and the second s	1	and the	~1	
Email: jzavat	chan@eqt.com	0	0	/	Fac

Address: 400 Woodcliff Drive Canonsburg, PA 15317 Facsimile: 412-395-2974

#### **Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Com	monwealth of Pennsylvania - Notary Sea Olivia Wilson, Notary Public
	Alleghenv County
My	commission expires October 25, 2027
	Commission number 1359968 hber, Pennsylvania Association of Notaries

Subscribed and sworn befo	ore me this <u></u>	ay of Aug	Notary Public
My Commission Expires_	OCt.	25,200	27

RECEIVED Office of Oil and Gas F.U.a & 9 2024 WV Department of Environmental Protection

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND 🔳		CERTIFIED MAIL
DELIVERY		RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

#### Notice is hereby provided to the SURFACE OWNER(s):

Name: See Attached List	Name: See Attached List	
Address:	Address:	

#### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	LITMANAD 82 Eastin	ng: 547324.067	
County:	Wetzel	UTM NAD 83 North	ning: 4392463.60	
District:	Church	Public Road Access:	CR 250/2	
Quadrangle:	Hundred	Generally used farm na	me: RDFS LLC	
Watershed.	West Virginia Fork Fish Creek		15	

#### This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

#### Notice is hereby given by:

Well Operator:	EQT Production Company	Authorized Representative:	John Zavatchan
Address:	400 Woodcliff Drive	Address:	400 Woodcliff Drive
Canonsburg, PA 15	5317		Canonsburg, PA 15317
Telephone:	412-584-3132	Telephone:	724-746-9073
Email:	jzavatchan@eqt.com	Email:	jzavatchan@eqt.com
Facsimile:	412-395-2974	Facsimile:	412-395-2974

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

RECEIVED Office of Oil and Gas

AUG 29 2024 10/11/2024 WV Department of Environmental Protection WW-6A5 (1/12)

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF PLANNED OPERATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: \_\_\_\_\_\_\_\_ Date Permit Application Filed: \_\_\_\_\_\_\_\_

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL	HAND
RETURN RECEIPT REQUESTED	DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

#### Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name: See Attached List	Name:	
Address:	Address:	

#### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia		Easting:	547324.067	
County:	Wetzel	UTM NAD 83	Northing:	4392463.60	
District:	Church	Public Road A	ccess:	CR 250/2	
Quadrangle:	Hundred	Generally used	farm name:	RDFS LLC	
Watershed:	West Virginia Fork Fish Creek				

#### This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by **W. Va. Code § 22-6A-10(b)** to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Operator:	EQT Production Company	Address:	400 Woodcliff Drive	
Telephone:	412-584-3132		Canonsburg, PA 15317	
Email:	jzavatchan@eqt.com	Facsimile:	412-395-2974	

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED Office of Oil and Gas

AUG 2 9 2024



## 4710303682



# WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

# **Division of Highways**

Office of the District Engineer/Manager District Four

Post Office Box 4220 · Clarksburg, West Virginia 26302 · (304) 842-1500

Alanna J. Keller, P.E. Deputy Secretary of Transportation Deputy Commissioner of Highways

Jimmy Wriston, P. E. Secretary of Transportation Commissioner of Highways

July 1, 2024

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> Street, SE Charleston, WV 25304

Subject: DOH Permit for the Nextwave EFT Well Pad, Wetzel County 31H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit 06-2022-0060 which has been issued to EQT Production Company for access to the State Road for a well site located off Wetzel County Route 250/2 SLS MP 0.78.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated March 6, 2023. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Lacy D. Pratt Central Office O&G Coordinator

RECEIVED Office of Oil and Gas

AUG 2 9 2024

WV Department of Environmental Protection

Cc: Olivia Wilson EQT Production Company OM, D-6 File

E.E.O./AFFIRMATIVE ACTION EMPLOYER

### Anticipated Frac Additives Chemical Names and CAS Numbers

Material	Ingredient	CAS Number
Sand (Proppant)	Silica Substrate	14808-60-7
Water	Water	7732-18-5
Hydrochloric Acid (HCl)	Hydrogen Chloride	7647-01-0
Friction Reducer	Copolymer of 2-propenamide	Proprietary
	Petroleum Distillate	64742-47-8
	Oleic Acid Diethanolamide	93-83-4
	Alcohols, C12-16, ethoxylated	68551-12-2
	Ammonium chloride ((NH4)Cl)	12125-02-9
Biocide	Glutaraldehyde	111-30-8
	Alkyl dimethyl benzyl ammonium chloride	68391-01-5
	Didecyl dimethyl ammonium chloride	7173-51-5
	Non-hazardous substances	Proprietary
Scale Control	Bis(HexaMethylene Triamine Penta(Methylene Phosphonic Acid)(BHMT)	34690-00-1
	Non-hazardous substances	Proprietary
Acid Chelating Agent	Ferriplex 66	
	Citric Acid	77-92-9
	Acetic Acid	64-19-7
Corrosion Inhibitor	PLEXHIB 166	
	Methanol	67-56-1
	Alcohols, C14-15, ethoxylated	68951-67-7

RECEIVED Office of Oil and Gas

AUG 2 9 2024

WV Department of Environmental Protection

WW-6A7	
(6-12)	

# 4710303682

<b>OPERATOR:</b>	EQT	Production	Company
------------------	-----	------------	---------

WELL NO: 31H

PAD NAME: Nextwave EFT

REVIEWED BY: John Zavatchan

SIGNATURE:

## WELL RESTRICTIONS CHECKLIST

## HORIZONTAL 6A WELL

## **Well Restrictions**

At Least 100 Feet from Pad and LOD (including any E&S Control Featu Perennial Stream, Lake, Pond, Reservoir or Wetland; OR	ure) to any
DEP Waiver and Permit Conditions	
At Least 300 Feet from Pad and LOD (including any E&S Control Feature Naturally Producing Trout Stream; OR	ure) to any
DEP Waiver and Permit Conditions	
At Least 1000 Feet from Pad and LOD (including any E&S Control Feat Groundwater Intake or Public Water Supply; OR	ture) to any
DEP Waiver and Permit Conditions	
At Least 250 Feet from an Existing Water Well or Developed Spring to Drilled; OR	Well Being
Surface Owner Waiver and Recorded with County Clerk, OR	
DEP Variance and Permit Conditions	
At Least 625 Feet from an Occupied Dwelling Structure to Center of the	Pad; OR
Surface Owner Waiver and Recorded with County Clerk, OR	
DEP Variance and Permit Conditions	
At Least 625 Feet from Agricultural Buildings Larger than 2500 Square of the Pad; OR	Feet to the Center
Surface Owner Waiver and Recorded with County Clerk, OR	RECEIVED
DEP Variance and Permit Conditions	Office of OII and
	0116 2 9 2024

