

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, December 20, 2024 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET

DENVER, CO 80202

Re: Permit approval for Marma Unit 1H

47-103-03698-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: Marma Unit 1H

Farm Name: Dallison Lumber Company

U.S. WELL NUMBER: 47-103-03698-00-00

Horizontal 6A New Drill Date Issued: 12/20/2024

API Number: 4710303698

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Also, 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

4710303698 API NO. 47-103 OPERATOR WELL NO. Marma Unit 1H

OPERATOR WELL NO. Marma Unit 1H
Well Pad Name: Cedar Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: Antero I	Resources Corpor	494507062	103 - Wetzel Green	Pine Grove 7.5'
		Operator ID	County District	THE RESERVE OF THE PARTY OF THE
2) Operator's Well Number:	Marma Unit 1H	Well P	ad Name: Cedar Pad	Quadrangic
3) Farm Name/Surface Own	er: Dallison Lumber Co	Public Ro	oad Access: CR 52	
4) Elevation, current ground	As-Built - 1248' E	levation, proposed	l post-construction:	
5) Well Type (a) Gas			lerground Storage	
Other				
(b)If Gas	Shallow X	Deep		
	Horizontal X			-
6) Existing Pad: Yes or No				
7) Proposed Target Formation Marcellus Shale: 7600' TVD	n(s), Depth(s), Antic D, Anticipated Thickne	ipated Thickness ss- 55 feet, Associ	- and Expected Pressure(s): ated Pressure- 2850#	
8) Proposed Total Vertical De			200011	
9) Formation at Total Vertica	I Depth: Marcellus			
10) Proposed Total Measured	Depth: 9900' MD			
11) Proposed Horizontal Leg	Length: 500' *O	pen to modificati	on at a later date	
12) Approximate Fresh Water		612'		
13) Method to Determine Free	sh Water Depths: 4	7103308970000 Offset we	Il records. Depths have been adjusted	according to surface elevations
14) Approximate Saltwater D				and to surface elevations.
15) Approximate Coal Seam I	Depths: 1010'			
16) Approximate Depth to Pos	ssible Void (coal mir	ne, karst, other):	None Anticipated	
17) Does Proposed well locati	on contain coal seam	ıs		
directly overlying or adjacent	to an active mine?	Yes	No X	
(a) If Yes, provide Mine Info	o: Name:		RECEIVING OF ON	ED
	Depth:			and Gas
	Seam:		NOV 27	2024
	Owner:		WV Departme	D ()
			Environmental Pr	otection

Page 1 of 3

12/20/2024

WW-6B (04/15)

API NO. 47-_103 OPERATOR WELL NO. Marma Unit 1H
Well Pad Name: Cedar Pad

18)

CASING AND TUBING PROGRAM

TYPE		New					
	Size (in)	or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	J-55	94#	100'	100'	
Fresh Water	13-3/8"	New	J-55	54.5#	662'		CTS, 96 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2 8 64	662'	CTS, 690 Cu. Ft.
Intermediate	0.00	1404	0-00	30#	3200'	3200'	CTS, 1303 Cu. Ft.
Production	5-1/2"	New	P110-ICY	23#	9900'	00001	
Tubing	2-3/8"	New	N-80	4.7#	3300	9900'	CTS, 1567 Cu. Ft.
Liners		10000					

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.375"	2250	50	Class A/L	~1.18
Fresh Water	13-3/8"	17-1/2"	0.38"	2730	1000	Class A/L	
Coal	9-5/8"	12-1/4"	0.352"	3520	1500		~1.18
Intermediate			UIUUL	3320	1500	Class A/L	~1.18
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	14,360	2500	Class G/H	~1.8
Tubing	2-3/8"	4.778"	0.19"	11,200	2000	Class G/H	~1.0
Liners			2,1,0	11,200			

PECEIVED of Oil and Gas

PACKERS

NOV 27 2024

Kind:	N/A	100.0
Sizes:	N/A	WV Department of Environmental Protection
Depths Set:	N/A	

Page 2 of 3

12/20/2024

WW-6B (10/14)

API NO. 47- 103

OPERATOR WELL NO. Marma Unit 1H

Well Pad Name: Cedar Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill a new horizontal shallow well into the Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 71.85 acres
- 22) Area to be disturbed for well pad only, less access road (acres): 18.45 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

PECEIVED THING IT OH ONG GAS

Conductor: no additives, Class A/L cement.

Surface: Class A/L cement with 2-3% calcium chloride and 1/4 lb of flake

Intermediate: Class A/L cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51 WV Department of Production: Lead cement- 50/30 Class G/H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACGB-27 + 0.05% ACSA-51 + 0.2% ACGB-27 Production: Tail cement- Class G/H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACGB-27 Production: Tail cement- Class G/H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACGB-27 Production: Tail cement- Class G/H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACGB-20 Production: Tail cement- Class G/H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACGB-20 Production: Tail cement- Class G/H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACGB-20 Production: Tail cement- Class G/H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACGB-20 PRODUCTION PRODUCTION

NOV 27 2024

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

*Note: Attach additional sheets as needed.

Page 3 of 3

November 19, 2024

West Virginia Office of Oil and Gas Attn: Taylor Brewer 601 57th St SE Charleston, WV 25304

RE: Request for Variance – Class L Cement Duke Unit 1H-2H, Graden Unit 1H-2H, and Graden Unit 1H-2H Wetzel County, WV

Mr. Brewer:

Pursuant to 35CSR8 Section 9.2.h.8, Antero Resources Corporation ("Antero") would like to implement the variance to allow Class L Cement in place of Class A cement relating to the construction of the following horizontal wells (Duke Unit 1H-2H, Graden Unit 1H-2H, and Graden Unit 1H-2H) on the Cedar pad.

Antero only plans to use this method if Class A cement is not available to be use due to supply issues. Please see Order No 2022-14 attached.

If you have any questions or need further information, please feel free to contact Mallory Turco, Permitting Manager, at (303) 357-7182 or email at mturco@anteroresources.com.

Sincerely,

Stefan Gaspar Permitting Agent

Antero Resources Corporation

RECEIVED
Office of Oil and Gas

NOV 2 0 2024

WV Department of Environmental Protection

API Number 47 - 103

- 03698

Operator's Well No. Marma Unit 1H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation	OP Code 494507062
Watershed (HUC 10) Fishing Creek	Quadrangle Pine Grove 7.5'
Do you anticipate using more than 5,000 bbls of water to com	uplete the proposed well work? Yes V No
Will a pit be used? Yes No	No No
If so, please describe anticipated pit waste: No pit will be	e used at this site (Drilling and Flowback Fluids will be stored in tanks. Cuttings will be tanked and hauled off site.)
Will a synthetic liner be used in the pit? Yes	No If so, what ml.? N/A
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	
Underground Injection (UIC Perm	it Number *UIC Permit # will be provided on Form WR-34)
Off Site Disposal (Supply form W)	wed well locations when applicable. API# will be provided on Form WR-34
Other (Explain_	W-9 for disposal location) (Meadowfill Landfill Permit #SWF-1032-98) Northwestern Landfill Permit #SWF-1025/
	<u>WV0109410</u>
Will closed loop system be used? If so, describe: Yes, fluids s	Wetzel County Landfill (Permit #SWF-1021) stored in tanks, cuttings removed offsite and taken to landfill.
Drilling medium anticipated for this well (vertical and horizont	tal)? Air, freshwater, oil based, etc. Dust/Stiff Foam, Production - Water Based Mud
-If oil based, what type? Synthetic, petroleum, etc. S	
Additives to be used in drilling medium? Please See Attachmen	
	offsite, etc Drill cuttings stored in tanks, removed offsite and taken to landfill.
-If left in pit and plan to solidify what medium will be	orisite, etc
	ndfill (Permit #SWF-1032-98), Northwestern Landfill (Permit # SWF-1025/WV0109410)
Wetzel Con	unty I andfill (Downit #CUTE 1001)
Permittee shall provide written notice to the Office of Oil and C	Con of one 1 - 1 C 1 11
where it was properly disposed.	within 24 hours of rejection and the permittee shall also disclose
provisions of the permit are enforceable by law. Violations of law or regulation can lead to enforcement action. I certify under penalty of law that I have personally application form and all attachments thereto and that, based obtaining the information, I believe that the information is trepenalties for submitting false information, including the possibil Company Official Signature Justichen Kohler	conditions of the GENERAL WATER POLLUTION PERMIT issue reginia Department of Environmental Protection. I understand that the fany term or condition of the general permit and/or other applicable examined and am familiar with the information submitted on the don my inquiry of those individuals immediately responsible for the examined and complete. I am aware that there are significantly of fine or imprisonment. **RECEIVED** Office of Oil and Gas**
Company Official (Typed Name) Gretchen Kohler	
Company Official Title Director Environmental & Regulatory Com	npliance NOV 2 0 2024
, . U	Wy Department of
Subscribed and sworn before me this 19th day of 1	Jovember, 20 24 Environmental Protection
Stelan Gaspan	
My commission expires November 1	Notary Public
vay commission expires / O vem Ser	5 7076 STEFAN GASPAR NOTARY BURNES

Proposed Revegetation Treatm	ent: Acres Disturbed 71.85 a	acres Prevegetation	n nH
Lime 2-4	Tons/acre or to correct to pl		pii
Fertilizer type Hay or	straw or Wood Fiber (will be used		
Fertilizer amount 500)	bs/acre	
Mulch 2-3			
Access Road (3)		acres) + Well Pad (18.45 acres) + Valve Pad (1. s) + Topsoil/Stripping 1 (1.37 acres) + Topsoil/9 (3 (6.21 acres) = 71.85 acres	45 acres) + Spoil 1 (1.24 acres) + Stripping 2 (2.04 acres) + Topsoil/
Тетр	porary	Per	manent
Seed Type	lbs/acre	Seed Type	lbs/acre
Annual Ryegrass	40	Crownvetch	10-15
Field Bromegrass	40	Tall Fescue	30
See attached Table IV-3 for additional	I seed type Cedar Pad Design)	See attached Table IV-4A for addit	ional seed type Cedar Pad Design
*or type of grass seed requ	ested by surface owner		
Maps(s) of road, location, pit and provided). If water from the pit water from the pit water application a	d proposed area for land application will be land applied, include directions.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	luding this info have been and dimensions (L x W), and
Attach: Maps(s) of road, location, pit and provided). If water from the pit water application and application and application and application and application and application and approved section of involved and approved by:	d proposed area for land applic will be land applied, include dir area. 7.5' topographic sheet.	otion (nulses and	luding this info have been and dimensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit wa	d proposed area for land applic will be land applied, include dir area. 7.5' topographic sheet.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	cluding this info have been and dimensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit wa	d proposed area for land applic will be land applied, include dir area. 7.5' topographic sheet.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	luding this info have been and dimensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit wa	d proposed area for land applic will be land applied, include dir area. 7.5' topographic sheet.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	eluding this info have been and dimensions (L x W), and
Maps(s) of road, location, pit and provided). If water from the pit wa	d proposed area for land application will be land applied, include directance. 7.5' topographic sheet.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	luding this info have been and dimensions (L x W), and dimensions (L x W), and the second sec



911 Address 1934 McKimmie Ridge Rd. Reader, WV 26167

Well Site Safety Plan Antero Resources

Well Name: CEDAR UNIT 5V, MIDAS UNIT 1H, WILMA UNIT 1H, GOWLAND UNIT 1H, JIFFY UNIT 1H, GUNTO UNIT 1H-2H, DUKE UNIT 1H-2H, GRADEN UNIT 1H-2H, MARMA UNIT 1H-2H

Pad Location: CEDARPAD

Wetzel County/Green District

GPS Coordinates:

Entrance - Lat 39.585290/Long -80.706670 (NAD83)

Pad Center - Lat 39.567788/Long -80.713115 (NAD83)

Driving Directions:

- From WV-20, turn east onto North Fork Road
- Immediately turn left onto CO-15/17 (N Fork Rd) and travel for 2.2 miles
- Turn left onto WV-17 (Barker Run Rd) and continue for 2.3 miles
- Turn left onto CO 17/1 (Morgan-Ashland Ridge Rd) and continue for 2.7 miles
- Turn left onto CO 52 (McKimmie Ridge Rd) and travel for 1.6 miles
- The Cedar Lease Road will be on the left


Micro of Oil and Gas


NOV 27 2024


VVV Department of Environmental Protection

EMERGENCY (24 HOUR) CONTACT 1-800-878-1373

12/20/2024







Operator's Well Number

Marma Unit 1H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Z: Jenkins Miller Lease Jenkins Miller Hope Natural Gas Company Consolidated Gas Supply Corporation Consolidated Gas Transmission Corporation Eastern States Oil & Gas Inc Blazer Energy Corp Eastern States Oil & Gas Inc Equitable Production- Eastern States INC Appalachian Natural Gas Trust EQT Production Company	Hope Natural Gas Company Consolidated Gas Supply Corporation Consolidated Gas Transmission Corporation Eastern States Oil & Gas Inc Blazer Energy Corp Eastern States Oil & Gas Inc Equitable Production- Eastern States INC Appalachian Natural Gas Trust EQT Production Company Antero Resources Corporation	1/8 Assignment Assignment Assignment Merger Name Change Name Change Assignment Merger Assignment Merger Assignment	0107/0056 0233/0387 066A/0069 076A/0232 0012/0253 0012/0259 WVSOS 079A/0244 0096/0505 230A/0801

RECEIVED
Office of Oil and Gas

NOV 2 0 2024

Environmental Protection

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

*Co-tenancy utilization – Antero is utilizing the Co-tenancy Modernization and Majority Protection Act to proceed with development of certain royalty owners' interests in this tract.

**Pooling/Unitization – Antero has filed a horizontal well unitization application with the West Virginia Oil and Gas Conservation Commission that seeks to pool certain owners in this tract.

WW-6A1 (5/13)

Operator's	Well No.	Marma Uni	t 1H
Operator's	Well No.	Marma Uni	t 1H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number X: Antero Minerals, LLC Lease	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
	Antero Minerals, LLC	Antero Resources Corporation	1/8+	250A/0847

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

*Co-tenancy utilization - Antero is utilizing the Co-tenancy Modernization and Majority Protection Act to proceed with the development of certain royalty owners' interests in this tract.

**Pooling/Unitization - Antero has filed a horizontal well unitization application with the West Virginia Oil and Gas Conservation Commission that seeks to pool certain owners in this tract.

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

NOV 20 2024

Environmental Protection

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Antero Resources Corporation

By: Tim Rady

Its: Senior Vice President of Land

Page Lof 2



Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357 7310 Fax 303.357 7315

November 13, 2024

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE:

Marma Unit 1H

Quadrangle: Pine Grove 7.5'

Wetzel County/Green District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Marma Unit 1H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Marma Unit 1H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely

Thomas Kuhn Staff Landman

RECEIVED
Office of Oil and Gas

NOV 2 0 2024

WV Department of Environmental Protection

Horizontal Natural Gas Well Work Permit **Application Notice By Publication**

Notice	is	hereby	given:
--------	----	--------	--------

Pursuant to West Virginia Code 22-6A-10(e) prior to filing an application for a permit for a horizontal well the applicant

Public Notice Date: 11/6/2024-11/13/2024	/			
The following applicant intends to apply for surface excluding pipelines, gathering lines a any thirty day period.	a horizontal na nd roads or uti	itural well wor lizes more tha	rk permit which distunction two hundred ten th	orbs three acres or more of ousand gallons of water in
Applicant: Antero Resources Corporation		Well Nur	nber: Marma Unit 1	4
Address: 1615 Wynkoop St. Denver, CO 802	202			
Business Conducted: Natural gas productio Location –				
Business Conducted: Natural gas productio Location – State: West Virginia		County	Wetzel	
Business Conducted: Natural gas productio Location –		County: Ouadrangle:	Wetzel	RECEIVED
Business Conducted: Natural gas productio Location – State: West Virginia		County: Quadrangle:	Wetzel / Pine Grove 7.5'	RECEIVED Office of Oil and

To convert the coordinates above into longitude and latitude, visit: http://tagis.dep.wv.gov/convert/llutm_conus.php

Electronic notification:

To receive an email when applications have been received or issued by the Office of Oil and Gas, visit http://www.dep.wv.gov/insidedep/Pages/DEPMailingLists.aspx to sign up.

Reviewing Applications:

Copies of the proposed permit application may be reviewed at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE Charleston, WV 25304 (304-926-0450). Full copies or scans of the proposed permit application will cost \$15, whether mailed or obtained at DEP headquarters. Copies may be requested by calling the office or by sending an email to DEP.comments@wv.gov.

Submitting Comments:

Comments may be submitted online at https://apps.dep.wv.gov/oog/comments/comments.cfm, or by letter to Permit Review, Office of Oil and Gas, 601 57th Street, SE Charleston, WV 25304. Please reference the county, well number, and operator when using this option.

Regardless of format for comment submissions, they must be received no later than thirty days after the permit application is received by the Office of Oil and Gas.

For information related to horizontal drilling visit: www.dep.wv.gov/oil-and-gas/pages/default.aspx

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

		Ol	perator's	Well No. M	arma Unit 1H
Notice has	been given:	W	ell Pad I	Vame: Ceda	r Pad
Pursuant to t	he provisions in West Virginia Code tract of land as follows:	8 22 64 the O	55.		
below for the	tract of land as follows:	g 22-6A, the Operator has provide	ed the rec	juired parties	with the Notice Forms
State.	West Virginia				
County:	Wetzel		isting:	524673.473m	
District:	Green	Public Dood A	orthing:	4379835.023m	
Quadrangle:	Pine Grove 7.5'	Public Road Access:		CR 52	
Watershed:	Fishing Creek	Generally used farm	name:	Dallison Lumbe	er Company
t has provide information reads of giving the equirements firginia Code of this article	West Virginia Code § 22-6A-7(b) the secretary, shall be verified and ed the owners of the surface descrequired by subsections (b) and (c), s surface owner notice of entry to s of subsection (b), section sixteen e § 22-6A-11(b), the applicant shall have been completed by the applica	ibed in subdivisions (1), (2) and pection sixteen of this article; (ii) the urvey pursuant to subsection (a), of this article were waived in writender proof of and certify to the sent.	(4), subset at the requestion to ting by the	ection (b), s quirement wa en of this ar he surface of hat the notice	tion from the operator the ection ten of this article is deemed satisfied as a ficle six-a; or (iii) the n
Pursuant to \	West Virginia Code § 22-6A, the O	perator has attached proof to this N	Jotica Co	rtification	
	1 - P - 1-1 Solved the require	ed parties with the following:	volice Ce	runcation	OOG OFFICE USE
*PLEASE CHE	CK ALL THAT APPLY	ed parties with the following:			OOG OFFICE USE
*PLEASE CHE	1 - P - 1-1 Solved the require	NOTICE NOT REQUIRED	BECAU:	SE NO	ONLY RECEIVED/
*PLEASE CHE	CK ALL THAT APPLY ICE OF SEISMIC ACTIVITY or	NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS CO	BECAU;	SE NO ED	ONLY
*PLEASE CHE	CK ALL THAT APPLY	NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS CO	BECAU;	SE NO ED	ONLY RECEIVED/ NOT REQUIRED
*PLEASE CHE 1. NOT 2. NOT	CK ALL THAT APPLY ICE OF SEISMIC ACTIVITY or	NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS CO	BECAUS NDUCTS WAS COS BECAUS	SE NO ED NDUCTED SE	ONLY RECEIVED/ NOT REQUIRED
*PLEASE CHE 1. NOT 2. NOT	CK ALL THAT APPLY ICE OF SEISMIC ACTIVITY or ICE OF ENTRY FOR PLAT SURV	NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS COVEY OF NO PLAT SURVEY WAS NOTICE NOT REQUIRED NOTICE OF ENTRY FOR PLAT	BECAUS NDUCT WAS CON BECAUS I SURVE	SE NO ED NDUCTED SE SY	ONLY RECEIVED/ NOT REQUIRED RECEIVED/
*PLEASE CHE 1. NOT 2. NOT 3. NOT	CK ALL THAT APPLY ICE OF SEISMIC ACTIVITY or ICE OF ENTRY FOR PLAT SURV ICE OF INTENT TO DRILL or	NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS COVEY OF NO PLAT SURVEY WE NOTICE NOT REQUIRED NOTICE OF ENTRY FOR PLAT WAS CONDUCTED OF WRITTEN WAIVER BY S	BECAUS NDUCT WAS CON BECAUS I SURVE	SE NO ED NDUCTED SE	ONLY RECEIVED/ NOT REQUIRED RECEIVED/
*PLEASE CHE 1. NOT 2. NOT 3. NOT	CK ALL THAT APPLY ICE OF SEISMIC ACTIVITY or ICE OF ENTRY FOR PLAT SURV	NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS COVEY OF NO PLAT SURVEY WE NOTICE NOT REQUIRED NOTICE OF ENTRY FOR PLAT WAS CONDUCTED OF WRITTEN WAIVER BY S	BECAUS NDUCT VAS CON BECAUS I SURVE	SE NO ED NDUCTED SE EY E OWNER	ONLY RECEIVED/ NOT REQUIRED RECEIVED/
*PLEASE CHE 1. NOT 2. NOT 3. NOT	CK ALL THAT APPLY ICE OF SEISMIC ACTIVITY or ICE OF ENTRY FOR PLAT SURV ICE OF INTENT TO DRILL or CE OF PLANNED OPERATION	NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS COVEY OF NO PLAT SURVEY WE NOTICE NOT REQUIRED NOTICE OF ENTRY FOR PLAT WAS CONDUCTED OF WRITTEN WAIVER BY SERVER (PLEASE ATTACH)	BECAUS NDUCT WAS CON BECAUS F SURVE URFACE	SE NO ED NDUCTED SE EY E OWNER	ONLY RECEIVED/ NOT REQUIRED RECEIVED/ NOT REQUIRED
*PLEASE CHE 1. NOT 2. NOT 3. NOT	CK ALL THAT APPLY ICE OF SEISMIC ACTIVITY or ICE OF ENTRY FOR PLAT SURV ICE OF INTENT TO DRILL or	NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS COVEY OF NO PLAT SURVEY WE NOTICE NOT REQUIRED NOTICE OF ENTRY FOR PLAT WAS CONDUCTED OF WRITTEN WAIVER BY SERVER (PLEASE ATTACH)	BECAUS NDUCT WAS CON BECAUS F SURVE URFACE	SE NO ED NDUCTED SE EY E OWNER	ONLY RECEIVED/ NOT REQUIRED RECEIVED/ NOT REQUIRED

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE, I Jon McEvers , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation Address: 1615 Wynkoop Street By: Jon McEvers Denver, CO 80202 Its: SVP of Operations Facsimile: 303-357-7315 Telephone: 303-357-7310 Email: mturco@anteroresources.com Subscribed and sworn before me this 19 day of November, 2024 STEFAN GASPAR NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20224043669

Oil and Gas Privacy Notice:

MY COMMISSION EXPIRES NOVEMBER 15, 2020

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

API NO. 47- 103

OPERATOR WELL NO. Marma Unit 1H
Well Pad Name: Cedar Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 11/19/2024 Date Permit Application Filed: 11/19/2024 Notice of: PERMIT FOR ANY ☐ CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) ☐ PERSONAL REGISTERED METHOD OF DELIVERY THAT REQUIRES A SERVICE MAIL RECEIPT OR SIGNATURE CONFIRMATION Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. ☐ Application Notice ☐ WSSP Notice ☐ E&S Plan Notice ☐ Well Plat Notice is hereby provided to: ☑ SURFACE OWNER(s) COAL OWNER OR LESSEE Name: Dallison Lumber Company Name: NO DECLARATIONS ON RECORD WITH COUNTY Address: P.O. Box 159 Address: Jacksonburg, WV 26377 Name: Kenneth E. & Vicky A. VanDyne ☐ COAL OPERATOR Address: P.O. Box 311 Name: NO DECLARATIONS ON RECORD WITH COUNTY Reader, WV 26167 Address: ☐ SURFACE OWNER(s) (Road and/or Other Disturbance) RECEIVED Office of Oil and Gas Name: SEE ATTACHMENT ☐ SURFACE OWNER OF WATER WELL Address: AND/OR WATER PURVEYOR(s) Name: NONE WITHIN 1500' Name: Address: Address: www Department of Environmental Protection OPERATOR OF ANY NATURAL GAS STORAGE FIELD ☐ SURFACE OWNER(s) (Impoundments or Pits) Name: Name: Address: Address: *Please attach additional forms if necessary

API NO. 47-103 0 3 0 3 6 9 8
OPERATOR WELL NO. Marma Unit 1H
Well Pad Name: Cedar Pad

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities of practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section nothing contrained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well-pack if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

7100 3 0 3 6

OPERATOR WELL NO, Marma Unit 1H

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request,

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at: RECEIVED

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

iffire of Oil and Gas

NOV 2 0 2024

pepartment of

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13.) 4710303698

API NO. 47- 103

OPERATOR WELL NO. Marma Unit 1H

Well Pad Name: Cedar Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

WW-6A (8-13)

API NO. 47- 103

OPERATOR WELL NO. Marma Unit 1H

Well Pad Name: Cedar Pad

Notice is hereby given by:

Well Operator: Antero Resources Corporation Telephone: (303) 357-7310

Email: mturco@anteroresources.com 1615 Wynkoop Street Denver, CO 80202

Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

STEFAN GASPAR NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20224043669 MY COMMISSION EXPIRES NOVEMBER 15, 2026

Subscribed and sworn before me this 9 day of Wovember 20.24

Stefan Gaspar

Notary Public

My Commission Expires Wovember 15, 2026

RECEIVED Office of Oil and Gas

NOV 20 2024

· Department of Environmental Protection

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Date of Not	e Requirement: Notice shall be provided at lea ice: 10/30/2024 Date Permit	st TEN (10) days prior to filing Application Filed: 11/19/2024	a permit application.				
Delivery me	ethod pursuant to West Virginia Code § 22-6	A-16(b)					
☐ HAND							
DELIV	- CERTIFIED WAIL	CERTIFIED MAIL					
	The oral recent reduces ten						
drilling a hor of this subsection m	W. Va. Code § 22-6A-16(b), at least ten days pested or hand delivery, give the surface owner reizontal well: <i>Provided</i> , That notice given puretion as of the date the notice was provided to tay be waived in writing by the surface owner. Die, facsimile number and electronic mail addresses.	suant to subsection (a), section to the surface owner: <i>Provided, how</i>	the surface owner's land for the purpose of ten of this article satisfies the requirements wever, That the notice requirements of this				
Notice is he	reby provided to the SURFACE OWNE	R(s):					
Name: Dal	lison Lumber Company	Name: Kenneth E. & Vic	cky A. VanDyne				
Address: PO		Address: PO Box 311	7, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,				
Jack	sonburg, WV 26377-0159	Reader, WV 26167	7-0311				
District: Quadrangle:	Green Pine Grove 7.5'	Northing: Public Road Access: Generally used farm name:	4379835.023m CR 52				
Watershed:	Fishing Creek	deficially used farm name:	Dallison Lumber Company				
Pursuant to V facsimile nun related to hor	Shall Include: Vest Virginia Code § 22-6A-16(b), this notice and electronic mail address of the operatizontal drilling may be obtained from the Section 57th Street, SE, Charleston, WV 25304 (304-9)	or and the operator's authorize	ed representative. Additional information				
Notice is her	eby given by:						
Well Operator	Antero Resources Corporation	Authorized Representative:	Mallory Turco				
Address:	1615 Wynkoop St.	Address:	1615 Wynkoon St				
	Denver, CO 80202		Denver, CO 80202				
Telephone: Email: Facsimile:	303-357-7323	Telephone:	- Charlest A. Care Care Co. Ca				
	mturco@anteroresources.com	Email:	303-357-7223 NOV 2 0 202 mturco@anteroresources.com				
	303-357-7315	Facsimile:	303-357-7315				
Oil and Gas	Privacy Notice:	n, such as name, address and tel	Environmental Prote				

T ation may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Operator Well No. Marma Unit 1H 4 7 1 0 3 0 3 6 9 8

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Delivery n	nethod pursuant to West Virg		All all sales			
_		ginia Code §	22-6A-16(c)			
	TIFIED MAIL		HAND			
RET	URN RECEIPT REQUESTED		DELIVERY			
required to drilling of damages to (d) The not of notice.	be provided by subsection (b), a horizontal well; and (3) A provided by surface affected by oil and	red by this so section ten of roposed surfa gas operation all be given to	ubsection shall ince f this article to a sub- ace use and compe- as to the extent the to the surface owner	clude: (1) A copy orface owner who ensation agreeme	lication, an operator shall, by certified ma for the drilling of a horizontal well notice of y of this code section; (2) The information ose land will be used in conjunction with the ent containing an offer of compensation for inpensable under article six-b of this chapter isted in the records of the sheriff at the time	
(at the addit	ess listed in the records of the s	CE OWNER heriff at the t	R(s)			
ranic.	an Europei Company	norm at the t		* Kenneth E & Victor A	\ \VarD	
Address: P.O. Box 159			Name: Kenneth E. & Vicky A. VanDyne Address: P.O. Box 311			
Jacksonburg, WV 26377			Addre	SS. F.O. BOX 311	Reader, WV 26167	
Notice is he	reby given: West Virginia Code 8 22-64-14	6(c), notice is the purpose of	Reade	r, WV 26167	well operator has developed a planned	
Notice is he Pursuant to operation of State: County:	reby given:	6(c), notice is he purpose of	Reade	the undersigned tal well on the tra	524673.473m	
Notice is he Pursuant to operation of State: County: District:	ereby given: West Virginia Code § 22-6A-16 In the surface owner's land for the West Virginia Wetzel Green	6(c), notice is he purpose of	s hereby given that f drilling a horizon UTM NAD	the undersigned tal well on the tra 83 Easting: Northing:	524673.473m 4379835.023m	
Notice is he Pursuant to operation of State: County: District: Quadrangle:	west Virginia Code § 22-6A-16 In the surface owner's land for the West Virginia Wetzel Green Pine Grove 7.5'	6(c), notice is he purpose of	s hereby given that f drilling a horizon UTM NAD Public Road	the undersigned tal well on the tra 83 Easting: Northing:	524673.473m 4379835.023m CR 52	
Notice is he	ereby given: West Virginia Code § 22-6A-16 In the surface owner's land for the West Virginia Wetzel Green	б(с), notice is he purpose of	s hereby given that f drilling a horizon UTM NAD Public Road	the undersigned tal well on the tra 83 Easting: Northing:	524673.473m 4379835.023m	
Notice is he Pursuant to operation of State: County: District: Quadrangle: Watershed: Phis Notice Pursuant to Vo o be provided or izontal we curface affects	West Virginia Code § 22-6A-16 In the surface owner's land for the West Virginia Wetzel Green Pine Grove 7.5' Fishing Creek Shall Include: West Virginia Code § 22-6A-16 ed by W. Va. Code § 22-6A-16 ell; and (3) A proposed surface ted by oil and gas operations to related to horizontal deilling.	5(c), this notion 10(b) to a sure and come to the extent	hereby given that f drilling a horizon UTM NAD Public Road Generally use ce shall include: (Inface owner whose pensation agreement the damages are contents)	the undersigned tal well on the tra 83 Easting: Northing: I Access: sed farm name:	524673.473m 4379835.023m CR 52 Dallison Lumber Company code section; (2) The information required used in conjunction with the drilling of a offer of compensation for damages to the er article six-b of this chapter. Additional	
Notice is he Pursuant to operation of State: County: District: Quadrangle: Watershed: This Notice Pursuant to Vo be provide or izontal we conformation in eadquarters, as/pages/def	West Virginia Code § 22-6A-16 In the surface owner's land for the West Virginia Wetzel Green Pine Grove 7.5' Fishing Creek Shall Include: West Virginia Code § 22-6A-16 Include: West Virginia Code § 25-6A-16 Inclu	5(c), this notion 10(b) to a sure and come to the extent	shereby given that f drilling a horizon UTM NAD Public Road Generally us ce shall include: (I reface owner whose pensation agreement the damages are covered from the Secret ston, WV 25304	the undersigned tal well on the tra Easting: Northing: Access: sed farm name: 1) A copy of this declard will be usent containing an compensable understary, at the WV (304-926-0450)	201 January 201 Ja	
Notice is he Pursuant to operation of State: County: District: Quadrangle: Vatershed: Chis Notice Pursuant to Vo be provid orizontal wourface affect afformation in eadquarters, as/pages/def	West Virginia Code § 22-6A-16 In the surface owner's land for the West Virginia Wetzel Green Pine Grove 7.5' Fishing Creek Shall Include: West Virginia Code § 22-6A-16 Include: West Virginia Code § 25-6A-16 Include: West Virginia Code § 22-6A-16 Include: West Virginia Code § 22-6A-16 Include: West Virginia Code § 22-6A-16 Include: West Virginia Code § 25-6A-16 Inclu	5(c), this notion 10(b) to a sure and come to the extent	hereby given that f drilling a horizon UTM NAD Public Road Generally use ce shall include: (Inface owner whose pensation agreement the damages are contents)	the undersigned tal well on the tra 83 Easting: Northing: I Access: sed farm name: I) A copy of this copy and will be usent containing an empensable undertary, at the WV (304-926-0450)	201 January 201 Ja	
Notice is he Pursuant to operation of State: County: District: Quadrangle: Vatershed: Vatershed: Chis Notice Pursuant to Volume affect information in eadquarters, as/pages/def	West Virginia Code § 22-6A-16 In the surface owner's land for the west Virginia Wetzel Green Pine Grove 7.5' Fishing Creek Shall Include: West Virginia Code § 22-6A-16 Include: West Virginia Code § 25-6A-16 Inclu	5(c), this notion 10(b) to a sure and come to the extent	shereby given that f drilling a horizon UTM NAD Public Road Generally us ce shall include: (I reface owner whose pensation agreement the damages are covered from the Secret ston, WV 25304	the undersigned tal well on the tra 83 Easting: Northing: Access: sed farm name: 1) A copy of this of the land will be usent containing an compensable understary, at the WV (304-926-0450) 1615 Wynkoop Street Denver, CO 80202	201 January 201 Ja	

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business of as appropriately secure your personal information. If you have any questions about our use or your personal information, please contact/4

WV Department of Environmental Protect



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

Office of the District Engineer/Manager District Four Post Office Box 4220 · Clarksburg, West Virginia 26302 · (304) 842-1500

Alanna J. Keller, P.E. Deputy Secretary of Transportation Deputy Commissioner of Highways

Jimmy Wriston, P. E. Secretary of Transportation Commissioner of Highways

November 8, 2024

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Cedar Well Pad, Wetzel County
Marma Unit 1H Well Site Marma Unit 2H Well Site Duke Unit 2H Well Site Graden Unit 1H Well Site Graden Unit 2H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2021-0526 which has been issued to Antero Resources Corporation for access to the State Road for a well site located off Wetzel County Route 52 SLS MP 1.72.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated March 6, 2023. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Lacy D. Pratt

Central Office O&G Coordinator

RECEIVED
Office of Oil and Gas

NOV 2 0 2024

Environmental Protection

Cc: Stefan Gaspar

Antero Resources Corporation

OM, D-6

File

Subdivision 3.3.e A listing of the anticipated additives that may be used in the water used for fracturing or stimulating the well. (A listing of the additives that were actually used in the fracturing or stimulating of the well shall be submitted as part of the completion report required by W. Va. Code 22-6-22.)

FRACTURING/STIMULATING INTERVAL

	Additive	Chemical Abstract Service Number (CAS #)
1.	Fresh Water	7732-18-5
2.	2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1
3.	Ammonium Persulfate	7727-54-0
4.	Anionic copolymer	
5.	Anionic polymer	Proprietary
6.	BTEX Free Hydrotreated Heavy Naphtha	Proprietary 64742-48-9
7.	Cellulase enzyme	
8.	Demulsifier Base	(Proprietary)
9.	Ethoxylated alcohol blend	(Proprietary)
10.	Ethoxylated Nonylphenol	Mixture
11.	Ethoxylated oleylamine	68412-54-4 26635-93-8
	Ethylene Glycol	107-21-1
13.	Glycol Ethers	111-76-2
	Guar gum	9000-30-0
	Hydrogen Chloride	
	Hydrotreated light distillates, non-aromatic, BTEX free	7647-01-0
17.	Isopropyl alcohol	64742-47-8
	Liquid, 2,2-dibromo-3- nitrilopropionamide	67-63-0
19.	Microparticle	10222-01-2
	Petroleum Distillates (BTEX Below Detect)	Proprietary
21.	Polyacrylamide	64742-47-8
	Propargyl Alcohol	57-55-6
	Propylene Glycol	107-19-7
	Quartz	57-55-6
		14808-60-7
	Sillica crystalline quartz	7631-86-9
	Sodium Chloride	7647-14-5
27. 3	Sodium Hydroxide	1310-73-2
	Gugar	57-50-1
	Surfactant	68439-51-0
30. 5	Suspending agent (solid)	14808-60-7
31. 7	ar bases, quinolone derivs, benzyl chloride-quarternized	72480-70-7
32. 5	polvent Naptha, petroleum, heavy aliph	64742-96-7
33. S	oybean Oil, Me ester	67784-80-9
34. C	Copolymer of Maleic and Acrylic Acid	
35. C	DETA Phosphonate	52255-49-9
36. H	lexamythylene Triamine Penta	15827-60-8
37. P	hosphino Carboxylic acid polymer	34690-00-1
38. H	lexamethylene diamine penta	71050-62-9
39. 2	-Propenoic acid, polymer with 2 propenamide	23605-74-5
Ю. Н	examethylene diamino ponto /mothylene	9003-06-9
1 D	examethylene diamine penta (methylene phosphonic ac iethylene Glycol	id) 23605-74-5
	lethenamine	111-46-6 Office of Oil and Gas
		100-97-0
	olyethylene polyamine oco amine	68603-67-8 NOV 2 0 2024
	7.0000000000000000000000000000000000000	61791-14-8
J. Z.	-Propyn-1-olcompound with methyloxirane	38172-91-7 Department of Environmental Protection

4710303698

WELL NO: Marma Unit 1H	9
SIGNATURE: Squ	
	0

WELL RESTRICTIONS CHECKLIST

HORIZONTAL 6A WELL

re) to any
re) to any
are) to any
ell Being
ad; OR
eet to the Convep Office of Oil and Gas
NOV 2 0 2024
Department of Institution