

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, January 29, 2025 WELL WORK PERMIT Horizontal 6A / New Drill

EQT PRODUCTION COMPANY 400 WOODCLIFF DR.

CANONSBURG, PA 15317

Re: Permit approval for HALLIBU 3H 47-103-03703-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A Martin Chief

01/31/2025

Operator's Well Number: Farm Name: U.S. WELL NUMBER: Horizontal 6A Date Issued: 01/30/2025

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Also, 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

API NO. 47-____ OPERATOR WELL NO. <u>3H</u>

Well Pad Name: Hallibu

10303705

<u>STATE OF WEST VIRGINIA</u> <u>DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS</u> <u>WELL WORK PERMIT APPLICATION</u>

1) Well Operator: EQT Production Company 306686 Wetzel Clay Littleton
Operator ID County District Quadrangle
2) Operator's Well Number: <u>3H</u> / Well Pad Name: Hallibu
3) Farm Name/Surface Owner: EQT Production Company Public Road Access: CR 7/17
4) Elevation, current ground: <u>1340'</u> Elevation, proposed post-construction: <u>1340'</u>
5) Well Type (a) Gas X Oil Underground Storage
Other
(b)If Gas Shallow X Deep DEC 30 2024
6) Existing Pad: Yes or No Yes WV Department of Environmental Protection
7) Proposed Target Formation(s), Depth(s), Anticipated Thickness and Expected Pressure(s): Marcellus, 7,571', 52', 2,620 psi
8) Proposed Total Vertical Depth: 7,571'
9) Formation at Total Vertical Depth: Marcellus
10) Proposed Total Measured Depth: 8,344'
11) Proposed Horizontal Leg Length: 0'
12) Approximate Fresh Water Strata Depths: 43', 90'
13) Method to Determine Fresh Water Depths: Offset wells 103-02767, 103- 2179 103-00005
14) Approximate Saltwater Depths: 1,902', 2,110', 2,351'
15) Approximate Coal Seam Depths: 730'-733', 969'-972', 1,067'-1,073'
16) Approximate Depth to Possible Void (coal mine, karst, other): N/A
17) Does Proposed well location contain coal seams directly overlying or adjacent to superior and seams
(a) If Yes, provide Mine Info: Name:
Depth:
Seam:
Owner:



WW-6B (04/15)

OPERATOR WELL NO. 3H

Well Pad Name: Hallibu

API NO. 47-10 303703

18)

CASING AND TUBING PROGRAM

TYPE		Marri					
	Size (in)	<u>New</u> <u>or</u> <u>Used</u>	<u>Grade</u>	<u>Weight per ft.</u> (lb/ft)	<u>FOOTAGE: For</u> <u>Drilling (ft)</u>	INTERVALS: Left in Well (ft)	<u>CEMENT:</u> <u>Fill-up</u> (Cu. Ft.)/CTS
Conductor	26	New	A252 GR 3 Bare	85.6	53	53	
Fresh Water	13 3/8	New	J-55	54.5	1123		45 ft^3 / CTS
Coal				04.0	1123	1123	1020 ft^3 / CTS
Intermediate	9 5/8	New	J-55	36	2653	0050	1000 110
Production	5 1/2	New	D 110			2653 /	1020 ft^3 / CTS
Tubing	5 1/2	New	P-110	20	8344	8344 /	500' above intermediate casing
Liners							

TVDE							
ТҮРЕ	Size (in)	<u>Wellbore</u> <u>Diameter (in)</u>	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	<u>Cement</u> <u>Yield</u>
Conductor	26	30	0.312	1000	18	Class A/L	<u>(cu. ft./k)</u> 1.04 - 1.20
Fresh Water	13 3/8	17 1/2	0.380	2730	2184	Class A/L	1.04 - 1.20
Coal					2101		1.04 - 1.20
Intermediate	9 5/8	12 3/8	0.352	3520	2816	Class A/L	1.04 1.00
Production	5 1/2	8 1/2	0.361	14360	11488	Class A/L	1.04 - 1.20
Tubing					11400	Class A/H/L	1.04 - 2.10
Liners							

RECEIVED Office Of Oil and Gas

DEC 302024

PACKERS

WV Department of Environmental Protection

Kind:		
Sizes:		
Depths Set:		



WW-6B (10/14)

42103037

API NO. 47-

OPERATOR WELL NO. 3H Well Pad Name: Hallibu

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill and complete a new horizontal well in the Marcellus Formation. Drill the vertical, kick off and drill curve. Drill the lateral in the Marcellus. Cement casing.

> RECEIVED Office Of Oil and Gas

> > DEC 30 2024

WV Department of Environmental Protection

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Hydraulic fracturing is completed in accordance with state regulations using water recycled from previously fractured wells and obtained from freshwater sources. This water is mixed with sand and a small percentage (less than 0.1%) of chemicals (including 15% Hydrochloric acid, friction reducer, biocide, and scale inhibitor), referred to in the industry as a "slickwater" completion. Maximum anticipated internal casing pressure is expected to be approximately 10,000 psi, maximum anticipated treating rates are expected to average approximately 100 bpm. Stage lengths vary from 150 to 300 feet. Average approximately 350,000 gallons of water per stage. Sand sizes vary from 100 mesh to 20/40 mesh. Average approximately 200,000-600,000 pounds of proppant per stage.

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 25.2

22) Area to be disturbed for well pad only, less access road (acres): 16.8

23) Describe centralizer placement for each casing string:

Surface: Bow spring centralizers – One centralizer at the shoe and one spaced every 500'.

Intermediate: Bow spring centralizers

 One centralizer at the shoe and one spaced every 500'.

• Production: One solid body centralizer spaced every other joint from production casing shoe to landing

point. One solid body centralizer spaced every joint from landing point to planned top of cement.

24) Describe all cement additives associated with each cement type:

Conductor: No additives

Surface: Calcium Chloride. Used to speed the setting of cement slurries

Intermediate: Calcium Chloride. Used to speed the setting of cement slurries.

Production: Calcium Carbonate, Fluid Loss, Extender, Dispersent, Viscosifier, Defoamer, POZ, Bonding Agent, Retarder,

25) Proposed borehole conditioning procedures:

Surface: Circulate hole clean while rotating & reciprocating the drill string until cuttings diminish at

Intermediate: Circulate hole clean while rotating & reciprocating the drill string until cuttings diminish at

Production: Perform a cleanup cycle by pumping 3-8 bottoms up or until the shakers are clean. Check volume of cuttings coming across the shakers every 15 minutes.

*Note: Attach additional sheets as needed.





EQT PRODUCTION COMPANY 400 Woodcliff Drive | Canonsburg, PA 15317

December 11, 2024

Mr. Taylor Brewer West Virginia Department of Environmental Protection Office of Oil and Gas 601 57th Street SE Charleston, WV 25304

RECEIVED Office Of Oil and Gas

DEC 30 2024

WV Department of Environmental Protection

Re: Casing on Hallibu 3H

Dear Mr. Brewer,

The 13-3/8" surface casing will be set at 1,123' KB, 50' below the deepest workable coal seam.

The 9-5/8" intermediate string will be set at 2,653' KB, 50' below the base of the Big Injun formation.

If you have any questions, please do not hesitate to contact me at 724-746-9073.

Sincerely,

John Zavatchan Project Specialist – Permitting jzavatchan@eqt.com 724-746-9073

Enc.



EQT PRODUCTION COMPANY 400 Woodcliff Drive | Canonsburg, PA 15317

December 11, 2024

Mr. Taylor Brewer West Virginia Department of Environmental Protection Office of Oil and Gas 601 57th Street SE Charleston, WV 25304

Re: Class L Cement Variance Request Hallibu 3H Clay District, Wetzel County Office Of Oil and Gas

DEC 30 2024

WV Department of Environmental Protection

Dear Mr. Brewer,

EQT Production Company (EQT) has been notified by our cement providers that they will no longer be providing Class A cement. As a result of this, EQT is requesting the option to utilize Class L cement, if necessary, in place of Class A cement for its cement jobs.

The variance request from Legislative Rule 35CSR8, Section 9.2.h.8, related to the use of Class L Cement, was approved by the Office of Oil and Gas on September 13, 2022. A copy of the variance is included with this request.

If you have any questions, please do not hesitate to contact me at 724-746-9073.

Sincerely,

John Zavatchan Regional Manager - Permitting

Enc.

Drilling Objectives: Ouad: County: Elevation: Recommended Azimuth	Pr Littleton Wetzel 1353 KB 315 Degrees	WEST VIRGINIA GEOLOGICAL PROGNOSIS ad Name: Hallibu Hallibu South S-002675	1340 GL
Proposed Logging Suite: Coal requirements:	-No Pilot Hole Neede	2d	

ESTIMATED FORMATION TOPS Formation	4710302537 Top (TVD)	4710302580		
Fresh Water Zone	<u>TOP (TVD)</u>	Base (TVD) Lithology	Comments	
Waynesburg Coal	1	90	FW from offsets @ 43,90, ,	
Sewickley Coal	730	733 Coal		
Pittsburgh Coal	969	972 Coal	DW from offsets @ 1576,	Top RR Base RR
Big Injun	1067 2479	1073 Coal	SW @ 1902.2110.2351	1168 118
Int. csg pt	2653	2603 Sandstone	Hydrocarbon prod/show in offset @1988,2217,2381,3096,3383, , ,	1313 135
Berea	2653		50 ft below Big Injun	1542 154
Gantz	2705	2959 Sandstone	oo n below big injun	2213 227
ifty foot		3101 Silty sand		Base of RR
hirty foot	3238 3306	3293 Silty sand	Outside of Storage Boundary	
Bayard		3351 Silty sand	ouside of storage boundary	
pper Speechley	3377	3463 Sandstone		
peechley	3837	3885 Silty sand		
alltown	3895	3955 Silty sand		
radford	3972	4312 Silty sand		
enson	4312	4713 Silty sand		
lexander	5452	5511 Silty sand		
lk	5865	5894 Silty sand		
onyea	6297	7110 Silty sand		
iddlesex	7110	7262 Gray shale		
enesee	7262	7306 Black Shale		
cnesco	7306	7388 Gray shale interbedded		
illy	7388	7419 Black Shale		
amilton	7419	7442 Limestone		
arcellus	7442	7551 Gray shale with some		
-Purcell	7551	7603 Black Shale		
-Cherry Valley	7570	7571 Limestone		
ateral Zone	7583	7585 Limestone		
nondaga	7571			
-ondugu	7603	Limestone		

Note that this is a TVD prog for a horizontal well (azimuth of 315 degrees; target formation = Marcellus). All measurements taken from estimated KB elevation. Water and coal information estimated from surrounding well data.

RECOMMENDED CASING POINTS

Conductor: Freshwater / Coal:	CSG OD	24"	CSG DEPTH:	Planned Depth KB	
Intermediate 1: Production:	CSG OD CSG OD CSG OD	<u>13 3/8"</u> <u>9 5/8"</u> <u>5 1/2"</u>	CSG DEPTH: CSG DEPTH: CSG DEPTH:	1123 2653 @ TD	40 1110 2640 @ TD

Office Of Oil and Gas DEC 302024

.

WV Department of Environmental Protection

	EQT P	oduction	4710303703
Well: Pad: Elevation:	Hallibu 3H Hallibu 1340' GL		Wellbore DiagramCounty:WetzelState:West Virginia
			Conductor 6 53' 26", 85.6#, A252 GR3 Bare, cement to surface w/ Class A/L Surface 0 1,123' 13-3/8", 54.5#, J-55, cement to surface w/ Class A/L
			Office Of Oil and Gas DEC 3 0 2024 WV Department of Environmental Protection
			Intermediate @ 2,653' 9-5/8", 36#, J-55, cement to surface w/ Class A/L
			Production @ 8,344' MD / 7,571' TVD 5-1/2", 20#, P-110, cement to 500' inside 9-5/8" w/ Class A/H/L
ormation:	Marcellus		00/B1/2025LE

WW-9 (4/16) 47 10 303703 API Number 47Operator's Well No. Hallibu 3H STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS	
FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN	
Operator Name_EQT Production Company	
Watershed (HUC 10) Shriver Run of Long Drain Quadrangle Littleton	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No No Will a pit be used? Yes No	
If so, please describe anticipated pit waste: N/A	
Will a synthetic liner be used in the pit? Yes No V If so, what ml.? N/A Proposed Disposal Method For Treated Pit Wastes:	
 Land Application Underground Injection (UIC Permit Number_0014, 8462, 4037 Reuse (at API Number_Various Off Site Disposal (Supply form WW-9 for disposal location) 	3as 4

WV Department of Environmental Protection

Will closed loop system be used? If so, describe: Yes, The closed loop system will remove drill cuttings from the drilling fluid. The drill cuttings are then prepared for transportation to an off-site disposal facility.

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. See Attached

-If oil based, what type? Synthetic, petroleum, etc. Synthetic Mud

Additives to be used in drilling medium? See Attached

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Landfill

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A

-Landfill or offsite name/permit number? See Attached List

Other (Explain

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature	
Company Official (Typed Name) John Zavatchan	
Company Official Title Regional Manager - Permitting	
Subscribed and sworn before me this 18th day of December	20 2 Gommonwealth of Pennsylvania - Notary Sea

My commission expires March 9,7028

Rebecca Shrum, Notary Public Beaver County Notary Publicy commission expires March 9, 2028 Commission number 1267706

Member, Pennsylona/Aspenderies

WW-9 Attachment

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.

• Air is used to drill the top-hole sections of the wellbore (surface, intermediate, and pilot). Water based mud may be necessary depending on hole conditions to stabilize and drill the intermediate section. The pilot hole, curve, and lateral sections will be drilled with either air, water based mud, or synthetic mud.

Additives to be used in drilling medium?

- Air biodegradable oil lubricant, detergent, defoaming, water.
- Water based mud Barite, viscosifer, alkalinity control, lime, filtration control, deflocculates, biodegradable oil lubricant, defoaming, walnut shell, salt, x-cide, carbonates.
- Synthetic mud synthetic base oil, emulsifier, salt, lime, viscosifer, alkalinity control, filtration control, deflocculates, biodegradable oil lubricant, defoaming, carbonates.

Office Of Oil and Gas

DEC 30 2024

WV Department of Environmental Protection

EQT Production Company

Operator's	Well No. F	fallibu 3H
------------	------------	------------

Proposed Revegetation Tre	atment: Acres Disturbe	Prevegetation pH		
Lime 3	Tons/acre or to c	orrect to pH 6.5		
Fertilizer type Gr	anular 10-20-20		or F	TECETVED
Fertilizer amount_	500	lbs/acre	Unice (of Oil and Gas
Mulch 2		Tons/acre		302024
			PVV De Marchinis	ental Protection
		Seed Mixtures		
Т	emporary		Permanent	
Seed Type KY-31	lbs/acre		ed Type	lbs/acre
NT-51	40	Orchard G	Grass	15
Alsike Clover	5	Alsike Clov	/er	5
Annual Rye	15			

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area

Photocopied section of involved 7.5' topographic sheet.

.

	Stephen	VICCOV	Digitally signed by Stephen Mccoy Date: 2024.12.11 09:07:52 -05'00'	_
Plan Approved by:)	Date: 2024.12.11 09:07:52 -05'00'	

Comments: Pre-seed/mulch all disturbed areas as soon as reasonably possible,

per regulation. Upgrade E&S as necessary per WV DEP E&S Manual.

Title:

Field Reviewed?

(_____) Yes (_____) No

Date:

01/31/2025



SITE SAFETY AND ENVIRONMENTAL PLAN

Hallibu Well Pad

Clay Wetzel County, WV


Wells: Hallibu 1H, 2H, 3H, 4H, 6H 8H, 10H, 12H

Prepared By:Donny Prater, CSP, Health and Safety Sciences, LLCApproved By:Scott M. Held, CSP, Senior EHS CoordinatorCreated Date:28-Jun-23

Stephen Mccoy Digitally signed by Stephen Mccoy Date: 2025.01.10 09:40:00 -05'00'


John Zavatchan Regional Manager - Permitting EQT Production Company Stephen McCoy Oil and Gas Inspector WVDEP Office of Oil and Gas


Topo Quad:	Littleton 7.5'			47	0 3 0 3 7 0 3
County:				1'' = 1000'	RECEIVED Office Of Oil and Gas
District:				May 17, 2023	DEC 30 2024
	Charlen	Project	t No:	58-34-C-22	WV Department of
Water		11:1 147 11	-		Protection
		llibu Well	Pad		
300	12 Potentia	Water Sources	e with	in 25001	
		Water Cources	AU	11 2300	4
0=				6120	
	P204		300	1200-	
MAL				Xa	
		lo ^o			
	Site 1			1 4	2 1400
			1 CX		000
	(1500 - 2500.	1200	Site 2	NA	
711115	2000'	1300-			Shriv
				te 3 S	00
RUNP	Site 6	S	Site 4		
RD	Site 8	ite 7		W Site 5	The second secon
1200			0/	1400	
D D C	Site 9	East View Cem		1	158
126			00-00	1200-	
LEGEND		ite 10 Site 11	130		NAD 27, North Zone
ed Symbol - Declined Sal lue Symbol - Requested S	Sampling	Site	12		N: 423,949.21 E: 1,716,079.13
/ Unable to (Contact	500			
S Spring▲ Pond			(WGS 84 LAT: 39.659693
Building			MA		LONG: -80.508283
LEGHA	SURVEYING AND MAPPING SERVICES		REPAREL) FOR:	ELEV: 1430'
	ALLEGHENY SURV 1-800-482-8606	EYS, INC.	EQT	F Produc	tion Company
E PLEYS!	237 Birch River Road Birch River, WV 2661			400 Wo	odcliff Drive urg, PA 15317
	PH: (304) 649-8606 FAX: (304) 649-8608				01/31/2025



Stephen Mccoy Digitally signed by Stephen Mccoy. Date: 2024.12.11 09:08:45 -05'00'

EQT		bu 3H Ilibu tion Co		any	
Tract I.D.	Tax Map No.	Parcel No.	County	District	Surface Tract Owner
1	10	3	Wetzel	Church	EQT Production Company
2	7	18.2	Wetzel	Cay	Grandview-Doolin PSD
3	7	18.1	Wetzel	Clay	Martha Mason & Carolyn Hanlon
4	6	21	Wetzel	Church	EQT Production Company
5	7	19	Wetzel	Clay	Robert M. Roberts
6	10	12.2	Wetzel	Church	Ralph Wright
7	10	2	Wetzel	Church	EQT Production Company
8	10	2.1	Wetzel	Church	Thomas E Brown Life Estate
9	10	9	Wetzel	Church	Patricia C. Spangler
12	7	17	Wetzel	Clay	Robin L Utt & Alisha Carole
13	10	1	Wetzel	Church	Drilling Appalachian Corp
14	10	12.1	Wetzel	Church	Patricia C. Spangler
15	10	10	Wetzel	Church	Harriet L. Tustin Life Estate
16	10	9.5	Wetzel	Church	John Rice
17	10	9.3	Wetzel	Church	John Rice
18	10	9.1	Wetzel	Church	John Rice
19	10	9.2	Wetzel	Church	John Rice
20	10	9.4	Wetzel	Church	Gehrig Cosgray
21	10	18.2	Wetzel	Church	Clay D. Smith
22	10	1.1	Wetzel	Church	Gehrig Cosgray
23	10	1.4	Wetzel	Church	Kenneth R & Jennifer L Mason
24	10	1.2	Wetzel	Church	Jack D. & Linda Cosgray
25	10	18.1	Wetzel	Church	Clay D. Smith
28	12	43	Wetzel	Center	Jack D. & Linda Cosgray





WW-6A1 (5/13)

Operator's Well No. Hallibu 3H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or				
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
See Attached				

RECEIVED Office Of Oil and Gas

DEC 30 2024

WV Department of Environmental Protection

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:


- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

	Well Operator:	EQT Production Company
RECEIVED	By:	John Zavatchan
Office Of Oil and Gas	Its:	Regional Manager - Permitting

2 2 0 2024

AN Department of Characterizer Protection



WW-6A1 attac	chment			Operator's Well No.		Hallibu 3H
Lease No.	Grantor, Lessor, etc.	Þ	cres	Grantee, Lessee, etc.	Royalty	Book/Page
	MCJV Holdings, LLC, et al.				"at least 1/8th per W Code 22-6-8"	8
/ <u>140903001</u>	John M. Hunt and Mary J. Hunt, husband and wife TH Exploration, LLC		455.90 ac	TH Exploration LLC EQT Production Company	8	OG 209A/757 & 219A/763 OG 258A/333
/ <u>119077000</u>	<u>Patricia C. Spangler</u> Patricia Spangler Drilling Appalachian Corporation		35 ac	Drilling Appalachian Corporation Grenadier Energy Partners, LLC	"at least 1/8th per W\ Code 22-6-8"	OG 89A/227
	Grenadier Energy Partners, LLC Drilling Appalachian Corporation Grenadier Energy Partners, LLC Drilling Appalachian Corporation Statoil USA Onshore Properties Inc.	DEC 30	HECEIVED Office Of Oil and Gas	Statoil USA Onshore Properties Inc. Statoil USA Onshore Properties Inc. Statoil USA Onshore Properties Inc. Statoil USA Onshore Properties Inc. EQT Production Company		OG 124A/9 OG 138A/1 OG 138A/54 OG 153A/695 OG 153A/640
	Patricia C. Spangler, et al.	3 (0 2024	D Ind Gas		"at least 1/8th per WV Code 22-6-8"	OG 175A/707
271397001	Patricia C. Spangler, a widow		4.318 ac	EQT Production Company		Memorandum of Oil and Gas Lease dated November 19, 2024
/	Date Palm Resources, LLC, et al.		19.25 ac of		"at least 1/8th per WV Code 22-6-8"	
	Jack David Cosgray and Linda Cosgray, his wife Drilling Appalachian Corporation Grenadier Energy Partners, LLC Drilling Appalachian Corporation Grenadier Energy Partners, LLC Drilling Appalachian Corporation Statoil USA Onshore Properties Inc.		376.53 ac	Drilling Appalachian Corporation Grenadier Energy Partners, LLC Statoil USA Onshore Properties Inc. Statoil USA Onshore Properties Inc. Statoil USA Onshore Properties Inc. Statoil USA Onshore Properties Inc. EQT Production Company		OG 106A/530 OG 108A/762 OG 138A/1 OG 138A/54 OG 153A/695 OG 153A/640 OG 175A/707

S

EGI

EQT PRODUCTION COMPANY 400 Woodcliff Drive | Canonsburg, PA 15317

December 11, 2024

Mr. Taylor Brewer West Virginia Department of Environmental Protection Office of Oil and Gas 601 57th Street SE Charleston, WV 25304

Re: Hallibu 3H Gas Well Clay District, Wetzel County, WV

Dear Mr. Brewer,

EQT Production Company is applying for a new well work permit for the well referenced above. Upon information and belief, the Operator's lease and/ or other real property rights permit it to conduct drilling operations for the subject well in the location shown on the plat, including under any public roads that the well lateral crosses.

Sincerely,

John Zavatchan Project Specialist - Permitting

Office Of Oil and Gas

DEC 30 2024

WV Department of Environmental Protection

RECEIVED Office Of Oil and Gas

DEC 30 2024

WW-PN (11 - 18 - 2015)

Horizontal Natural Gas Well Work Permit **Application Notice By Publication**

Notice is hereby given:

Pursuant to West Virginia Code 22-6A-10(e) prior to filing an application for a permit for a horizontal well the applicant shall publish in the county in which the well is located or is proposed to be located a Class II legal advertisement.

Paper: Wetzel Chronicle

Public Notice Date: 11/27/2024, 12/4/2024

The following applicant intends to apply for a horizontal natural well work permit which disturbs three acres or more of surface excluding pipelines, gathering lines and roads or utilizes more than two hundred ten thousand gallons of water in any thirty day period.

Applicant: EQT Production Company / Well Number: Hallibu 3H

Address: 400 Woodcliff Drive

Canonsburg, PA 15317

Business Conducted: Natural gas production.

Location -

State:	West Virginia		County:	WV Department of Environmental Protection
District:	Clay		Quadrangle:	Littleton
UTM Coor	dinate NAD83 Northing:	4,390,113.581	/	
	dinate NAD83 Easting:	542,161.682	/	
Watershed	Shriver Run of Long Drain			

Coordinate Conversion:

To convert the coordinates above into longitude and latitude, visit: <u>http://tagis.dep.wv.gov/convert/llutm_conus.php</u>

Electronic notification:

To receive an email when applications have been received or issued by the Office of Oil and Gas, visit http://www.dep.wv.gov/insidedep/Pages/DEPMailingLists.aspx to sign up.

Reviewing Applications:

Copies of the proposed permit application may be reviewed at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE Charleston, WV 25304 (304-926-0450). Full copies or scans of the proposed permit application will cost \$15, whether mailed or obtained at DEP headquarters. Copies may be requested by calling the office or by sending an email to DEP.comments@wv.gov.

Submitting Comments:

Comments may be submitted online at https://apps.dep.wv.gov/oog/comments/comments.cfm, or by letter to Permit Review, Office of Oil and Gas, 601 57th Street, SE Charleston, WV 25304. Please reference the county, well number, and operator when using this option.

Regardless of format for comment submissions, they must be received no later than thirty days after the permit application is received by the Office of Oil and Gas.

For information related to horizontal drilling visit: www.dep.wv.gov/oil-and-gas/pages/default.aspx



Watershed:

D

01/31/2025

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE CERTIFICATION**

Date of Notice Certification: 12/26/24

Shriver Run of Long Drain

	12/20/29		API No. 4 Operator'	7 s Well No. 3H			
Notice has	been given:		Well Pad Name: Hallibu				
Pursuant to the below for the State:	ne provisions in West Virginia C tract of land as follows: West Virginia	ode § 22-6A, the Operator has pr	ovided the re-	quired parties with the Notice Forms listed			
County:	Wetzel	UTM NAD 83	Easting:	542,161.682			
District:	Clay		Northing: 4,390,113.581 Public Road Access: CR 7/17				
Quadrangle:	Littleton						
Watershed.	Shriver Rup of Lens Rul	Generally used	tarm name:	Hallibu			

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

tha	t the Operator has properly served the required parties with the following:	
*PI	EASE CHECK ALL THAT APPLY	OOG OFFICE USE ONLY
	1. NOTICE OF SEISMIC ACTIVITY or INOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	RECEIVED/ NOT REQUIRED
	2. NOTICE OF ENTRY FOR PLAT SURVEY or INO PLAT SURVEY WAS CONDUCTED	□ RECEIVED
	3. NOTICE OF INTENT TO DRILL OF NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED OF	RECEIVED/ NOT REQUIRED
	□ WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)	
	4. NOTICE OF PLANNED OPERATION	□ RECEIVED
	5. PUBLIC NOTICE Of Oil and Gas	
	6. NOTICE OF APPLICATION DEC 30 2024	□ RECEIVED
	Environmental Protection	

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE, I John Zavatchan

, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	A 17/10	Address:	400 Woodcliff Drive
By:	John Zavatchan		Canonsburg, PA 15317
Its:	Regional Manager - Permitting	Facsimile:	412-395-2974
Telephone:	412-584-3132	Email:	jzavatchan@eqt.com
My com Col	NOTARY SEAL wealth of Pennsylvania - Notary Seal becca Shrum, Notary Public Beaver County imission expires March 9, 2028 mmission number 1267706 Pennsylvania Association of Notaries	Subscribed and swo	orn before me this <u>18th</u> day of <u>December 2024</u> <u>December 2024</u> Notary Public pires <u>March 9</u> , 2028

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED Office Of Oil and Gas

DEC 30 2024

WV Department of Environmental Protection

WW-6A			1 TARFAR AR
(9-13)			API NO. 47 10 303703
(5,15)			OPERATOR WELL NO. 3H
			Well Pad Name: Hallibu
DE		STATE OF WEST VIRGINIA	
DE	PARTMENT OF ENV	IRONMENTAL PROTECTION, OFF <u>NOTICE OF APPLICATION</u>	FICE OF OIL AND GAS
Notice Time Require	ment: notice shall be pro	ovided no later than the filing date of permi	it application.
Date of Notice: 12/26 Notice of:	24 Date Permit Appli	cation Filed: 12/24/24	
PERMIT FOR A WELL WORK		FICATE OF APPROVAL FOR THE	Office Of Oil and Gas
		TRUCTION OF AN IMPOUNDMENT OR	PIT DEC 30 2024
And the second se	suant to West Virginia	Code § 22-6A-10(b)	WV Department of Environmental Protection
D PERSONAL	□ REGISTERED	METHOD OF DELIVERY THAT	T REOURES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CON	NFIRMATION
registered mail or by any sediment control plan re- the surface of the tract or oil and gas leasehold bei described in the erosion a operator or lessee, in the more coal seams; (4) The well work, if the surface impoundment or pit as de have a water well, spring provide water for consum	whethod of delivery that re- quired by section seven of n which the well is or is pro- ng developed by the propo- and sediment control plan event the tract of land on event the tract of land on events of record of the s- tract is to be used for the p- escribed in section nine of or water supply source low	han the filing date of the application, the appli npoundment or pit as required by this article si equires a receipt or signature confirmation, co this article, and the well plat to each of the fo coposed to be located; (2) The owners of recor- osed well work, if the surface tract is to be use submitted pursuant to subsection (c), section is which the well proposed to be drilled is locate urface tract or tracts overlying the oil and gas blacement, construction, enlargement, alteration this article; (5) Any surface owner or water pu- cated within one thousand five hundred feet of stic animals; and (6) The operator of any natural function of the operator of any natural function of the operator of any natural function.	pies of the application, the erosion and llowing persons: (1) The owners of record of d of the surface tract or tracts overlying the d for roads or other land disturbance as seven of this article; (3) The coal owner, ed [sic] is known to be underlain by one or leasehold being developed by the proposed on, repair, removal or abandonment of any urveyor who is known to the applicant to f the center of the well pad which is used to

subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

SURFACE OWNER(s) Name: See Attached List Address:	COAL OWNER OR LESSEE Name: See Attached List Address:
Name:Address:	COAL OPERATOR
SURFACE OWNER(s) (Road and/or Other Disturbance) Name: See Attached List Address:	Address: SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR(s)
Name:Address:	Name: See Attached List Address:
□ SURFACE OWNER(s) (Impoundments or Pits) Name: Address:	□ OPERATOR OF ANY NATURAL GAS STORAGE FIELD Name: Address:
	*Please attach additional forms if necessary

WW-6A (8-13)

RECEIVED Office Of Oil and Gas



DEC 30 2024

Notice is hereby given:

WV Department of

Pursuant to West Virginia Code § 22-6A-10(b), no Environmental grotaction the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items 01/31/2025

WW-6A (8-13)



examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450 RECEIVED Office Of Oil and Gas

DEC 30 2024

01/31/2025

WV Department of Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13)

Time Limits and Methods for Filing Comments.

API NO. 447-10-303703 OPERATOR WELL NO. 3H Well Pad Name: Hallibu

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this chapter, as applicable and proceedings that exist under sections (b), section ten of this article shall be considered by the sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this chapter, as applicable and as incorporated into this article six of this chapter, as applicable and as incorporated into this article six of this chapter, as applicable and as incorporated into this article six of this chapter, as applicable and as incorporated into this article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <u>http://www.dep.wv.gov/oil-and-gas/Horizontal-</u>

<u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED Office Of Oil and Gas

DEC 30 2024

01/31/2025

WV Department of Environmental Protection

WW-6A (8-13)	API NO. 47- 10_303703
	OPERATOR WELL NO. 3H
	Well Pad Name: Hallibu
Notice is hereby given by: Well Operator: EQT Production Company	
Telephone: 412-584-3132	Address: 400 Woodcliff Drive
Email: jzavatchan@eqt.com	Canonsburg, PA 15317
	Facsimile: 412-395-2974

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

Commonwealth of Pennsylvania - Notary Seal Rebecca Shrum, Notary Public Beaver County My commission expires March 9, 2028 Commission number 1267706 Member, Pennsylvania Association of Notaries

Subscribed and sworn before me this 18^{H} day of \underline{Dec}	umber, 2024.
Kebicez Sh	Notary Public
My Commission Expires March 9, 7028	nd anticipit (2)

Mice Of Oil and Gas

DEC 30 2024

WV Department of Environmental Protection

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application. Date of Notice: MA-Waiver Date Permit Application Filed: 12/24/24

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

□ HAND CERTIFIED MAIL DELIVERY RETURN RECEIPT REQUESTED RECEIVED Office Of Oil and Gas

DEC 30 2024

WV Department of

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: Provided, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: Provided, however, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name. Lot Floduction Company	Name:
Address: 625 Liberty Ave, Suite 1700 Pittsburgh, PA 15222	
	Address:

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

This Notice Shall Include:


Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator: EQT Production Company Address: 400 Woodcliff Drive Canonsburg, PA 15317 Telephone: 412-584-3132 Email: jzavatchan@eqt.com Facsimile: 412-395-2974	Authorized Representative:		
	Address:	A THE REPORT OF A DESCRIPTION OF A DESCR	
	rudiess.	400 Woodcliff Drive	
	Telephone:	Canonsburg, PA 15317	
	Email:	412-584-3132	
		jzavatchan@eqt.com	
	Facsimile:	412-395-2974	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL WAIVER

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided, however,* That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Surface Owner Waiver:

a. .

I, <u>John Zavatchan</u>, hereby state that I have read the notice provisions listed above and hereby waive the notice requirements under West Virginia Code § 22-6A-16(b) for the tract of land as follows:

State:	West Virginia		Easting:	542,161.682
County:	Wetzel	UTM NAD 83	0	
District:	Clay		Northing:	4,390,113.581
		Public Road Acc	cess:	CR 7/17
Quadrangle:	Littleton	Generally used f	arm name:	Hallibu
Watershed:	Shriver Run of Long Drain			
Name: EQT Pro	oduction Company		$\Lambda I G$	BAD-
	iberty Ave, Suite 1700	Signature:	11:0	LALA
Pittsburgh, PA 152		Date: 12/06/20	24	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

Office Of Oil and Gas DEC 30 2024 WV Department of Environmental Protection

WW-6A5 (1/12)

103037 perator Well No. Hallibu 3H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 12/20/24 Date Permit Application Filed: 12/24/24

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL	HAND
RETURN RECEIPT REQUESTED	
- ABQUEDIED	DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice): Name · EQT Production Con

Address 625 Lite to the	Name:
Address: 625 Liberty Ave, Suite 1700	Address:
Pittsburgh, PA 15222	/ tdd/c55

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows: Easting: 542,161.682 County: UTM NAD 83 Wetzel Northing: 4,390,113.581 District: Clay Public Road Access: CR 7/17 Quadrangle: Littleton Generally used farm name:

Hallibu

This Notice Shall Include:

Shriver Run of Long Drain

Watershed:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-

Well Operator:	EQT Production Company	A 11	
Telephone:	412-584-3132	Address:	400 Woodcliff Drive
Email:			Canonsburg, PA 15317
jzavatchan@eqt.com	jzavatchan@eqt.com	Facsimile:	412-395-2974

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Office Of Oil and Gas DEC 302024 WV Department of Environmental Protection 01/31/2025

47 API NO. 47-	-	Ō	3	0	3	7	0	3
OPERATOR W Well Pad Name:			0	ЗH				

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

I, <u>John Zaval-chan</u>, hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form required, and the well plat, all for proposed well work on the tract of land as follows:

~ rare.	west virginia		D .		
County:	Wetzel	 UTM NAD 83	Easting:	542,161.682	
District:	Clay		Northing:	4,390,113.581	
Quadrangle:	Littleton	 Public Road Acc		CR 7/17	
XX7	Shriver Run of Long Drain	 Generally used f	arm name:	Hallibu	

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

*Please check the box that applies	FOD EVECUTION DV + N + T
SURFACE OWNER	FOR EXECUTION BY A NATURAL PERSON
SURFACE OWNER (Road and/or Other Disturbance)	Signature: Print Name:
SURFACE OWNER (Impoundments/Pits) of Oil and Gas	Date:
□ COAL OWNER OR LESSEE DEC 30 2024	FOR EXECUTION BY A CORPORATION, ETC. Company: EOT Production Company
COAL OPERATOR	By: John Zavatchan Its: Regional Manager - Permitting
WV Department of Environmental Protection	Alm DA
□ OPERATOR OF ANY NATURAL GAS STORAGE FIELD	Signature: Date: 12052024

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.





WEST VIRGINIA DEPARTMENT OF TRANSPORTATION Division of Highways

Office of the District Engineer/Manager District Four

Post Office Box 4220 · Clarksburg, West Virginia 26302 · (304) 842-1500

Alanna J. Keller, P.E. Deputy Secretary of Transportation Deputy Commissioner of Highways

Jimmy Wriston, P. E. Secretary of Transportation Commissioner of Highways

November 18, 2024

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Hallibu Well Pad, Wetzel County Hallibu 1H Well Site Hallibu 2H Well Site Hallibu 3H Well Site Hallibu 4H Well Site Hallibu 6H Well Site Hallibu 8H Well Site Hallibu 10H Well Site Hallibu 12H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit 06-2022-0321 which has been issued to EQT Production Company for access to the State Road for a well site located off Wetzel County Route 7/17 SLS MP 0.33.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated March 6, 2023. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Jacy D. Pratt

Lacy D. Pratt Central Office O&G Coordinator

Office Of Oil and Gas

DEC 30 2024

Cc: Becky Shrum EQT Production Company OM, D-6 File

WV Department of Environmental Protection

Office Of Oil and Gas DEC 30 2024 WV Department of Protection

E.E.O./AFFIRMATIVE ACTION EMPLOYER

Anticipated Frac Additives Chemical Names and CAS Numbers

Material	Ingredient	
Sand (Proppant)	Silica Substrate	CAS Number
Water	Water	14808-60-7
Hydrochloric Acid (HCI)	Hydrogen Chloride	7732-18-5
Friction Reducer	Copolymer of 2-propenamide	7647-01-0
	Petroleum Distillate	Proprietary
	Oleic Acid Diethanolamide	64742-47-8
	Alcohols, C12-16, ethoxylated	93-83-4
	Ammonium chloride ((NH4)Cl)	68551-12-2
Biocide	Glutaraldehyde	12125-02-9
	Alkyl dimethyl benzyl ammonium chloride	111-30-8
	Didecyl dimethyl ammonium chloride	68391-01-5
	Non-hazardous substances	7173-51-5
Scale Control		Proprietary
	Bis(HexaMethylene Triamine Penta(Methylene Phosphonic Acid)(BHMT) Non-hazardous substances	34690-00-1
Acid Chelating Agent	Ferriplex 66	Proprietary
	Citric Acid	
c	Acetic Acid	77-92-9
Corrosion Inhibitor	PLEXHIB 166	64-19-7
	Methanol	
	Alcohols, C14-15, ethoxylated	67-56-1 68951-67-7

Office Of Oil and Gas

DEC 30 2024

WV Department of Environmental Protection

WELL RESTRICTIONS CHECKLIST		
R	EVIEWED BY: John Zavatchan	SIGNATURE:
P	AD NAME: Hallibu	
0	OPERATOR: EQT Production Company	WELL NO: 3H
	WW-6A7 6-12)	

HORIZONTAL 6A WELL

4710303703

9

Well Restrictions

At Least 100 Feet from Pad and LOD (including any E&S Contr Perennial Stream, Lake, Pond, Reservoir or Wetland; OR	ol Feature) to any
DEP Waiver and Permit Conditions	
At Least 300 Feet from Pad and LOD (including any E&S Contro Naturally Producing Trout Stream; OR	ol Feature) to any
DEP Waiver and Permit Conditions	
At Least 1000 Feet from Pad and LOD (including any E&S Cont Groundwater Intake or Public Water Supply; OR	rol Feature) to any
DEP Waiver and Permit Conditions	
At Least 250 Feet from an Existing Water Well or Developed Spr Drilled; OR	ing to Well Being
Surface Owner Waiver and Recorded with County Clerk,	OR
DEP Variance and Permit Conditions	
At Least 625 Feet from an Occupied Dwelling Structure to Center	of the Pad; OR
Surface Owner Waiver and Recorded with County Clerk, (
DEP Variance and Permit Conditions	
At Least 625 Feet from Agricultural Buildings Larger than 2500 S of the Pad; OR	quare Feet to the Center
Surface Owner Waiver and Recorded with County Clerk, C	Office Of Oil and Gas
DEP Variance and Permit Conditions	DEC 302024
	WV Department of Environmental Protection 01/31/2025