



Abandonment

Company	Pittsburgh & W. Va. Gas Co.
Address	608 Union Bank, Clarksburg, W. Va.
Farm	Eli Gorby
Tract	Acres 100 <sup>plus</sup>
Well (Farm) No.	1
Lease No.	7082
Serial No.	2266
Quadrangle	Mannington N.W. 11
County	Wetzel
District	Clay
Engineer	James D. Jeffries
Engineer's Registration No.	
File No.	
Drawing No.	
Date	4-21-37
Scale	1" = 500'

STATE OF WEST VIRGINIA  
 Department of Mines  
 OIL AND GAS DIVISION  
 Charleston

WELL LOCATION MAP 229 A  
 File No. WET-225A

+ Denotes location of well on U. S. Topographic Maps, scale 1 to 62,500 latitude and longitude lines being represented by border lines as shown  
 — Denotes one inch spaces on border line of original tracing.

538

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

**WELL RECORD**

Drilled prior  
to Permit. **WET-227-A**

Permit No. **WET-227-A**

Oil or Gas Well **Gas**  
(Kind)

Company **Pittsburgh & West Va Gas Company.**  
Address **Clarksburg, W. Va.**  
Farm **Eli Gorby** Acres **100**  
Location (waters) **Mann. N.W. 1-3**  
Well No. **2266** Elev. **1144**  
District **Clay** County **Wetzel**  
The surface of tract is owned in fee by **H. E. Gorby**  
**Littleton,** Address **West Va.**  
Mineral rights are owned by **H. E. Gorby, et al.**  
**Littleton,** Address **W. Va.**  
Drilling commenced **May 18th, 1909**  
Drilling completed **July 3rd, 1909**  
Date shot \_\_\_\_\_ Depth of shot \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16. <b>wood</b>	<b>9'</b>		Kind of Packer
13. <b>228</b>	<b>228</b>	<b>None</b>	Size of
10. <b>1388</b>	<b>1388</b>	<b>1388'</b>	Depth set
8 1/4. <b>2071</b>	<b>2071</b>	<b>None.</b>	Perf. top
6 5/8.			Perf. bottom
5 3/16.			Perf. top
3.			Perf. bottom
2.			
Liners Used			

Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. FT. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT **765** FEET **72** INCHES  
**873** FEET **84** INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Clay			0	9			
Sand	White	Hard	9	44			
Slate-Shells			44	170			
Sand	White	Hard	170	228			
Slate	Dark	Soft	228	234			
Sand	White	Hard	234	254			
Lime	"	"	254	284			
Slate	Black	Soft	284	300			
Sand	Dark	Hard	300	325			
Slate	White	Soft	325	375			
Lime	"	Hard	375	405			
Slate	Black	Soft	405	475			
Lime	Dark	Hard	475	515			
Slate	Black	Soft	515	600			
Lime	White	Hard	600	765			
M.F. Coal	Black	Soft	765	771	Sh. Gas	771'	
Lime	White	Hard	771	801			
Slate	"	Soft	801	841			
Sand	"	Hard	841	861			
Slate	Black	Soft	861	873			
Pgh. Coal	"	"	873	880			
Slate	"	"	880	900			
Sand	White	Hard	900	915			
Slate	"	Soft	915	940			
Lime	"	Hard	940	990			
Sand	"	"	990	1006			
Lime	"	"	1006	1046			
Murphy Sand	"	"	1046	1061			
Slate	"	Soft	1061	1081			
Red Rock	Red	"	1081	1096			
Lime	White	Hard	1096	1121			
Slate	"	Soft	1121	1151			
Red Rock	Red	"	1151	1261			
Lime	White	Hard	1261	1281			
L. Dunkard	"	"	1281	1306			
Slate	Black	Soft	1306	1352			
Big Dunkard	White	Hard	1352	1410			
Slate	"	Soft	1410	1580			
"	Black	"	1580	1630			
Gas Sand	Dark	Hard	1630	1665			
Slate	Black	Soft	1665	1695			

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand	White	Soft	1695	1735			
Slate	Black	"	1735	1750			
1st. Salt	Dark	Hard	1750	1806	Gas	1768'	
Slate	"	Soft	1806	1873			
2nd. Salt	"	Hard	1873	1904			
Slate	"	Soft	1904	1961			
3rd. Salt	White	Hard	1961	1976			
Slate	Dark	Soft	1976	2000			
Lime	White	Hard	2000	2010			
Slate	"	Soft	2010	2035			
Lime	"	Hard	2035	2047			
P. Cave	Dark	Soft	2047	2052			
Big Lime	White	Hard	2052	2108			
Big Injun	"	"	2108	2195			
Slate	Dark	Soft	2195	2200			
Big Injun	White	Hard	2200	2233			
Slate	Dark	Soft	2233	2298			
Sand B.I.	White	Hard	2298	2348			
Slate	Dark	Soft	2348	2368			
Lime	"	Hard	2368	2400			
Slate	"	Soft	2400	2435			
Lime	"	Hard	2435	2664			
Slate-Shell			2664	2685			
Lime	White	Hard	2685	2703			
Slate-Shells			2703	2745			
Slate	Dark	Soft	2745	2855			
Slate-Shells		Hard	2855	2895			
Lime	Dark	"	2895	2905			
Slate-Shells		"	2905	2945			
Slate	Dark	Soft	2945	2950			
Garden Stray	"	Hard	2950	2967			
Slate	"	Soft	2967	2973			
Garden Sand	White	Hard	2973	2985			
Slate	"	Soft	2985	3022			
4th. Sand	Dark	Hard	3022	3037	Gas	3025'	
Slate	"	Soft	3037	3070			
Shells	"	Hard	3070	3075			
Slate	"	Soft	3075	3115			
Total depth	-----			3115			

Date April 23rd, 1937, 19

APPROVED Pittsburgh & West Va Gas Co. Owner

By J. E. [Signature]  
(Title)

Record of Well No. 2266 Located on Clin Gorby Farm Apr 8 1909  
 District Witzel County W. Va.  
 Division H. District No. 11 Drilled under well Order 9631  
 Rig built by John Craig Began 19 Completed May 3 1909  
 Well drilled by Barriss & Hartman Began May 19 1909 Completed July 3 1909  
 Depth of Well 3115 feet Size of Hole 6 7/8 Producing Gas  
 Elev: 1144

CASED WITH			REMARKS
AMOUNT	SIZE	KIND	
16'	1 1/2"	Wood	
228	10"	Cld.	All reclaimed 7-8-09.
1388	8 1/4"	"	
2071	6 7/8"	"	All reclaimed 7-8-09.
2071	3"	"	

*Abandoned*

COAL VEINS Mapletown 765-770 Rph. 873-879.

FORMATIONS					
FORMATION	COLOR	OPEN OR CLOSE HARD OR SOFT	TOP	BOTTOM	REMARKS GAS-OIL-WATER (thickness of part)
<u>Big Sand</u>			1352	1410	
<u>Dark sand</u>			1630	1665	Gas at 1765
<u>" "</u>			1750	1806	" " 3025
<u>Big lime</u>			2052	2108	
<u>Big sand</u>			2108	2196	
<u>" "</u>			2200	2342	
<u>Garden clay</u>			2950	2967	
<u>Garden sand</u>			2975	2986	
<u>Fourth sand</u>			3022	3027	
<u>Total depth</u>				3115	

FIRST PRESSURE TEST IN _____ CASING		REMARKS
30 Sec.	_____ lbs.	June 1918 1.2 1/2" 168.960 146 McF 261-48 hrs.
1 Min.	_____ "	
2 "	_____ "	
5 "	_____ "	
10 "	_____ "	
15 "	_____ "	
30 "	_____ "	
Rock Pressure	_____ " in	
Taken	_____ 19	

WELL TUBED AND PACKED July 8 1908

VIZ: - 2071 ft. of 3" July  
 312 ft. " " " use as anchor (16 yds).  
 1- 8 1/4" x 4" Hunter Anchor Packer  
 1- 3" R.L. Collar Nipple above packer.

FIRST PRESSURE TEST IN _____ TUBING		REMARKS
30 Sec.	25 lbs.	
1 Min.	50 "	
2 "	65 "	
5 "	105 "	
10 "	178 "	
15 "	_____ "	
30 "	_____ "	
Rock Pressure	530 " in	
Taken	July 8 1909.	

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES:

Big timbers from Well # 2109.  
 Big irons " " "  
 5200 ft. of lumber " " "  
 6317 " " " Robt. Rizer  
 Woodwork & nails from Philz Rig & Reel Co.  
 16 ft. 1 3/4 Conductor " " "