



New Location
 Drill Desser
 Abandonment

3

Company	<i>Haley Oil Co.</i>
Address	<i>1 Hundred W. Va.</i>
Farm	<i>E. Garrison</i>
Tract	<i>Acres 11 - Lease No. 52995</i>
Well Form No.	<i>200 - Serial No.</i>
Elevation	<i>1390</i>
Quadrangle	<i>Mannington</i>
County	<i>Wayne - District Clay</i>
Engineer	<i>J. L. Headley</i>

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION
 FILE NO. *Wet-65*

+ Denotes location of well on
 Topographic Maps, scale 1 to
 62,500, latitude and longitude lines being
 by border lines as shown.

30645

Name **E.G. Fisher**
 Location
 Well No.
 District
 The owner
 Minimum

Drilling com. **May 5, 1904**
 Drilling com. **Aug**
 Date lost
 W. to
 Oper. flow

Volume
 Rock
 Oil
 Fresh water
 Salt water
 Formation
 Color

Kind of pipe	Size	Depth	Perf top	Perf bottom	Perf top	Perf bottom

NO.	SIZE	No. Ft.	Date

ALL WAS ENTERED AT
 FEET INCHES
 FEET INCHES
 FEET INCHES

Formation	Color	Top	Bottom	% Gas or Water	Perf. used	Remarks
High Seal		124'	125'			
Dunkard		126'	176'	Gas		
Gas Sand		176'	212'	Gas		
Salt Sand		212'	218'			
Big Sand		218'	250'			
Big Sand		250'	250'			
30 Feet		250'	250'	Oil & Gas		
50 Feet		250'	275'	Gas		
Garden Sand		275'	275'			
Fourth Sand		275'	275'	Oil & Gas		
Hard Sand		275'	275'			
Fifth Sand		275'	275'			
Total Depth		275'	275'			

STATE INSPECTOR OF MINES AND METALS

STATE OF WEST VIRGINIA

County of **Nettel**

A. L. Lough and **Floyd M. ...**
 being first duly sworn according to law and saying that he is a
 plugging and filling oil and gas wells and well employees by **August ...**
 well operator, and participated in the work of plugging and filling
 was commenced on the **30th** day of **March** **1948**
 and filled in the following manner

BAND OR ZONE RECORD	FILLING MATERIAL		DEPTH	DIRECTION
	FORMATION	CONTENT		
	CLAY	2912' - 2970'		
	Cement	2970' - 2966'		
	Crushed Stone	2966' - 2962'		1950' 100°-120°
	Bridge	73'		
	Clay	1558' - 1800'		2 sacks cement & crushed stone of bridge at 1775'
	Cement	1800' - 1790'		
	Crushed Stone	1790' - 1785'		1600' 541° 7' - 87° 00'
	Clay	1785' - 1590'		
	Cement	1590' - 1580'		
	Crushed Stone	1580' - 1575'		
	Bridge	1125'		500' 945° 6' - 82° 00'
	Cement	1125' - 1070'		
	Clay	1070' - 126'		
	Cement	126' - 116'		
	Crushed Stone	116' - 111'		
COAL BEAMS	Clay	111' - Surface		
NAME: Pittsburgh	Cement	1125' - 1070'		DESCRIPTION OF MONUMENT Erected according to law
(NAME)				
(NAME)				
(NAME)				

and that the work of plugging and filling said well was completed on the **19th** day of **April**, **1948**.

And further deponents saith not.

Sworn to and subscribed before me this **3** day of **May**, **1948**

My commission expires **March 5 - 1957**

A. L. Lough
Floyd M. ...
James J. Bell
 Notary Public