



Surface: Carl Clegg, Wileyville, Wetzel Co., W. Va.  
 Coal: State of West Virginia.

4.21 S  
 2.26 W

- New Location
- Drill Deeper
- Abandonment

Map N 68

N 11-12 E 1 W 1

Company Randall-Zogg Supply Co.  
 Address Owensboro Ky.  
 Farm W.J. Crisswell  
 Tract \_\_\_\_\_ Acres 411 Lease No. \_\_\_\_\_  
 Well (Farm) No. 10 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) \_\_\_\_\_  
 Casinghead - 1133.44  
 Ground - 1130.44  
 Quadrangle LITTLETON  
 County Wetzel District Grant  
 Engineer EC. Tabler  
 Engineer's Registration No. \_\_\_\_\_  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date May 7th 1948 Scale 1" = 800 Feet.

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. Wet-721-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1156

WELL RECORD

Permit No. Ab 721-A

Oil or Gas Well OIL  
(KIND)

Company RANDALL-ZOGG SUPPLY COMPANY  
 Address BOX 526, CHARLESTON, 22 W. VA.  
 Farm W. J. Crisswell Acres 411  
 Location (waters) Garrison Fork  
 Well No. Ten (10) Elev. 1130.44  
 District Grant County Wetzel  
 The surface of tract is owned in fee by Carl Clogg  
 Address Wileyville, W. Va.  
 Mineral rights\* are owned by Coal sold to State of W. Va.  
for Taxes Address \_\_\_\_\_  
 Drilling commenced No Record  
 Drilling completed No Record  
 Date Shot See Below From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	560'	534'	Size of
8 1/4	1425'	1425'	Depth set
6 5/8	2233'	2233'	
5 3/16	2400'	2400'	
3			Perf. top
2	3040'	3040'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil No Record bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 960 FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			960'				
Gordon Sand			3022'		Oil	3026'	
Total Depth			3040'		Oil	3034'	

SHOT RECORD

When Completed Shot with 30 Qts.  
 Nov. 30th, 1907 " " 20 "  
 Sept. 2nd, 1919 " " 60 " Top shot 3020' Bottom 3035'



