



SURFACE: N. B. Dunham Hrs.  
 Wileysville, West Virginia.  
 Coal: James P. Rice, et. al.  
 and  
 Tasa Coal Co.

New Location...   
 Drill Deeper.....   
 Abandonment.....

MAY 16 1957

0.78  
 0.8 W  
 2.22  
 ZAF

Map N78 N13 W3

Company South Penn Natural Gas Co.  
 Address Parkersburg, West Virginia  
 Farm I. Myers  
 Tract \_\_\_\_\_ Acres 50 Lease No. 81441  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 1083.23 Casinghead \_\_\_\_\_  
 Quadrangle Littleton  
 County Wetzel District Proctor  
 Engineer Mrs. S. Hayes  
 Engineer's Registration No. 1429  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date April 4, 1957 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. Wet-1052-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

*1495*

WELL RECORD

Permit No. *Ab Littleton 1652-A*

Oil or Gas Well OIL  
(KIND)

Company SOUTH FEIN NATURAL GAS COMPANY  
Address P. O. Box 1280, Parkersburg, W. Va.  
Farm I. Myers Acres 50  
Location (waters) \_\_\_\_\_  
Well No. 1 Elev. 1083.23  
District Proctor County Putnam  
The surface of tract is owned in fee by H. B. Dunham Mrs.  
Address Wilcoxville, W. Va.  
Mineral rights are owned by Charles B. Myers, et al.  
Address 110 Edgewood Terrace New Martinsville, W. Va.  
Drilling commenced June 14, 1918  
Drilling completed Aug. 19, 1919  
Date Shot 8-22-19 From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	<u>503'</u>	<u>None</u>	Size of <u>6 5/8 x</u>
8 3/4	<u>1541'</u>	<u>None</u>	<u>5 3/16</u>
6 5/8	<u>2206'</u>	<u>2206'</u>	Depth set <u>3018'</u>
5 3/16	<u>3018'</u>	<u>3018'</u>	
3			Perf. top
2 Tubing	<u>3061</u>	<u>3061</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil 5 bbls. daily after shot bbls., 1st 24 hrs.  
~~Water~~ water 1014' feet 1833' feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 1013' FEET 36 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
<u>Pgh. Coal</u>			<u>1013</u>	<u>1016</u>	<u>Water</u>	<u>1014</u>	
<u>Cow Run (First)</u>			<u>1400</u>	<u>1428</u>			
<u>Cow Run (Second)</u>			<u>1515</u>	<u>1550</u>			
<u>Salt Sand (Upper)</u>			<u>1720</u>	<u>1790</u>			
<u>Salt Sand (Middle)</u>			<u>1810</u>	<u>1845</u>			
<u>Salt Sand (Lower)</u>			<u>1860</u>	<u>2025</u>			
<u>Mutton Sand</u>			<u>2060</u>	<u>2115</u>			
<u>Little Line</u>			<u>2129</u>	<u>2144</u>			
<u>Fossil Cave</u>			<u>2144</u>	<u>2148</u>			
<u>Big Line</u>			<u>2148</u>	<u>2206</u>			
<u>Injun Sand</u>			<u>2206</u>	<u>2435</u>			
<u>Berea Sand</u>			<u>2570</u>	<u>2645</u>			
<u>Gordon Stray</u>			<u>3018</u>	<u>3061</u>	<u>OIL</u>	<u>3029</u>	
<u>Gordon Sand</u>			<u>3070</u>	<u>3061</u>	<u>OIL</u>	<u>3056</u>	
					<u>Gas</u>	<u>3053</u>	
<b>TOTAL DEPTH</b>				<u>3071</u>			

SEP 1957  
RECEIVED  
WEST VIRGINIA  
DEPT. OF MINES

APR 1957  
RECEIVED  
WEST VIRGINIA  
DEPT. OF MINES

DEC 6 1957

