



ACCURACY - 1:4600
 B.M. USGS - U22
 New Location ..
 Drill Deeper
 Abandonment

I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining of W. Va.

Robert P. Wheeler, P.E.

Company Barron Kidd oil & gas
 Address 273 Melbourne Place
Worthington, Ohio.
 Farm John Maple Hrs.
 Tract _____ Acres 130 Lease No. _____
 Well (Farm) No. 5 Serial No. _____
 Elevation (Spirit Level) 1486
 Quadrangle Mannington - NC
 County Wetzel District Church
 Engineer Robert P. Wheeler
SURVY & MAPPING DIVISION
 Engineer's Registration No. 3522
 File No. _____ Drawing No. _____
 Date 6-15-66 Scale 1" = 100'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. WEF-1202-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

Church District, Wetzel County, W. Va.

By The Pure Oil Co.

Commenced May 11, 1904; completed, June 24, 1904.

Contractors, Reese & Heasley Drilling Co.

The 2nd and 3rd pays between 2367 and 2376'. Making 50
bbls. natural.

From bottom of 6-5/8" casing to top of Maxton Sand, 158 feet.

150 ft. of 5-3/16" liner set on cave packer at 2200'.

1 1/2" conductor; 10" casing, 265' (pulled); 8 1/2", 1578' (pulled);

6-5/8", 2190'; 5-3/16", 1485'

Shot July 28, 1904, by C. C. Fisher, with 60 qts., 12' shell;

26' anchor; depth of well when shot, 2396'; depth top of

shot, 2358'; good results; 2nd pay, 2 shells, 40 qts.,

8' shell, 20' anchor; depth of well when shot, 2396';

depth top of shot, 2368'; 1st pay, 1 shell, 20 qts.;

4' shell, 6' anchor; depth of well when shot, 2368';

depth ~~at~~ top of ~~well~~ shot, 2358'.

Shot Nov. 2, 1905, by Fisher Torpedo Co., with 80 qts.;

15' shell; 16' anchor; depth of well when shot, 2398';

depth top of shot, 2367'; flowed.

Shot Apr. 29, 1908, by Fisher Torpedo Co., with 120 qts.;

17' anchor; depth of well when shot, 2380'; depth top

of shot, 2367'.

Record from E. Townley, Room 2308, 35 E. Wacker Drive,
Chicago, Ill., March 13, 1931.

	Top.	Bottom.
Mapletown (Sewickley) Coal	1105	
Pittsburgh Coal	1205	
Little Dunkard Sand	1548	- 1605
Big Dunkard Sand	1616	- 1645
Salt Sand	2050	- 2195
Red cave	2258	- 2338
Maxton Sand (1st pay, 2357-2360'; 2nd and 3rd pays, 2367-2376')	2348	
Total depth		2400

31203
BARNETT

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Geographic Mannington

WELL RECORD

Permit No. _____

Company Barron Kidd Oil
 Address 273 Melbourne Place, Worthington, Ohio Drilling
 Farm John Maple Acres 120 Size
 Location (town) Church Fork 14
 Well No. 5 13
 District Church County Wayne 10
 The surface of tract is owned in fee by Kenneth Girard 0 1/4
Burton Address West Virginia 0 0 1/2
 Mineral rights are owned by Maple Heirs 3 3/16
 _____ 0 1/4
 Drilling commenced 5/11/04 3
 Drilling completed 6/26/04 2
 Date Shut 7/28/04 From _____ To _____ Liner Used
60 9/8 5-3/16
 Open Flow /10ths Water in _____ South Attach copy of certificate
 /10ths Merc. in _____ South CASING CEMENT TEST Date
 Volume _____ Co. Ft. Amount of cement used
 Rock Pressure _____ In. Name of Service Co.
Oil 50 bbls/24 hrs. bbbl. in 24 hrs. COAL WAS ENCOUNTERED INCHES
 WELL ACIDIZED (DETAILS) _____ FEET INCHES
 _____ FEET INCHES
 WELL FRACTURED (DETAILS) _____

 RESULT AFTER TREATMENT (Initial open flow or bbls.) _____
 ROCK PRESSURE AFTER TREATMENT _____ HOURS
 Fresh Water _____ Feet Salt Water
 Producing Sand _____

Formation	Color	Hard or Soft	Top	Bottom	City, Co. or State
Mapletown Coal			1105		
Pitts. Coal			1205		
Little Dunkard			1548	1605	
Big Dunkard			1616	1645	
Salt Sd.			2050	2195	
Red Cove			2258	2338	
Maxton Sand			2348	2400	
140 feet 5-3/16" liner set at 2207 feet.					

APPLICANT SHOULD BE MADE IN TRIPlicate AND ONE COPY BE KEPT BY THE DEPARTMENT. THE OTHER TWO COPIES SHOULD BE MAILED TO EACH COAL OPERATOR AND THE THIRD COPY, AND OTHER COPIES IF REQUIRED, SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

Wheeling Dollar 1105 Barron H
COAL OPERATOR OF OWNER NAME OF WELL OPERATOR
Wheeling, W. Va. 573 Melbourne
ADDRESS COMPLETE ADDRESS

COAL OPERATOR OF OWNER Church WELL AND LOCATION 19
ADDRESS Welzel D

LEASE OR PROPERTY OWNER Mrs. Evelyn M. Ford Well No. 5 C
ADDRESS Burton W. Va. John Maple 1411

STATE INSPECTOR SUPERVISING PLUGGING Bryan Shuman

AFFIDAVIT

STATE OF WEST VIRGINIA.

County of Welzel

Ralph Gump and Frank G. Moore
 being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by BARRON H. WELDEL, well operator, and participated in the work of plugging and filling the above well, that said work commenced on the 31 day of AUGUST, 1966, and that the well was plugged and filled in the following manner:

DATE IN STATE RECORDS	FILLING MATERIAL	PLUGS USED	REMARKS
	4 Sack 6 1/2 Gal 110	ONE S Sack	
	Shot hole	2"	25.50
	Cement 2200-2166	6 3/4"	24
	Fel 2166-24	3 1/2"	26
	Cement 24 to 30' above		
	9 1/2 in 6 1/2" casing		
	4 Sacks Fel in annular space outside 6 1/2" casing		
	Area filled with clay to surface through conductor pipe		
	6 1/2" casing from 2150 to dist. protecting coal and fresh water		
WELL DEANS		DESCRIPTION OF EQUIPMENT	
<u>John Maple 1105</u>	<u>1105</u>	<u>6 1/2" x 16' and 2" above</u>	
<u>John Maple 1205</u>	<u>1205</u>	<u>3 1/2" x 6" 5' 10" at 54'</u>	
		<u>Required data in</u>	

and that the work of plugging and filling said well was completed on the 3 day of September, 1966.

and further deponents saith not.

sworn to and subscribed before me this 31st day of August, 1966.

Frank G. Moore
Ralph Gump