

I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of W. Va.

Robert P. [Signature], R.E.

ACCURACY 1:17,000
 B.M. USGS - U22
 New Location
 Drill Deeper
 Abandonment

Company	Barton Kidd Oil & Gas
Address	278 Mulhensers Bluff Worthington, Ohio
Farm	John Maple Hrs.
Tract	Acres 190 Lease No.
Well (Farm) No.	6 Serial No.
Elevation (Spirit Level)	1381.8
Quadrangle	Mannington - XC
County	Wetzel District Church
Engineer	Robert P. [Signature] Surveyor by Herbert Hightsham
Engineer's Registration No.	3582
File No.	Drawing No.
Date	6-6-66 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. WET-1203-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 82,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

- Rotary
- Spudder
- Cable Tools
- Storage

Quadrangle Manning

WELL RECORD

Oil or Gas Well Oil

Permit No. _____

Company Barron Kitch
Address 273 Melbourne Pl. Northampton, Ohio
Farm John Maple Area 120

Location (owner) _____
Well No. 6
District Church West
The surface of tract is owned in fee by Kathleen Starard
Burton West Virginia
Mineral rights are owned by Maple

Drilling commenced 2/12/04
Drilling completed 2/5/04
Date shut 9/6/04 2300

Open flow 1/10th Water in 1/10th Water in
Volume _____
Rock Pressure _____
Oil Fill up 1660' in 15 hrs.


WELL ACIDIZED (DETAILS) _____
WELL FRACTURED (DETAILS) _____

RESULT AFTER TREATMENT (both open flow or test)
ROCK PRESSURE AFTER TREATMENT _____
Fresh Water _____ Salt Water _____
Producing Sand _____

Depth and Type	Log to Bottom	Log to Well	Position
10			Kind of Foster
11			Size of
12	100	100	
13	413	413	Depth of
14	2166	2166	
15/16	1864	1864	
16			Part top
17			Part bottom
18			Part top
19			Part bottom

Attach copy of cementing record.
CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
Amount of cement used (bags) _____
Name of Service Co. _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
FEET _____ INCHES FEET _____ INCHES
FEET _____ INCHES FEET _____ INCHES

Formation	Color	Top or Bottom	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Mapletown Coal			1100				
Pittsburg Coal			1200				
Little Dunkard			1580	1615			
Big Dunkard			1645	1685			
Salt Sand			2000	2100			
Red Cove			2250	2325			
Maxton Sand			2333	2380			
T.D.			.	2384			



APPLICANT'S NAME AND ADDRESS
 APPLICANT SHOULD BE MADE KNOWN BY THE DEPARTMENT OF MINES

Wheeler Lullax
 Wheeler, W. Va.
 OPERATOR OF WELL

Barron Kidd
 273 Melbourne Pl.
 Dept. of Agriculture
 Church
 District
 County

Mrs Stella Gerard
 Burtch WVA
 LAND OR PROPERTY OWNER

Well No 6
 John Mile Hill
 Farm

STATE INSPECTOR SUPERVISING PLUGGING Bryan Thurman

AFFIDAVIT

STATE OF WEST VIRGINIA
 County of Netze!

and being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Barron Kidd well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 28 day of August, 1966, and that the well was plugged and filled in the following manner:

GRADE OR DEPTH MARKS	FILLING MATERIAL	PLUGS USED	CASINGS	
			ODD FEET	EVEN FEET
	Total depth 2385	5 1/2"	1864	0
	Gel in Shot hole	6 1/2"	00	216
	2385 - 2006	5"	2250	0
	Bridge 2006 - 2000	5 1/2"	00	189
	Cement 2000 - 1964			
	Wipol 1964 - 1960			
	Gel 1964 To Surface			
	3 Sacks of Gel in Annulus			
	Space Around Casing and drill hole			
	Clay on Gel thru Casing to Surface			
ODD DEEPS		DESCRIPTION OF MONUMENT		
10000	Maple Town 1100'	1 1/2" casing extends above 94 999 Can		
10000	Pillsburgh 1200'	in Top. Required 9 in Cement - 373' 6"		

and that the work of plugging and filling said well was completed on the 30 day of August, 1966.
 And further deponents saith not.

[Signatures]
 2. *[Signature]* 1.

7

Church District, Wetzel County, W. Va.

By The Pure Oil Co.

Commenced July 12, 1904; completed, Sept. 4, 1904.

Contractors, Reese, Heasley & Meals.

Got all the oil in 20 ft. Showed up different than the rest as there was no limestone shales in the sand.

Filled up 1600 ft. in 15 hrs. after we got the oil.

Hole reduced to 6 inches at a depth of 2335 ft.

From bottom of casing to top of Maxton Sand, 167 feet.

413 ft. 8 $\frac{1}{2}$ " casing set in; bottom, 1580'; top 1167'.

9-10-04, set in 173 ft. of 5-3/16" liner on top of Maxton Sand; bottom 2335; top 2162'.

11" conductor; 10" casing, 200'; 8 $\frac{1}{2}$ ", 413', liner; 6-5/8", 2166'. 10" pulled.

Shot Sept. 6, 1904, by G. C. Fisher, with 80 qts.; 20' shell; 6' anchor; depth of well when shot, 2366'; depth top of shot 2340'; good results.

Record from E. Townley, Room 2308, 35 E. Wacker Drive, Chicago, Ill.

	Top.	Bottom.
Mapletown (Sewickley) Coal	1100	
Pittsburgh Coal	1200	
Little Dunkard Sand	1580	- 1615
Big Dunkard Sand	1645	- 1685
Salt Sand	2000	- 2100
Red cave	2250	- 2325
Maxton Sand (pay, 2340-2360')	2333	
Total depth		2371