

E.E. ICE  
S.W. CORNER OF VIRGINIA ICE FARM

2219' S. 25° 15' E. STONE ON KNOBS  
610' S. 27° 00' E. W.O.B. STONE  
772' S. 25° 30' E. STONE

374W  
464S

MINIMUM ERROR OF CLOSURE 1:2000  
SOURCE OF ELEVATION B.M. (877) SHOWN ON BIG RUN QUAD. (S-E)  
1/4 OF LITTLETON QUAD. ON REVISED TOPOGRAPHIC SH'TS.

New Location   
Drill Deeper   
Abandonment  "I, THE UNDERSIGNED, HEREBY CERTIFY THAT THIS MAP IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY PARAGRAPH 6 OF THE RULES AND REGULATIONS OF THE OIL AND GAS SECTION OF THE MINING LAWS OF WEST VIRGINIA."  
Issued 5-28-69

Company W.M. BISSETT, INC.  
Address DEEP VALLEY, PA. 15232  
Farm VIRGINIA A. ICE  
Tract \_\_\_\_\_ Acres 227.12 Lease No. \_\_\_\_\_  
Well (Farm) No. 1 Serial No. \_\_\_\_\_  
Elevation (Spirit Level) 869.70  
Quadrangle LITTLETON SE  
County WETZEL District GRANT  
Engineer GORDON W. SAMMONS  
Engineer's Registration No. 509  
File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
Date APR-15-1969 Scale SCALE 1" = 30'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. Wet-1232 (A)

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

JUN 8 1969

*Grant* ..... District, Wetsel County, W. Va.  
 By Carter Oil Co.

12

1/4 mi. NE of Archer, on Fuller Timber Road

|  | Top. | Bottom. |
|--|------|---------|
| 1st coal   | 196  | 200     |
| Pittsburgh Coal  | 690  | 700     |
| Little Dunkard Sand  | 993  |         |
| Big Dunkard Sand   | 1200 |         |
| 1st Salt Sand  | 1343 |         |
| 2nd Salt Sand  | 1495 |         |
| 3rd Salt Sand  | 1659 |         |
| Big Lime   | 1955 | 1995    |
| Big Injun Sand (oil, 2093'; gas, light, 2093-2105'), to bottom | 1995 | 2120    |


Address: \_\_\_\_\_  
 Farm: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 District: \_\_\_\_\_ County: \_\_\_\_\_  
 The surface of tract is owned in fee by \_\_\_\_\_ Address: \_\_\_\_\_  
 Mineral interests are owned by \_\_\_\_\_ Address: \_\_\_\_\_  
 Drilling: \_\_\_\_\_  
 Date Started: \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 Open Flow: \_\_\_\_\_ 10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ 10ths Merc. in \_\_\_\_\_ Inch  
 Volume: \_\_\_\_\_ Cu. Ft.  
 Rock Pressure: \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil: \_\_\_\_\_ bbls. 1st 24 hrs.  
 WELL ABANDONED \_\_\_\_\_  
 WELL PRODUCED \_\_\_\_\_

| Casing and Tubing | Used in Drilling | Left in Well | Remarks |
|-------------------|------------------|--------------|---------|
|                   | 145              | None         |         |
|                   | 1116             | 1112         |         |
| 7"                | 1945             | 1945         |         |
| 8 3/16"           | 2072             | 2072         |         |
| 4" Liner          | 530              | 530          |         |
|                   |                  |              |         |
|                   |                  |              |         |

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT 640 FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT \_\_\_\_\_  
 ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_

| Formation      | Color | Hard or Soft | Top  | Bottom | Fresh Water |         | Remarks |
|----------------|-------|--------------|------|--------|-------------|---------|---------|
|                |       |              |      |        | Feet        | Feet    |         |
| Fgh. Coal      |       |              | 640  | 650    |             |         |         |
| Little Dunkard |       |              | 1000 | 1010   |             |         |         |
| Big "          |       |              | 1075 | 1112   |             |         |         |
| Gas Sand       |       |              | 1240 | 1325   |             |         |         |
| Salt           |       |              | 1426 | 1680   |             |         |         |
| Little Line    |       |              | 1875 | 1895   | Water       | 1600    |         |
| Big "          |       |              | 1898 | 1972   |             |         |         |
|                |       |              |      |        | Gas         | 2030    |         |
|                |       |              |      |        | Water       | 2052    |         |
| Gordon Stray   |       |              | 2695 | 2725   |             |         |         |
| " Sand         |       |              | 2763 | 2785   |             |         |         |
| Total Depth    |       |              |      | 2790   | Oil & Gas   | 2771-80 |         |



STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA

County of

M. W. Bissett and A. E. ... being first duly sworn according to law depose and say that they are experienced in the plugging and filling oil and gas wells and were employed by A. ... well operator, and participated in the work of plugging and filling the above well, that sa was commenced on the day of June, 1909, and that the well was and filled in the following manner:

Table with 4 columns: SAND OR ZONE RECORD, FILLING MATERIAL, PLUGS USED, CAS. Rows include: Celled Hole, Cement 10' at 2730, Parted 5" casing, Cement 10' at 1716, Parted 7" casing, Cement 10' at 1272, Parted 8" casing, Set 2" x 8" Packer in 8" casing at 507, 2" Vent from Packer to surface, Clay from Packer to surface.

and that the work of plugging and filling said well was completed on the 29<sup>th</sup> September, 1909. And further deponents saith not. Sworn to and subscribed before me this 29 day of September. My commission expires: 8-2-29. Notary Permit No. ...