

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

April 01, 2014

WELL WORK PERMIT

Re-Work

This permit, API Well Number: 47-10501362, issued to STANDARD OIL COMPANY, INC., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

Chief

James Martin

Operator's Well No: 2009-1

Farm Name: HEARTWOOD FORESTLAND (NI

API Well Number: 47-10501362 Permit Type: Re-Work

Date Issued: 04/01/2014

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR § 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR § 4-19.1.c, if the operator is unable to sample and analyze any water well or spring within one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours.
- 7. Well work activities shall not constitute a hazard to the safety of persons.

Office of Oil and Gas

JOE TAYLOR

3/31/14 do 19/19012.

WW - 2B (Rev. 8/10)

Depths Set

MAR 2 6 2014

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

vveii Operato	or: Sta	ndard	0:16.Tie	Operator ID	Wirt	Buening Spir Aunan Distact Quadr	nasih-l angle
Operator's V	Vell Numb	er:			3) Elevation: _	9551	
Well Type: (a	a) Oil_X	or Gas	x				
			ction <u>×</u> /Unc	lerground Stor	age	_	
			1 s				
Proposed Ta Proposed To Approximate Approximate Approximate	sait wate	er depths:	990 to 1	Formation at F to 130'	Proposed Targ Proposed Tota	get Depth: I Depth:	-
, who canno	ie voia ae	Pario, (000					
) Does land	oposed we	oal seams ell work an	s tributary to act	tive mine? /	ttach additiona	I she of Freeded 22	and G
Does land () Describe properties () Describ	contain contai	oal seams ell work an on form I Rods	s tributary to act of fracturing method ALX putton p	tive mine? Anods in detail (and the feat with the feat wit	ttach additiona th water	I sheath Freeded 2 2 Aud Sawar 1 2 2 WV Depart Environmental	and G
Does land Describe property (Contraction)	pposed we Max	ell work and to Rods CATIONS	s tributary to act of fracturing method fracturing method fracturing method fraction from puriture produced from puriture puriture produced from puriture produc	tive mine? Anods in detail (and feac unit mp. jack. BING PROGRETOCTAGE	ttach additiona th WAFE AM INTERVALS	WV Depart	and G
Does land of Describe property of the Percentage	posed we Maxi	ell work and to Rods CATIONS Grade	s tributary to act of fracturing method fracturing method fracturing method fracturing method fracturing method fracturing fracturin	tive mine? Anods in detail (and feac unit mp. jack. BING PROGRE FOOTAGE For Drilling	ttach additiona th WATE AM INTERVALS	I sheath Freeded 2 2 Aud Sawar 1 2 2 WV Depart Environmental	and G
Does land of Describe profession tubi	SPECIFIC Size	cal seams ell work an ell work an ell Rods CATIONS Grade H 40	s tributary to act of fracturing method Aux putton p SING AND TUI Weight per ft 360 Pds	Hive mine? Anods in detail (and feach with possible programme) ACK-BING PROGREFOOTAGE	ttach additiona th WAFE AM INTERVALS	WV Departi Environmental CEMENT Fill -up (Cu. Ft.)	and G
Does land Describe pro Perforate fun tubi TYPE Conductor Fresh Water	SPECIFIC Size 9 5/8	ell work and to Rods CATIONS Grade	s tributary to act of fracturing method fracturing method fracturing method fracturing method fracturing method fracturing fracturin	tive mine? Anods in detail (and feac unit mp. jack. BING PROGRE FOOTAGE For Drilling	AM INTERVALS	WV Depart	and G
Does land Describe pro Perforate Lum tubi TYPE Conductor Fresh Water	SPECIFIC Size 133/8	CATIONS Grade H40	s tributary to act of fracturing method Aux putton p SING AND TUI Weight per ft 36 Pds 26 Pds	blive mine? Anods in detail (and feach with possible programme) ACK-BING PROGREFOOTAGE For Drilling LO! 200	AM INTERVALS	WV Departi Environmental CEMENT Fill -up (Cu. Ft.)	and G
Does land Describe pro Pereforate Lun tubi TYPE Conductor Fresh Water Coal Intermediate	SPECIFIC Size 13 1/8 NA	CATIONS Grade H40 H40	s tributary to act of fracturing method fracturing method fracturing method from purition pur	Hive mine? Anods in detail (and feach with possible programme) ACK-BING PROGREFOOTAGE	AM INTERVALS Left in Well 60'	WV Depart Environmental CEMENT Fill -up (Cu. Ft.)	and G
Does land Describe pro Perforate fun tubi	SPECIFIC Size 133/8	CATIONS Grade H40	s tributary to act of fracturing method Aux putton p SING AND TUI Weight per ft 36 Pds 26 Pds	blive mine? Anods in detail (and feach with possible programme) ACK-BING PROGREFOOTAGE For Drilling LO! 200	AM INTERVALS Left in Well 200'	WV Departi Environmental CEMENT Fill -up (Cu. Ft.)	and G

ŴR-35 Rev (8-10)

State of West Virginia Department of Environmental Protection Office of Oil and Gas Well Operator's Penor of Well West

DATE:	05-06-2010	
API#:	47-105-01362	

rarm name: Heartwood Forestland Nutter	Operator Well	No.: 1		
LOCATION: Elevation: 955'	_ Quadrangle: _E	Burning Springs 3		
District: Burning Springs Letitude: Reet South of 39 Dec	County: Wirt	San		
Latitude: Feet South of 39 Deg. Longitude Feet West of 81 Deg.	. 15 Min.	Sec.		
Company:				
Address:	Casing & Tubing	Used in drilling	Left in well	Cement fill up Cu. Ft.
Standard Oil Company Inc 156 cairo wv	11 3/4"	35'	Pulled	N/A
Agent: Joe O'Ferrell	9 5/8 "	210'	210'	SKS
Inspector: Joe Taylor	7 "	1110'	1110'	185 sks
Date Permit Issued: 04-06-2010	4 1/2°	1899'	1899'	set on packer
Date Well Work Commenced: 04-19-2010	4 122° and can coorganisation packs			
Date Well Work Completed: 04-24-2010	2 3/8"	1940'	1940'	tubing
Verbal Plugging: N/A	5/8" rods	1910'	1910'	rods
Date Permission granted on:				
Rotary X Cable Rig			REC	EIVED
Total Vertical Depth (ft): 2055'			Office of	Oil & Gas
Total Measured Depth (ft): 2055'				on a clas
Fresh Water Depth (ft.): 180			JAN :	2 1 2011
Salt Water Depth (ft.): 1971			1444-6	
Is coal being mined in area (N/Y)? NO		E,	vvv Depa	irtment of
Coal Depths (ft.): N/A		·1	on Omnen	al Protectio
Void(s) encountered (N/Y) Depth(s) N/A				
OPEN FLOW DATA (If more than two producing formation Producing formation Play Gas: Initial open flow 35 MCF/d Oil: Initial open flow 35 MCF/d Final open flow Time of open flow between initial and final tests 72 Static rock Pressure 510 psig (surface pressure) at	zone depth (ft) <u>5</u> flow <u>4</u> Bb w <u>5</u> Bb Hours	5' bl/d l/d	a on separate sh	eet)
Second producing formation N/A Pay 20	one depth (ft)			
		ol/d		
Gas: Initial open flow 30 MCF/d Oil: Initial open f	w 1 Bbi	I/d		
Final open flow 30 MCF/d Final open flow				
Final open flow 30 MCF/d Final open flow Time of open flow between initial and final tests 72	Hours	×		
Final open flow 30 MCF/d Final open flow	Hours fler 72 Hour and am familiar	with the informs responsible for		nformation I believe

04/04/2014 02/25/2011

Were core samples taken? Yes	No.X	Were cuttings caught during drilling? Yes	No_X
Were N Electrical, N N	Acchanical, N or Geo	physical logs recorded on this well?	
FRACTURING OR STIMUL	ATING, PHYSICAL C RECORD OF THE TO	DLLOWING: 1). DETAILS OF PERFORATED HANGE, ETC. 2). THE WELL LOG WHICH IS A PS AND BOTTOMS OF ALL FORMATIONS, INCL. RFACE TO TOTAL DEPTH.	SYSTEMATIC
Perforated Intervals, Fracturing,	or Stimulating:		
Maril come in Marinal in the	Moyon Cand and th	oo Rig injun Sand	
Well came in Natural in the	e iviaxon Sano and ti	le bly injuri Sand	

	11. (10. 11. 11. 11. 11. 11. 11. 11. 11. 11.		
•	"N JUN SAND 1204-1218' SI	20 55' 2110	
0-20' Soil 20-150' Sand	1218-1305' S		
150- 200' Red Rock		il Show Maxon	
200- 266' Shale	1531-1547' M		
266-294' Sand	1547-1922' S		
294-310' Shale	1922-`1986' L		
301-425' Sand	1986-2055' S		
425-451'Red Rock	2055-2110 G	as and Oil Show	
451-600'Shale	2110-2250' E	Big Injun	
600-610'Sand	2250' Total [Depth	
610-640'Shale			
640-820'Sand			L^^^_
820-900'Shale			
1120-1180'Slate			· · · · · · · · · · · · · · · · · · ·
1180-1204'Slate			

WW-2A (Rev. 6-07)

1). Date: 2/2	5/2014	1	
2.) Operator's Wel	-1	1109	
3 \ API \Mell No :	State 47-	County	Permit

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE AND APPLICATION FOR A WELL WORK PERMIT

1) Surface Owner(a) to be seen	T) (-) 010
4) Surface Owner(s) to be serv	
(a) Name Forestland	
Address 300) EME	
Packershur	
(b) Name	(b) Coal Owner(s) with Declaration
Address	Name
	Address
box deficition.	
(c) Name	Name
Address	Address
AND THE STATE OF T	
6) Inspector Joe Autor	(c) Coal Lessee with Declaration
Address 1478 Clay	lick Rd- Name
Ripley Wi	Address Address
Telephone 204 780 76	
ТО ТН	E PERSONS NAMED ABOVE TAKE NOTICE THAT:
Included is the lease or leases	or other continuing contract or contracts by which I hold the right to extract oil and gas
<u>OR</u>	
Included is the information requ	ired by Chapter 22, Article 6, Section 8(d) of the Code of West Virginia (see page 2)
I certify that as required ur	nder Chapter 22-6 of the West Virginia Code I have served copies of this notice and
application, a location plat, and acc	ompanying documents pages 1 through on the above named parties by:
	rvice (Affidavit attached)
	I (Postmarked postal receipt attached)
I have read and understand	Notice of Publication attached)
issued under this application.	Chapter 22-6 and 35 CSR 4, and I agree to the terms and conditions of any permit
	w that I have personally examined and am familiar with the information submitted on
this application form and all attachi	ments, and that based on my inquiry of those individuals immediately responsible for
obtaining the information, I believe t	hat the information is true, accurate and complete.
I am aware that there are s	ignificant penalties for submitting false information, including the possibility of fine and
Imprisonment. OFFICIAL SEAL	Well Operator Standard O: / Company Inc
Notary Public, State of West Virginia	
JOHN J. DANIELSKI	By:
Parkersburg, WV 26104	Address 100 Alista St
My commission expires September 21, 2021	100
	Telephone 304 469 2777
Subscribed and sworn before me th	
. I	2014
SEPTEMBER 21,2	021 John Jankpight Phillic
My Commission Expires	EPTEMBER ZV. 2021
Oil and Gas Privacy Notice	7

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov

SENDER: COMPLETE THIS S	ECTION	COMPLETE THIS SECTION ON DEL VERY
Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. Article Addressed to: FORESHAND GROUP LLC 3001 EMERSONAV. PARKERS DURG WV.		B. Received by (Printlet Name) C. Date of Delivery D. Is delivery address different from item 1? Yes If YES, enter delivery address below; No
4	2604	3. Service Type ☐ Certified Mail® ☐ Priority Mail Express™ ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ Collect on Delivery
		4. Restricted Delivery? (Extra Fee) ☐ Yes
		THE PARTY OF THE P
2. Article Number (Transfer from service label)	7012	3050 0002 3575 0466

SURFACE OWNER WAIVER

	Terror de		01 / 12 / 0 =
County	WIRT	Operator	Standard Gil Common Jac
		Operator well number	1109

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW2-A / 3A

The well operator named on page WW-2A / 3A is applying for a permit from the State to do oil or gas well work. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.
WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

<u>Time Limits and methods for filing comments.</u> The law requires these materials to be served on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

<u>List of Water Testing Laboratories.</u> The Office maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Chief to obtain a copy.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application for a Well Work Permit on Form WW2-A / 3A, and attachments consisting of pages 1 through ____ including a work order on Form WW-2B / 3A, a survey plat, and a soil and erosion plan, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

OR EXECUTION BY A NATURAL PERSON FOR		FOR EXECUTION BY A	CORPORATION, ETC.
Signature	Date	Company Name By	
Signature	Re	ceived	Date
Print Name	FE	3 1 4 2014 Signature	Date

Office of Oil and Gas
WV Dept. of Environmental Protection

04/04/2014

COAL OPERATOR, OWNER, OR LESSEE WAIVER

CountyOperator	Operator's Well Nun	nber 1109	
	•		
INSTRUCTIONS TO CO	OAL OPERATOR, OV	/NER, OR LESS	EE
To the coal operator, owner, or less that any objection you wish to make or an filed with the Chief of the Office of Oil application by the Office. Mail objections to	e required to make by and Gas within fiftee	WV Code 22-6-	15, 16 or 17, must be
Chief, Office of Oil and Gas Department of Environmental Protection 601 57 th St. SE Charleston, WV 25304 (304) 926-0499 extension 1654			
	WAIVER		
The undersigned coal operatorlocation has examined this proposed well location, the well location has been added work proposed to be done at this location requirements of the West Virginia Code at	location. If a mine ma to the mine map. The provided, the well op-	ip exists which c e undersigned h erator has compl	overs the area of well as no objection to the
FOR EXECUTION BY A NATURAL PERSON	FOR	EXECUTION BY A	CORPORATION, ETC.
Date	Company Name	n/a	
Signature	By Its		Date
	•		
	•	Signature	Date

Received

FEB 1 4 2014

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6, Section 8(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Applied Mechanics Corp.	Standard Oil Company Inc.	1/8	227/565
P.O. Bx 415	129 Clinton St.		
Bridgport,WV 26310	Parkersburg,WV 26101	RECEIVED	

Office of Oil and Gas

MAR 2 6 2014

WV Department

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application he reby a cknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources
- WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be ac quired from the appropriate aut hority before the affected activity is initiated.

Well Operator:

By:Its:

Standard Oil Company Inc

Land Manager

Peter Mongeau Pater Mongeau FEB 1 4 2014

WV Dept. of Environmental Protection

WW-9 Rev. 5/10

	Page	of	
API Number 47 -		-	
Operator's Well No	0.	POIL	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE


Operator Name Standard Oil Company In	c.		OP Code		
Watershed	Quadrangle Annamoriah-1				
Elevation 955'	CountyWirt		District Burning Sp	rings	
Description of anticipated Pit Waste:	FRAC	FLUID			
Do you anticipate using more than 5,000	bbls of water to cor	mplete the proposed v	well work? Yes	No x	
Will a synthetic liner be used in the pit?	YES	. If so, what mil.?_	20 MIL		
Reuse (at API	ion Injection (UIC Per Number sal (Supply form V	mit Number	eation)		
Drilling medium anticipated for this well' -If oil based, what type? Synthe Additives to be used? Will closed loop system be used? Drill cuttings disposal method? Leave in -If left in pit and plan to solidify -Landfill or offsite name/permit	pit, landfill, remov	ed offsite, etc be used? Cement, lin	ne, sawdust		
I certify that I understand and as on August 1, 2005, by the Office of Oil a provisions of the permit are enforceable law or regulation can lead to enforcement I certify under penalty of law application form and all attachments the obtaining the information, I believe that penalties for submitting false information. Company Official Signature Company Official (Typed Name) Peter Manager	nd Gas of the West by law. Violations t action. that I have persona hereto and that, ba t the information i t, including the poss	Virginia Department s of any term or conc ally examined and an used on my inquiry s true, accurate, and sibility of fine or impo	of Environmental Prote dition of the general per m familiar with the info of those individuals in complete. I am awar risonment.	cetion. I understand that the rmit and/or other applicable formation submitted on this mmediately responsible for that there are significant ECCIVED EB 1 4 2014	
	**			of Environmental Protection	
Subscribed and sworn before me this	anielst tember 2	1=6. 1: 21, 2021	Notice Habita	OFFICIAL SEAL Notary Public, State of West Virgin JOHN J. DANIELSKI 1009 28th Street Parkersburg, WV 26104	


Operator's Well No. 1061

		LEGEND		
Property Boundary		Diversion www.	and and and and	
Rond = = = = = = = = = = = =		Spring O->		
Existing Fence — X — X — X — Planned Fence — / — / — / —		Wet Spot C		
	· · · · · · · · · · · · · · · · · · ·	Cross Drain 7777		
Rock 88588		Artificial Filter Strip		
North N		Pit: cut walls		
Buildings		Pit: compacted fill walls		
Water wells (W	D	Area for Land Application of Pit Waste		
Drill site		6	元 1	
Dim sale		6.		
n 10	eatment: Acres Disturbed +/-2aci	res		
Proposed Revegetation Tre	eatment: Acres Disturbed	Prevegetation p	и	
Lime Z	Tons/acre or to correct to pH	0.0		
Fertilizer (10-20-	20 or equivalent) 500 lbs/	/acre (500 lbs minimum)		
1 ton H	av or etraw	acie (500 los illillillalli)		
Mulch_1 toll 11	lay or straw _{Tons/a}	cre		
	See	d Mixtures		
	Area I	As Seed Type	rea II lbs/acre	
Seed Type	lbs/acre			
Tall fescue	40	Tall fescue	40	
ladino clover	5	ladino clover	5	
annual rye	15	annual rye	15	
Photocopied section of inv	on,pit and proposed area for land approlved 7.5' topographic sheet.	lication.		
Plan Approved by:	M. C.			
Comments:				
			D	
-			Received	
Title: OOG Zoogood	hr	Date: 1-29-14		
Title: 000 Zrogeci	827	Date: 1-29-17	FEB 1 4 2014	
Field Reviewed?	(Wirt) Yes () No	1 4 2014	

Standard Oil Company, Inc Well:2009-1 API 47-105-1362 Thorn C. Roberts 50 acres of +1500 acre lease Burning Springs District Wirt County West Virginia







BURNING SPRINGS QUADRANGLE

SCALE 1" = 2000'

STANDARD OIL CO, INC.

Received

FEB 1 4 2014 04/04/2014

Office of Oil and Gas
WV Dept. of Environmental Protection

WELL: 2009-1 API 47-105-1362 W THORN C. ROBERTS 50 ACRES OF +1500 ACRE LEASE

BURNING SPRINGS DISTRICT WIRT COUNTY WEST VIRGINIA

