FORM G-1

## NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL (REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

## WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS	SECTION
To THE DEPARTMENT OF MINES,	
Charleston, W. Va.	10 10 ,0 00
The second texts	to han A Smoth & Wil
I frere is no enal experitors	ana & Summe & All
COAL OPERATOR OR COAL OWNER	AL. AN NAME OF WELL OPERATOR
here.	Willia interes
• • • • • • • • • • • • • • • • • • • •	Almanon a
ADDRESS	COMPLETE ADDRESS
Meale heirs ours The numeral	1 19
COAL OPERATOR OR COAL OWNER	June 13 1932
OLINA + OL	PROPOSED LOCATION
Williamstown Mrus	
ADDRESS	Uniow District
1/ Mcn1:	Ol 1
HOWARD III "Htee	Wood County
COAL OPERATOR OR COAL OWNER	County
11/1/2 11/11	Well No. 8
Willow, West Va.	Well No.
ADDRESS	meater heirs
	Mrocce Men Farm
GENTLEMEN:	
The undersigned well operator is entitled to drill	upon the above named farm or tract of land for
	. 10
oil and gas, having fee title thereto, (or as the case may	be) under grant or lease dated // //
0	1
doy of Sept. 1924 , made by	mente heron
, made by	mall herrs , to
Markey & Showith	
Diagram Symm	, and recorded on theday
of,	in the office of the County Clerk for said County in
Book/87 , page 294	A STATE OF THE STA
	ngineer and shows the proposed location of a well
to be drilled for oil and gas by the undersigned well oper	ator on the farm and in the Magisterial District
and County above named, determined by survey and cou	arses and distances from two permanent points, or
land marks.	
The undersigned well operator is informed and h	pelieves there are no coal operators operating beds
of coal beneath said farm or tract of land on which said aries of the same, who have mapped their workings and	well is located or within 500 feet of the bound-
aries of the same, who have mapped their workings and	med their maps as required by law, excepting the

coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten\* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to every some should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address..... or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly your



Address of Well Operator

01/05/2024

CITY OR TOWN

\*Section 3 . . . . . If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

## NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

XOTTO de e	OIL AND GA
	To The Department of Mines.
	Charleston, W. Va.
Maria of the million of the conflict	
	COAL OPERATOR OR COAL OWNER /
Chestally convertible the	JUNE .
COMPLETE AODRESS	ADDRESS
Good Charles	
	the Visionations Office
	SEZEGGA
	HOWARD Illa Hee
County.	CONT. OF ERATOR OR COAL OWNER
Well No. 8	Wells Mr 411
	Willow, West Va.
The Porter States Form	- Control of the Cont
	Genglemen:
Il upon the above named ferm or tract of land for	The undersigned well operator is entitled to dr
At the same of the	oil and gas, having fee title thereto, (or as the case m
by most a hour of the	chart 17 Salet 18 24 made
and recorded on the day	Dooker & Somith
in the office of the County Clerk for said County in	
	Book & Jage & T
	The enclosed plat was prepared by a competen
	to be dealted for oil and gas by the undersigned well o and County above named, determined by survey and
	RATEH BURI
	The undersigned well operator is informed an of coal beneath said farm or tract of land on which s
and parameter was visited for the many as many all the	aries of the same, who have mapped their workings as
	coal operators or coal owners (if any) above named as
e (if any) are noticed that any objections they may	desire to make to such proposed focation, or which the
	the drilling of a well at said proposed location will escal mines, must be received by, or filed with the Dop
	bies ve Jale perversences and accompanyment to vector a
	that forms for use in making such objections will be fur on request and that all such objections must set fort
heare the direction and distance the proposed location	or grounds on which such objections are based and in should be moved to overcome same.
	(The next paragraph is to be completed only in
e mailed by registered mail, or delivered to the above	Copies of this notice and the enclosed plat we
shown respective address day before,	named coal operators or coal owners at their above or or the same day with the mailing or delivery o
SOUTH OF STREET OF THE STREET,	ion, West Virginia.
dy young	Very tr
to hand to the the wind	10
WELL OFFRATOR	1120
THE PARTY OF THE P	1 万刻
THE STREET STREET	Address
	Well Operator
NWOT NO YTIS	01/05/2024
CO. A. L. L.	
To haiver him middly maint to formitteen had ve borrot	*Section 3 If no such objections be filed, or be

Hereby certify this is a correct Plat of The Location of Well on the Milliams farm of 141 acres in Williams Dit. Wood county W. Va. with error indicated

Acknowledged before me a Notary Public of Pleasants county W.Va this the 9th day of June 1932

Ly commission expires

actury Public

Richards

N 88½ W

194 From

No. 194 From

No. 194 From

No. 194 Atee Heirs.

No. 195 Server

State of the server of the server

C. S. Smith Lease on the mextee Hairsland Williams District Wood Co. W Va

ROBT. M. LAMBIE

DEPARTMENT OF MINES



CHARLESTON

June 15, 1932

J. L. HEIZER

Mr. Charles S. Smith Williamstown, W. Va.

Dear Sir:

Please let us have the name and address of one of the McAtee Heirs locally or the name and address of the legal representative of the McAtee Estate, to complete your application for permit to drill for oil or gas on said estate in Union District, Wood County.

Very truly yours,

STATE DEPARTMENT OF MINES Oil and Gas Division

By: J. Brown

LWB:G

The name and address of one of Mc atee this is Howard Me atee

W. Va. 1932

WARREN TO THE BUTTELL STORY BELLEH LL. HOET, M. LAMBIE id bed . 2 polyselfo . est bit . BY . Mr. . woodshaififf es un said ostave in inton district. Mood County. wary truly gours.

01/05/2024

June 21, 1932 Mr. Howard McAtee Willow, W. Va. Dear Sir: A notice of a proposed location of oil or gas well No. 8 on the McAtee Heirs Farm, Union District, Wood County has been received from Charles S. Smith and Wife Williamstown, West Virginia. A copy of this notice with an attached map should have been mailed you by the well operator. If, from the location of the above proposed well it is apparent that your interests are not properly protected, you should file your objection accompanied by a map showing the relation of said well to such interests on or before July 1, 1932. Very truly yours, Chief of Department of Mines. RML: G 01/05/2024 An July 1, 1932 Chas. S. Smith & Wife Williamstown, W. Va. Dear Sir and Madam: Your notice of proposed well location No. 8 on the McAtee Heirs Farm was receivedved in this office June 20, 1932. No objections have been filed in the ten-day period subsequent to our receipt of your notice. Drilling permit is hereby issued and found enclosed. Very truly yours, Chief of Department of Mines. RML: G encl 01/05/2024

Quadrangle\_



## STATE OF WEST VIRGINIA

## DEPARTMENT OF MINES

OIL AND GAS DIVISION

WELL RECORD

Permit No	WOO-15 (Charles S.	& Lillian Sm		RECORD		Oil or (	Gas Well (KIND)
CompanyAddress	FEICK PATTER	SON AND FEIC	K	Casing and Tubing	Used in Drilling	Left in Well	Packers
Farm	CCCCCCCMITTE	McCatee Heirs	141			1 1 2	
	ers) Branch o			Size			
Well No.	0	S	0000	16			_ Kind of Packer
	Union		ile v.	13			
The surface of	f tract is owned in	fee by Howard	McAtee	10			_ Size of
The surface o.	Willow, W. V	Address		81/4	101	101	
Mineral rights	s are owned by			6% 1-7/811			_ Depth set
Manuelar right		Address		53/16	12421	1242!	
Drilling comm				3			Perf. top
Drilling comp	Contomb	er, 1932		2			Perf. bottom
	From	12631 To	12751	Liners Used			Perf. top
	30 qts. glyc						Perf. bottom
	/10ths Water i		Inch		1		
	/10ths Merc.			CASING CEME	ENTED	SIZE	No. FtDate
	1			*			
Oil			bbls., 1st 24 hrs.	COAL WAS EI	NCOUNTERED	AT	FEETINCHES
				FEET	INCH	HES	FEETINCHES
Salt water		feet	feet	FEET	rINCF	HES	FEETINCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt sand	white	sugar	- 1242	1275	oi1		
		total dept	h 1285			2 barre well	
			*		1.		
		.1					
		* *					
							01/05/2024
		. 3		· C			
FAMILIA FARE	12/17	2 (8) (1) (1) (1) (1)	(0	(ver)	121 TE 85 10 TE	Dates	A Section Control

Owne.			IPPROVED				A
61 '		Date	MOVENIA ST				
			RECOR	LIZW		0-15	Albertah and
	13/ 8671 26 177	(sinignivi	alk antode	101) - (1111	8 Lillian St	Leries S.	) AM HIMTO
	nr thall that	nt tan T madest	hua generi	AMULUALV	TOUR TOUR	TOTTAL AUI.	yas da H
			Acrib.	Ill mas	Goodee Meir		
	H X		31	1008 986	Sugarca p	o.donati	custowi methon
Additional and the second	w.d		ot of	99340H	orewell grant and	hanve of fee	er to syntrus on
	102	101	2 12 / 18 8		( ) ( ) ( ) ( ) ( ) ( )	llow, W. IV	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	12.21	18881	# P / L - 7 mg		Land this	nd Sarwo a	na etrigiti krigoi
			10 mm - 10 mm		er, 1932	Septens	merima palla delama palla
	168		Liberty strengt	15752	12631 m	ovio .aio	naR sid
	3 10			1.1984		Sature State	tyel T non
	8 016	e w Little	Mile ovieta	Bal M. 12		Seisti Side	SMIN
	1179 00	NECESTAL PROPERTY.	MEAW GARRIS	erel			
	inat	HOWI	771	ere trassistification	Man Line		deline des
		18/14/	100	7.17	19-4 		Water
	ANOSI RESERVE	end HO with William	mediati	qoT.	Took	Tolo 3	Formstion
		lio	3222	1222	regue	stian	bride dis
	Morraso 3			n 1205	totel dept		
	uell well				*		1
				•		•	
	1					1	Table 1
		/					
				1.			
						01/05	12024
	1	1				0 1/05	/2024
1 1 2 2 2 2 2 2 2	Found	TetsW To		- 1985 - 1985	33oS	-	
Remarks	Depth	Oil, Gas	Bottom	qoT	To braH	Color	Formation

(Title)

## おこ

## WEST VIRGINIA DEPARTMENT OF MINES

# Oil and Gas Section PRELIMINARY DATA SHEET NO. 1

File No				Well	No. 8
Chas. S. & Li	llian Smith	Company	of Williamst	own	
		on ththe	McAtee heirs	3	Farm
containing141	acres. I	ocation			H
Union		District, in	Wood	County,	West Virginia.
The surface of	the above tract is ow	rned in fee by	McAtee heirs	(Howard Mc	Atee)
of Widdow,	West Virgini	la	address, and	the mineral rights	are owned by
Howard McAtee		of.	Willow, Wes	t Virginia	•
The oil and gas	privileges are held un	nder lease by the	above named compa	any, and this well is	s drilled under
permit NoWood-1	5 issued b	y the West Virg	inia Department of	f Mines, Oil and	Gas Section,
July 1,		······································	19.32		
Elevation of sur	rface at top of well, A	About 800 fe	eet above sea	level	Spirit Barometric.
The number of feet	of the different sized	casings used in t	the well.		
10.:	feet	feet	10"	size. W	ood conductor.
1242	feet.4.7/8	size, esg		feet	sized csg.
	feet	size, csg		feet	sized csg.
	feet	size, esg		feet	sized esg.
	pa	cker of	sizo	e, set at	
	pa	cker of	siz	e, set at	
	in casing per	forated at		feet to	feet.
	in casing per	forated at		feet to	feet.
Coal was encountered	d at 135*	feet; thickne	ess. 12	inches, and at	
feet; thickness	inches; a	nd at	feet; thickness	SS	inches.
	d as follows: (Give		The second secon		
		well so	hat 126.	3'-1275'	
		with	30 gts. 41	yeerens	
Ser	otember 1932		0 1		
		Date.	& land	9 Minn S	01105/2024
		Approved	to has do	Smitte	Wner.
		Бу	V. 4/	(Title)	

AUG 4 1933

## WEST VIRGINIA DEPARTMENT OF MINES

## Oil and Gas Section

## PRELIMINARY DATA SHEET NO. 1

8.oV, HoW	
lian Suith Company of Williamstown	Cheg. S. & Lil
en theme McAtes heirs Para	
acres. Location.	eontaining 141
District, in Wood	Union
ne above fract is evened in fee by McAtee heirs (Howard McAtee)	The surface of the
yd benewn ern stilgfe herennen eit fans seerbla sinigett Jeek	of widdow,
ointgriv deew .wolltw	Howard McAbse
rivileges are held under lease by the above named company, and this well is drilled under	q say bun die od T
	pennit NeWood-15
	duly 1,
ne at top of well, About 800 feet above sea level Barometric	stans to northworld
the different sized cusings used in the well.	The number of feet of
Set	10.5
. test T/8 size, esg feet sized esg.	1248
1986 sixe, esp	
packer of the same size, set at	
packet of	
in casing perforated at	
in cesmig perforated at the feet to feet to	
at 155°	t oal was enrountered
	in
as follows: (Give details). No liners used.	
Well allot 1263 - 1873	
water Dogla Hayrous	
ember 1962	
Approved the text to the thorn Armothouner.	01/05/2024
By The Lot of countries	

W60-15

Chas. S. & Lillian Smith Company

Williamstown, W. Va. Address

Well No. 8

# COMPLETION DATA SHEET No. 2 FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depth	Remark
Red rock 2	5 th	Pink rock 5						
Mt. sand 2		Sand 15' 9d:						
Red rock ]		Slate 5'						
Lime 5		Lime 10'						
Fire clay	51	Red Lime 25						
Red rock		Shale 25'						
Fire clay		Lime 25'						
Red rock5		Sand 15 * Sec	ond Cow r	un, dry				
coal 1'		Lime 35'		7-,				
Fire clay	51	Black shale	101					
Lime 10		Lime 10'						
Red rock 1	0 *	Sand 20' sti	Ver					
Lime 25'		Black shale						
Red rock S	1	Fire clay 1						
Lime 10'		Lime 5'						
Sand 35'(s	trav)	Black shale	301					
Lime 20'	, ,		51					
Black slat	e 151		01					
Red rock 2			51					
Slate 20'		Salt sand	011	1242	1275	331	1285	
Lime 5'		baro sana	011	TOTO	1210	00.	1200	
Red rock 1	01							
Lime 5'								
ed rock 30	1							
Lime 5'								
Red rock5'				7				
Red lime 2								
Blue slate								
Red rock 2								
		*********	l-mms.			i in the second		
Slate 301			2 001.9		1 1 2 5			
Red rock 1	51			100				
Lime 15'								
Black slat	e 401							
Sand 5'								
Red rock 1	01							
Blue slate								
Red rock 2								
ed lime 2								
Big red 65								
Shale 35"								
Pink rock	551							
Lime 30								
Slate 15'								
Nigger hea	d 51							
Shale 25'								

Well was not shot at 1265 to 1275

Salt

Fresh water at none

producing

Well was producing

Well was producing

August 7 1953

Date

Approved

Approved

Approved

Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

AUG 9 1933

Dans. S. & Lillian Smith. Company

Williemstown, W. Va. Addre

## NO. 2 FORMATION RECORD

8 on Hew

01/05/2024

Remarks	Total Depth			qeT	Oil, Gas or Water	Character	Color	Name
						Fink rock 5 Sand 15' @d Slate 5' Lime 10! '	5† 6†	Red rock 2 Mt. sand 2 Red rock 1 Lime 5†
				(10) . ri	rı woə Syos	Shale 25t Lime 25t Sand 15t Set	101	Red rock to the Pitto clay
					101	Lime bot Black shale Lime 10!		opel l' Fire clay bine 10*
					100 100	Sand So send so shale stree olay land Si shale shall s	, (yerd	Med Took 1 Lime 25: 4 Lime 10: 4 St. (s Lime 20:
	1285	186	1275		51	lant end	10	Rod rook 2 Slate 20: Limb 5: Rod rock 1
							10:	bine 5' Red week a0 Lime 5' Led pork5' Red lime 2 Blue slate
					(जामक	en no o nad k o o na	dry) (grad	Slate 501
							0.401	Hed rook line 15' ' Slack slat Said 5'
							00' 01' 01' 0 to 760	Red rock 1 Blue slate Red rock 2 red lime 3
							1 5 1	Shele 25' Pink roof Lime 50' Slabe 15' Wigger her Shele 25'
.1907	***************************************			was shot	r :1991;	to 1875		
.1009		S. n	. 10 ga		ugit		enon ,	Salt -Frank water a
							noing od u o hyle	borq saw HeW

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and was sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

France aug.

B-4

W00-15

Chas. S. & Lillian Smith Company

Williamstown, West Virginia Address

Well No. 8

## COMPLETION DATA SHEET No. 2 FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depth	Remarks
lt sand	white	sugar	oil	1242	1275	33	1285	2barrel well
sh Wall was n	ot	50 to 1275	fe	et; well was	shot at			feet.
Salt	JU SHOU BU			salt				feet.

Well was not shot at 1265 to 1275	
Salt Fresh water at	saltfeet; fresh water atfeet.
producing Well was producing	
September 1952	Approved to how, S Smitho 1/05/2024

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

AUG 4 1933

STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

OIL AND GAS DIVISION

### INSPECTOR'S PLUGGING REPORT

Permit No. WOO-15P				Wei	II No	8		
COMPANYFeick, Pat	terson & Fe	eick	ADDRESS_ Walker,	W.Va.		okt tientall		
	FARM McAtee Heirs DISTRICT Union COUR							
Filling Material Used	Clay,	stone & co	ement			esta Vingulo I		
Liner Loc	eation	Amount	Packer	Location		1297 18		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND T	UBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST		
						Landy de la Compania		
They thing of			20.5.4		10.100	group gaillisu		
					Sah	ingling court		
nuntion Years				oetino(L	e e e e e e e e e e e e e e e e e e e			
aqer_tro9			Water is a foot water with			il rego lettini		
model the first			$\frac{1}{2} \left( \frac{1}{2} \right) \right) \right) \right)}{1} \right) \right)}{1} \right) \right)} \right)} \right)} \right)} \right)} \right)} \right)} \right)} \right)}$	option and the second	galdet i	Stale of 1900		
No. CT.	ante	CONTRACTOR	radiga e Perusa III.			and a second		
			1870	uat"		densery 4 ob		
20180K) PR614	7	E TIFLIZZONIANE EN	Mod ACIA const. Co. je bostine					
n devikes								
Drillers' NamesC.R.	. Feick & V	V.T. Honn						
Remarks:								

Removed all rods and tubing. Filled bottom hole with mud and two bags cement on top. Ripped casing at approx 1060 trying to start now.

e well on this date.

#### STATE OF WEST VIRGINIA

## OIL AND GAS DIVISION

## INSPECTOR'S WELL REPORT

Permit No.	. FT. TORION DO	Oil or Gas Well (KIND)				
Company	YWYSIG AG	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS	BALK S
Address		Size	emoda.	-11	forety lines and	gallul (
Farm	EXEL 1200 18439	16		70.0740	Kind of Packer	10(9,1
anique plus acres		13	0.734	in ersad her	123 U W 151 U W	
Well No.	rayoda   Bongou Borros	10	7,837	E-UUUM -	Size of	
District	County	81/4				
Drilling commenced		65%			_ Depth set	
		5 3/16				
Drilling completed	Total depth	3			Perf. top	
Date shot	Depth of shot	2			Perf. bottom	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch				Perf. bottom	
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	_Date
Rock pressure	lbshrs.					
Oil_	bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTERED	) AT	FEETIN	CHES
Fresh water	feetfeet	FEET	INCI	HES	_FEETIN	CHES
Salt water	feetfeet	FEET		HES	FEETIN	CHES
Drillers' Names	THE STEW STON HOT CO	harri e	without and		Ta Covers	incoll encoll
won						illo o
Remarks:						

B.600

#### STATE OF WEST VIRGINIA

### DEPARTMENT OF MINES

OIL AND GAS DIVISION

## INSPECTOR'S PLUGGING REPORT

to IiO						-8	
atterson & I	feick	ADDR	ESS Walk	er,W.Va.			
rs		Union	1	COUNTY	Wood		
Clay, st	one & ce	ement					
ocation	Amount		Pacķer	Location	n	S carlo	
PLUGS USED AND DEPTH PLACED		BRIDGES		CASING AND TUBING			
WOOD-SIZE	LEAD	CONSTRU	ICTION-LOCATION	RECOVERED	SIZE	LOST	
				10	8	None	
		81.92	201	1000	4 7/8	242	
			in the state of th	97 4	Later	are valle	
				io de porta a la		_ 10 (0.810	
		Der gal	William in Line	iden .	- 17.4 (A)	dege lajte	
				6 K			
(TENS	076 38		/				
	La responsable to					2000	
						OBSTRUMENTS	
994 - 1074 - 1989	1853 (S. 14.1.4.2.4.2.4.2.4.2.4.2.4.2.4.2.4.2.4.2	# 12.08	statisticas dien				
To the state of	man v						
Feick & W.	T. Hopn					Lances ore	
			s date	CONTROCTOR NO. ST. S.	OUL 1959 CEIVE EST VIRGIT DEPT. OF IN	DA STRITTER	
	Clay, stocation  AND DEPTH PLACED  WOOD-SIZE  Feick & W.	Clay, stone & ce cation Amount  AND DEPTH PLACED  WOOD-SIZE LEAD  Feick & W.T. Hopn  Carker being erected	Clay, Stone & cement  Amount  AND DEPTH PLACED  WOOD-SIZE LEAD CONSTRU	Clay, stone & cement  Cation Amount Packer  AND DEPTH PLACED BRIDGES  WOOD-SIZE LEAD CONSTRUCTION-LOCATION  Feick & W.T. Hopp	Clay, stone & cement  Cation Amount Packer Location  AND DEPTH PLACED BRIDGES CASH  WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED  10  1000  Feick & W.T. Hopn  Marker being erected today	Clay, stone & cement  Cation Amount Packer Location  AND DEPTH PLACED BRIDGES CASING AND TUI  WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE  10 8  1000 4 7/8  Feick & W.T. Hopp  Barker being erected today	

### STATE OF WEST VIRGINIA

## OIL AND GAS DIVISION

## INSPECTOR'S WELL REPORT

Permit No.		Oil or Gas Well(KIND)				
Company	a	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKI	ERS
Address		Size	anoda .	(e10	hasti legar	isM smilit
Farm		16		11000,80	Kind of Pack	cer
CONTRACTA WAR		13		и— — — — — — — — — — — — — — — — — — —	13/95/2/70/79	
Well No.	NAME OF THE PARTY	10		e adow	Size of	(41 H 24 H 2)
District	County	81/4			The second secon	
Drilling commenced		65%			Depth set	
SER 1974 B		5 3/16			1	
Drilling completed	Total depth	3			Perf. top	
Date shot	Depth of shot	2			Perf. bottom	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch				Perf. bottom	
			NAME OF THE PROPERTY OF THE PR	QIZT.	No Em	Doto
Volume	Cu. Ft.	CASING CEME	INTED	SIZE	No. F1	Date
Rock pressure	lbshrs.					
Oil	bbls., 1st 24 hrs.	COAL WAS E	NCOUNTEREI	AT	_FEET	INCHES
Fresh water	feetfeet	FEET.	INC	HES	FEET	INCHES
Salt water	feetfeet	FEET.	INC	HES	FEET	INCHES
						Lastrain t
Drillers' Names		Kanca Dec	colo guis	d with	er.Dodela	AUÛ -
Remarks:						



# STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

### NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

	FEICK, PATTERSON AND FEICK				
Coal Operator	Name of Well Operator				
et alon as potes coldell ands	N. C - nainer, neer vaginta				
Address	Complete Address				
with the state of	MAY 26, 1959				
Coal Owner	Date				
egittize onez cuber 12	WELL TO BE ABANDONED  UNION  District				
Address					
* CONSTRUCTION DESCRIPTION OF THE PROPERTY OF	WOOD County				
Lease or Property Owner	Well No. 8				
Address	Farm				
Audress	MCATEE HEIRS FARM				
Inspector to be notified MR. JOHN E. LOWTHE	R, Telephone Number Nlagra 4-2335				
Gentlemen:— 214 HOURS IN AD	VANCE OF PLUGGING DATE				
m					

The undersigned well operator is about to abandon the above described well and will commence

the work of plugging and abandoning said well on the date inspector is notified (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

Well Operator

NOTE: Upon the abandonment of any well drilled prior to June 1, 1929, a plat prepared by a registered engineer, shall be filed with THREE COPIES OF APPLICATION, (OG-9) AND "WORK ORDER" AND TWO COPIES OF THE WELL RECORD, (OG-10). The map must show the district and county in which the tract of land is located, the name and acreage of same, the name or names of the owners and names of adjacent tracts and the location of the well to be abandoned, determined by survey with the courses and distances of such well from two permanent points or landmarks on said tract.

01/05/2024

NOTE: In case plugging is not commenced within four months from the date of permit, same shall expire and be of no further force or effect.

NOTE: PERMIT IS NOT TRANSFERABLE.

13-9

#### PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

### WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

#### WORK ORDER

Well to be plugged and filled as follows:

WORK CROER PREPARED BY DEPARTMENT OF MINES

TOTAL Depth 1285°

Fill with clay from total depth to 1242 Casing seat of 4-7/8" casing, lifting casing as hole is filled and plugged neat cement 12/12' - 1232' 5º crushed stone on cement

SET A PERMANENT BRIDGE 840' - Casing seat of 6"
2 sacks neat cement and 5' crushed stone on bridge Fill with clay to 750'

SET A PERMANENT HRIDGE at 2000 2 sacks neat cement and 5' crushed stone on bridge Fill with clay to surface

ERECT MARKER, In compliance with Rule 18, 1931 Regulations.

To the Department of Mines Coal Owner or Operator, programme and the state of the st Lease or Property Owner.

#### Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date inspector is notified after permit is issued.

Very truly yours,

Well Operator

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 24

day of MY 26TH

DEPARTMENT OF MINES Oil and Gas Division

Griffich By:

NOTE: This "work order" shall be filed in triplicate, one copy for the file of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

1-B-10

FORM OG-8

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

## AFFIDAVIT OF PLUGGING AND FILLING WELL

			Feick-	-Patterson			
COAL OPERATOR OR OWNER			Route	NAME OF Y			
	ADDRESS			COMPLE	TE ADDR		
	PERATOR OR OWNER			June 23	ID LOC	ATION	19.59
COAL OF	ERATOR OR OWNER			Union	D LOC	ATION	District
	ADDRESS	e de la companya de l		en entre de la company	dry v		7001100
L FASE O	R PROPERTY OWNER			Wood			County
			Well. N	0. 8			
	ADDRESS						a all ki
				McAtee			Farm
STATE INSPECTOR S	UPERVISING PLUGG	ING. J.	hn E. I	Lowther			
		AFFIC	AVIT				
STATE OF WEST	TIDCINI A	AFFIL	DAVII				
STATE OF WEST	VIRGINIA,	SS:	1110	771 -			
County of		)	00	100	1		
CI	teick	5	and	/ /			
being first duly swe	orn according to la	w depose	and say th	at they are ex	perien	ced in the	work of
plugging and filling	oil and gas wells an	d were em	ployed by	Feick-Pat	ters	on & Fe	ick
well operator, and p	articipated in the w	ork of plu	gging and	filling the ab	ove w	ell, that sa	id work
was commenced on							
and filled in the foll	owing manner:	uno		, 19, and	that th	e well was	plugged
	I .						
SAND OR ZONE RECORD	FILLING	MATERIAL		PLUGS USI	ED		SING
FORMATION	CONTENT	FROM	то	SIZE & KIN	D	PULLED	LEFT IN
exy-Cement & St		1200xx	x 1225x	Pipe 2"	1011	12/7	0
centratione & C		8tr0xx	XXXXXX	17	/811	1000'	242
ment-Stone & G	Dêx∛x	200xx	XXXX	11 1011		101	0
alt Sand	Clay	1285	1242				
	Cement	1242	1232				
	Stone	1232	1225			6787	210
	Bridge	840				120,0	1017
	Cement	840	830		6	2	10
	Stor 6700	830	825		6	JUL	100
	C/00/010 97		740	N-	8	RECE	1959
	627000	2825	740		12	WEST	VER 5
	111 1959	,500			18	DEPT VIRG	IN.
	coement	0 350	190		100	· UF MI	VEC CON
	Topoc El	190	185		1	59202	212000
	GOT ONEST VIRGIN	c 385	0			23213	CONC
	DEPT. OF MIN	.00					
COAL SEAMS	CC 570170	3		DESC	PIPTION	OF MONUME	NT
	COSTO CO			Placed po			
ME)				let exter			
ME)			14	18"			
ME)							
and that the work	of plugging and fill	ling said	well was	completed on	the	30th	day of
	June , 1959			11/1	11		
				00 1	14	00V	
A = 1 C = -11 1	onents saith not.			100-	7	. //	2
And further dep							
And further dep			,	CITY	-0	$CC \times 01$	/05/2024
a management	abscribed before me	this 2	day	of l	eg	CK01	/05/2024 19 <b>2</b>
and the same of th		this 2	day	of June	eg	Aleri	/05/2024 1927.
Sworn to and su	abscribed before me	this 3	day	of Sugar	eg ne	Alei	/05/2024
Sworn to and su	ibscribed before me	this 3	day	of Sugar	ine ine	Notary F	1957. Public.

ADDRESS OF A STATE OF

### AFFIDAVIL OF PLUGGING AND FILLING WELL

•							
, private and production and the control of the con							
•							
HARK							
21124			The state of the s	Country of			
afoton a configurations							
			6 to year Sad				
The state of the s							
A STATE OF THE STA							
				01/05/2024			
Show the same							
Sure Links							
				SA SYLATE :			

August 1, 1933 Charles S. Smith and wife Williamstown West Virginia Dear Sir and Madam: In checking up our files, we note that data sheets have not been filed on your well #8, Union District, Wood County, on the McAtee Heirs Farm, file #W00-15. This is required by Rule #9 of the Rules and Regulations and no record of drilling is complete until such data is properly made out and filed. Please attend to this matter promptly as your data sheets are due to be filed as soon as the drilling is completed. Very truly yours, Chief of Department of Mines NPR/hem 01/05/2024

DOMESTIC AND SHEET STATE August 5, 1933 Mr. Charles S. Smith Williamstown, W. Va. Dear Sir: We must insist that you send usa more complete log of your Well No. 8 on the McAtee Heirs Farm. The log you sent us names only one sand, the Salt Sand. Very truly yours, Chief of Department of Mines. NPR:g 01/05/2024

Williamstown, West Virginia August 7, 1933

Department of Mines Charleston, W. Va.

Dear sirs:

Please find enclosed this data sheet with record of well as kept at time of drilling.

Only one foot of coal is found in this and near by fields. No oil producing sand is encountered in these wells above the Salt sand.

Please send some data sheets of both 1 and 2.

Respectfully

Charl Smittle

AUG 9 1933

E-9

June 26, 1959

Mr. C. R. Feick Feick, Patterson and Feick RFD #2 Walker, West Virginia

Dear Mr. Feick:

Please send us affidavit of plugging Well No. 8 on McAtee Heirs Farm, Union District, Wood County - Permit WOO-15-P issued May 26, 1959.

Very truly yours,

Crawford L. Wilson, Director DEPARTMENT OF MINES

Bur

Assistant Director Oil and Gas Division

Mig encl


ce Mr. Mohn E. Lowther, Inspector

Hereby certify this is a correct Plat of She location of Well on the MCAtee Heirs farm of 141 acres in Villiams Dit. Wood county W. Va. with error indicates Acknowledged before me a Notary Public of Pleasants county W. Va this the 9th day of June by commission expired.

ly commission expires.

Te 11-1933.

notary Public



C. S. Smith Lease on the mextee Heirsland Williams District Wood Co. W. Va. W. 04105/2024