



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES,
Charleston, W. Va.

| | |
|-----------------------------|--|
| _____ | <u>Parkersburg Oil & Gas Company</u> |
| COAL OPERATOR OR COAL OWNER | NAME OF WELL OPERATOR |
| _____ | <u>111- 3rd Street, Parkersburg, W. VA.</u> |
| ADDRESS | COMPLETE ADDRESS |
| _____ | <u>January 6, 1947</u> |
| COAL OPERATOR OR COAL OWNER | PROPOSED LOCATION |
| _____ | <u>UNION</u> District |
| ADDRESS | <u>WOOD</u> County |
| _____ | Well No. <u>6</u> <u>39° 20'</u> <u>81° 20'</u> |
| OWNER OF MINERAL RIGHTS | <u>R. N. CORBITT</u> Farm |
| _____ | |
| ADDRESS | |

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated OCTOBER 11, 1938, made by R. N. CORBITT, WIDOWER, to West virginia Gas Corp., and recorded on the 3 day of November 1938, in the office of the County Clerk for said County in Book 221, page 353.

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.


The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Code, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named coal operators or coal owners at their above shown respective address _____ day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,



Address of Well Operator }

| | |
|--|-------|
| <u>Parkersburg Oil & Gas Company</u> | _____ |
| WELL OPERATOR | |
| <u>111- 3rd Street,</u> | _____ |
| STREET | |
| <u>Parkersburg, ## ## VA.</u> | _____ |
| CITY OR TOWN | |
| <u>West VA.</u> | _____ |
| STATE | |

12/22/2023

*Section 37. If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

A-10

January 28, 1947

Parkersburg Oil and Gas Company
111 - 3d Street
Parkersburg, West Virginia

Gentlemen:

Enclosed is permit WOO-224 to drill Well
No. 6 on the R. N. Corbitt Farm, Union District,
Wood County.

Very truly yours,

Engineer
OIL AND GAS DIVISION

JRB:K
Encl-2

CC: Inspector G. E. Smith

12/22/2023



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Oil or Gas Well Oil & Gas
(KIND)

Permit No. W00-224 Lost

Company Parkersburg Oil & Gas Company
Address Parkersburg, W. Va.
Farm R. N. Corbitt Acres 200
Location (waters) Worthington Creek
Well No. 6 Elev. 767.6
District Union County Wood
The surface of tract is owned in fee by P. J. R. W. & C. G. Corbitt Address Parkersburg, W. Va.
Mineral rights are owned by Same Address _____


Drilling commenced March 12, 1947
Drilling completed April 12, 1947
Date Shot April 14, From 2111 To 2138
With 40 qts Nitro-Glycerine Open Shot

Open Flow 15/10ths Water in 2" Inch
_____/10ths Merc. in _____ Inch
Volume 200.000 Cu. Ft.
Rock Pressure 150 lbs. 12 hrs.
Oil 2 bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

| Casing and Tubing | Used in Drilling | Left in Well | Packers |
|-------------------|------------------|--------------|-----------------------|
| Size | | | Kind of Packer |
| 16 | | | <u>Bottom Hole</u> |
| 18 | | | Size of |
| 10 | <u>164</u> | <u>None</u> | Depth set <u>1760</u> |
| 8 1/4 | <u>1052</u> | <u>None</u> | Perf. top _____ |
| 6 5/8 | <u>1760</u> | <u>1760</u> | Perf. bottom _____ |
| 5 3/16 | | | Perf. top _____ |
| 3 | | | Perf. bottom _____ |
| 2 | | | Perf. top _____ |
| Liners Used | | | Perf. bottom _____ |

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|------------------|-------|--------------|------|--------|-------------------|-------------|---------|
| Red Rock & Slate | | | 0 | 195 | | | |
| Lime Hard | | | 195 | 205 | | | |
| Red Rock | | | 205 | 245 | | | |
| Lime | | | 245 | 250 | | | |
| Slate & Shell | | | 250 | 450 | | | |
| Lime Crétty | | | 450 | 480 | | | |
| Red Rock | | | 480 | 515 | | | |
| Sand | | | 515 | 535 | | | |
| White Slate | | | 535 | 545 | | | |
| Red Rock | | | 545 | 575 | | | |
| White Slate | | | 575 | 590 | | | |
| Lime | | | 590 | 602 | | | |
| Red Rock | | | 602 | 613 | | | |
| Lime | | | 613 | 620 | | | |
| Red Rock | | | 620 | 628 | | | |
| Lime | | | 628 | 637 | | | |
| Red Rock | | | 637 | 727 | | | |
| Lime | | | 727 | 735 | | | |
| Red Rock | | | 735 | 755 | | | |
| Lime | | | 755 | 800 | | | |
| Pink Rock | | | 800 | 835 | | | |
| Lime | | | 835 | 865 | | | |
| Red Rock | | | 865 | 890 | | | |
| Lime | | | 890 | 915 | | | |
| Sand | | | 915 | 960 | | | |
| Black Slate | | | 960 | 968 | | | |
| Lime | | | 968 | 978 | | | |
| Black Slate | | | 978 | 992 | | | |
| White Slate | | | 992 | 1010 | | | |
| Lime | | | 1010 | 1023 | | | |
| Soft Slate | | | 1023 | 1028 | | | |
| Lime | | | 1028 | 1056 | | | |
| White slate | | | 1056 | 1065 | | | |
| Lime | | | 1065 | 1077 | | | |
| Slate & Shell | | | 1077 | 1210 | | | |
| Sand | | | 1210 | 1285 | | | |
| Slate & Shell | | | 1285 | 1360 | | | |
| Sand | | | 1360 | 1412 | | | |
| Slate | | | 1412 | 1440 | | | |



| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|---------------|-------|--------------|------|--------|-------------------|-------------|---------|
| Lime | | | 1440 | 1464 | | | |
| Sand | | | 1464 | 1480 | | | |
| Slate | | | 1480 | 1495 | | | |
| Sand Maxon | | | 1495 | 1592 | | | |
| Slate | | | 1592 | 1597 | | | |
| Lime | | | 1597 | 1618 | | | |
| Sand Injun | | | 1618 | 1715 | | | |
| Lime | | | 1715 | 1726 | | | |
| Slate | | | 1726 | 1746 | | | |
| Lime# | | | 1746 | 1785 | | | |
| Slate & Shell | | | 1785 | 2080 | | | |
| Brown Shale | | | 2080 | 2106 | | | |
| Sand Berea | | | 2106 | 2138 | Oil Gas & # | | |

12/22/2023

Date August 23, 1947

APPROVED Parkersburg Oil & Gas Co., Owner

By *[Signature]*
(Title)

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|---------------|-------|--------------|------|--------|-------------------|-------------|---------|
| Lime | | | 1440 | 1464 | | | |
| Sand | | | 1464 | 1480 | | | |
| Slate | | | 1480 | 1495 | | | |
| Sand Maxon | | | 1495 | 1592 | | | |
| Slate | | | 1592 | 1597 | | | |
| Lime | | | 1597 | 1618 | | | |
| Sand Injun | | | 1618 | 1715 | | | |
| Lime | | | 1715 | 1726 | | | |
| Slate | | | 1726 | 1746 | | | |
| Lime | | | 1746 | 1785 | | | |
| Slate & Shell | | | 1785 | 2080 | | | |
| Brown Shale | | | 2080 | 2106 | | | |
| Sand Berea | | | 2106 | 2138 | Oil Gas & #2 | | |

12/22/2023

DEPARTMENT OF MINES
STATE OF WEST VIRGINIA

Date August 23, 1947

APPROVED Parkersburg Oil & Gas Co., Owner

By *J. M. ...* (Title)





STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Marietta

WELL RECORD

Oil or Gas Well **Oil & Gas**
(KIND)

Permit No. Woo-224 **Lost**

Company Parkersburg Oil & Gas Company
Address Parkersburg, W. Va.
Farm R. N. Corbitt Acres 200
Location (waters) Worthington Creek
Well No. 6 Elev. 767.6
District Union County Wood
The surface of tract is owned in fee by P. J. R. W. & C. G. Corbitt Address Parkersburg, W. Va.
Mineral rights are owned by Same Address _____

| Casing and Tubing | Used in Drilling | Left in Well | Packers |
|-------------------|------------------|--------------|-----------------------|
| Size | | | Kind of Packer |
| 16 | | | Bottom Hole |
| 13 | | | Size of |
| 10 | 164 | None | Depth set 1760 |
| 8 1/4 | 1052 | None | Perf. top |
| 6 5/8 | 1760 | 1760 | Perf. bottom |
| 5 3/16 | | | Perf. top |
| 3 | | | Perf. bottom |
| 2 | | | Perf. top |
| Liners Used | | | Perf. bottom |

Drilling commenced March 12, 1947
Drilling completed April 12, 1947
Date Shot April 14, From 2111 To 2138
With 40 qts Nitro-Glycerine Open Shot
Open Flow 15/10ths Water in 2" Inch
/10ths Merc. in _____ Inch
Volume 200.000 Cu. Ft.
Rock Pressure 150 lbs. 12 hrs.
Oil 2 bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

| CASING CEMENTED | SIZE | No. Ft. | Date |
|-------------------------|------|---------|------|
| | | | |
| COAL WAS ENCOUNTERED AT | FEET | INCHES | |
| | FEET | INCHES | |
| | FEET | INCHES | |

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|-----------------|-------|--------------|------|--------|-------------------|-------------|---------|
| ed Rock & Slate | | | 0 | 195 | | | |
| Lime Hard | | | 195 | 205 | | | |
| Red Rock | | | 205 | 245 | | | |
| Lime | | | 245 | 250 | | | |
| Slate & Shell | | | 250 | 450 | | | |
| ime Gretty | | | 450 | 480 | | | |
| ed Rock | | | 480 | 515 | | | |
| Sand | | | 515 | 535 | | | |
| hite Slate | | | 535 | 545 | | | |
| ed Rock | | | 545 | 575 | | | |
| hite Slate | | | 575 | 590 | | | |
| Lime | | | 590 | 602 | | | |
| ed Rock | | | 602 | 613 | | | |
| Lime | | | 613 | 620 | | | |
| ed Rock | | | 620 | 628 | | | |
| Lime | | | 628 | 637 | | | |
| ed Rock | | | 637 | 727 | | | |
| Lime | | | 727 | 735 | | | |
| ed Rock | | | 735 | 755 | | | |
| Lime | | | 755 | 800 | | | |
| ink Rock | | | 800 | 835 | | | |
| Lime | | | 835 | 865 | | | |
| ed Rock | | | 865 | 890 | | | |
| Lime | | | 890 | 915 | | | |
| Sand | | | 915 | 960 | | | |
| lack Slate | | | 960 | 968 | | | |
| Lime | | | 968 | 978 | | | |
| lack Slate | | | 978 | 992 | | | |
| hite Slate | | | 992 | 1010 | | | |
| Lime | | | 1010 | 1023 | | | |
| oft Slate | | | 1023 | 1028 | | | |
| Lime | | | 1028 | 1056 | | | |
| hite Slate | | | 1056 | 1065 | | | |
| Lime | | | 1065 | 1077 | | | |
| late & Shell | | | 1077 | 1210 | | | |
| Sand | | | 1210 | 1285 | | | |
| late & Shell | | | 1285 | 1360 | | | |
| Sand | | | 1360 | 1412 | | | |
| Slate | | | 1412 | 1440 | | | |

AUG 1947
WEST VIRGINIA
DEPARTMENT OF MINES
12/22/2023