V.

DEPARTMENT OF MINES

OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

Charleston, W. Va.			
	UN	ITED FUEL GAS CO.	
COAL OPERATOR OR COAL OWNER	d = ==	NAME OF WELL OPERATO	R
	% G. H.	1273, Charleston	n 25 W Va
ADDRESS	1.0. DOX	COMPLETE ADDRESS	1 2), 110 14.
		T - 0	70 IM
COAL OPERATOR OR COAL OWNER			,19_47_
		PROPOSED LOCATIO	ON
ADDRESS		Steele	District
M. A. Webber		Wood	County
OWNER OF MINERAL RIGHTS			39 10'
R.F.D. #2 Belleville, W. Va.	Well No.	6211	81° 35'
ADDRESS			
		M. A. Webber	Farm
GENTLEMEN:	****	7.0	
The undersigned well operator is entitled to de			
oil and gas, having fee title thereto, (or as the case n	nay be) under	grant or lease dated	
December 21, 1944 , made	by M. A.	Webber et ux	, to
Lee Batten		, and recorded on the	he loth day
of April 1945 , in			
Book 260 page 395	the one of	one county crem no	
and County above named, determined by survey and colland marks. The undersigned well operator is informed and to coal beneath said farm or tract of land on which sale aries of the same, who have mapped their workings are coal operators or coal owners (if any) above named as the above named coal operators or coal owners (if desire to make to such proposed location, or which they the drilling of a well at said proposed location will cause coal mines, must be received by, or filed with the Depart a copy of this notice and accompanying plat by said D that forms for use in making such objections will be promptly on request and that all such objections must a ground or grounds on which such objections are base posed location should be moved to overcome same. (The next paragraph is to be completed only in Copies of this notice and the enclosed plat were mamed coal operators or coal owners at their above shown on the same day with the mailing or delivery of the West Virginia. Very trees.	pelieves there aid well is local different is addressees. If any) are not are required see a dangerous ment of Minese epartment. So for furnished the forth as did and indicate the performance of the per	are no coal operators ated, or within 500 fee maps as required by la otified that any object to make by Section 3 s condition in or about s within ten* days from aid coal operators are to them by the Departer of the direction and det's copy.) stered mail, or deliver address Same	s operating beds et of the bound- w, excepting the etions they may of said Code, if their respective om the receipt of further notified rtment of Mines ably possible the listance the pro- red to the aboveday before,
VOLU UL	ury yours,		
CALL	UNIT	ED FUEL GAS CO.,	
23456		WELL OPERATOR	
Address)	% G.	H. Moore	
JUN 1947 Address of	DA: D	STREET	ton 25
Well Operator)	P.U. D	ox 1273, Charlest	son 2),
JUN 1947 WEST VIRGINA OF MARS Well Operator		West Virginia	12/22/2023
E. S.		STATE	
*Section 3. If no such objections be filed or be f ten days from the receipt of said notice and plat by the depo ment shall forthwith issue to the well operator a drilling pe have been made by the coal operators to the location, or a approved and the well operator authorized to proceed to dri	ermit reciting to cound thereto b	es, to said proposed locations in the filing of such plat, to by the department, and	ation, the depart- that no objections

228

TANDESTON COUNCED JANRETT PRINTING COMPANY, CHARLESTON, W. VA.

WOO-228 PERMIT NUMBER

1. A10.

Juno 14, 1947

United Fuel Cas Company o/o G. H. Hoore Box 1273 Charleston, West Virginia

Centlomen:

Enclosed is permit WOO-228 to drill Well No. 6211 on the M. A. Webber Farm, Steels District, Wood County.

Very truly yours,

Administrative Assistant OIL AND GAS DIVISION

CMH:K

CC: Inspector G. E. Smith





DEPARTMENT OF MINES OIL AND GAS DIVISION

WELL RECORD

Ded Deele			0	75		the second second	
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	
Salt water 157	5, 5541	feet	feet	FEET	INC	HES	FEET INCHES
Fresh water 340	1143	feet				HES	FEETINCHES
Oil	1.7		_bbls., 1st 24 hrs.				
Rock Pressure		lbs.	hrs.	COAL WAS EN	COUNTEDED	AT 620	FEET 48 INCHES
Volume	19		Cu. Ft.				
		in		CASING CEME	NTED	SIZE	_No. FtDate
Open Flow	/10ths Water	in	Inch				
With							Perf. bottom
Date ShotNot Sh		пТо		Liners Used			Perf. top
Drilling complete	1	_48		2			Perf. bottom
Drilling commenc	- 0-			3		THE STATE OF THE S	Perf. top
			ville, W. Va.	5 3/16			
Mineral rights are		M. A. Webber		36%87	4534	4534*	Depth set
The surface of the		Address		38X4X8-5/8	20061	20061	
		fee by		10-3/4	1074*	1074	Size of
	Le	CountyWoo	od	13-3/8	5621	5621	
Well No.	6211	Jora	818 ³ /	16			Kind of Packer
Farm Mo F Location (waters)		Fork	Acres	Size			
14 /	A. Webber			Tubing		4 "	14 95 90
D A		as Company , Charleston	25 W We	Casing and Tubing	Used in Drilling	Left in Well	Packers
TT- 4 A	ad Tuel C	0					
Permit No. WC	30-228-P		ABANDONM	ENT		Oil or	Gas Well Dry Hole

Oil			_bbls., 1st 24 hrs.	COAL WAS E	NCOUNTERED A	T 020 FEE	T TO INCHES
Fresh water 340	1143*	feet	feet	FEE	rINCHE	SFEF	TINCHES
Salt water 1575	5, 5541	feet	feet	FEET	rINCHE	SFEF	TINCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock		4 14	0	75		And the second	
Slate		17 40 32	75	100			
Red Rock			100	300			
Sand			300	375			Water 340'- 1
Red Rock			375	500			В. Р. Н.
Sand			500	525			
Red Rock		1	525	550			
Lime			550	565			
Red Rock			565	590			
White Slate			590	620			
Coal			620	624	Just the two		
Slate & Shells			624	700			
Sand			700	740			
Red Rock			740	785			
Slate & Shel	.ls		785	800			Cave 805 & 848
Red Rock			800	875	Agency A		Cave 00') & 040
White Slate			875	905			
Red Rock			905	1015			
Lime			1015	1035	14-24		The second second
Slate			1035	1060	1.76		
Lime		17 70 - 70 - 70 - 70 - 70 - 70 - 70	1060	1106	Add a second		
Pink Rock			1106	1115			Water 1143' - 1
Sand			1115	1158			B. P. H.
Slate & She	lls		1158	1275			
Sand		CATANTA		1315			
Slate	. 1	314252632	1275 1315	1615	The second second		Hole full of
Sand	Color	63	1615	1660			Water 1575*
Lime	0,0	BR 1948	1660	1700			
Slate	- 00	APH WARMING	1700	1720		1	
Lime Sho	TOP V	ST THE PARTY	1720	1945		12/	22/2023
Slate & She	110 8	MANNEY C	1945	2000			later 55411 -
Sand	Tree IND	X	2000	2010		1	
Slate & She	110 60	(00)	2010	2170			
Gritty Lime		4016813	2170	2200			
Slate & She		TOTAL	2200	3300			Show Gas 2650
Shale			3300	3500			The state of the second second
Slate & She	118	7500	3500	3700	or Woter		flemarks.
Brown Shale		Band or	3700	3870	оп. ела		

B-7

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
White Slate Brown Shale Corniferous I Oriskany Sand			3870 4280 4515 4625	4280 4515 4625 4666			Show age 2650
Lime Newburg(Dolor Lime Big Six Sand	nite)		4666 5541 5566 5703	5541° 5566 5703 5735°			Water 5541' - Newburg.
Broken Lime Red Lime Broken Lime Red Lime			5735 5756 5839 5849	5756 5839 5849 5880			Mole fall of water 1975'
Broken Lime Red Lime Hard Lime	Fe	•	5880 5965 6022	5965 6022 6062			B. P. H.
Red Rock Slate Clinton Sand Lime Sand Red Medina Slate Red Medina Slate	27		6062 6064 6075 6141 6200 6212 6590 6595 6607	6064 6075 6141 6200 6212 6590 6595 6607 6627			Save 805 % 844
Total Depth			6627	620°			
Time Red Rock			565	590			
Red Rock	4		525 555 565	550 565			
Red Rock Sand			<u> </u>	5eo 525			F. F. H.
Red Rock Sami			200 100	375			Meter 340'- 1
Slate .			AL.	300 TCD			
Idea- Rook			0.	42			
	Color	Hard er Soft	Ten	Bottom		Death Found	Remarks
Rall water Love	, 5541	feet	feet feet	LEE		18	
Fresh water 340	11431		bble, 1st 24 bre.	COAL WAS I			
		The	pas pas			4 620 FE	Als Inches
	Alotha Mero, i	•	Tach Ou Fu	CASING CEM		No.	Date
	Mathe Water i	d de	In h				
Date Shollob 31	ot From	100		Liners Used			o norton
Drilling completes	4-17-	18		1 8 th		ь	
R.F.D. V2	7-25-		ille, W. Ve.	3		b b	s con the same
Mineral rights are	owned by	. A. Webber	1118 10 44	7.200.T	the spin	102311 D	of spirit
		adress		. x0x8-5/8	5000	30081	
District : Sucol		County meritoo		10-3/4	16Ajtı	Tokyt.	14
Well No.	6211		Nov 818 3/	16 - 3/8	2081	1898	of Photor
Farm	North			Size			
Address B.O.	. Mebber	The rieston	25, %, Va	J.op.ok		H(n))	3.5
Company Unit			人	Casing and		Left in	Packers
	0-888		PROTOGE	RECORI		12/	22/2023
			Jettmi i				

APPROVED 19 19 48

APPROVED 19 19 48

By Griff Myweer (Title) R.

B-3

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. Nov. 228	7				Well	No. 62	!/
COMPANY Cranited	Fruel Go	es lo	DISTRICT Stall COUNTY Work DISTRICT Stall COUNTY Work Amount Packer Location BRIDGES CASING AND TUBING CONSTRUCTION-LOCATION RECOVERED SIZE LOST G191- G191- G194- G086-				
FARM Medical Used Gravel and cement Liner Location Amount Packer Location PLUGS USED AND DEPTH PLACED BRIDGES CASING AND TUBING CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LOST Bridge G191- G191-G084-G075- A-785-Felling with gravel Drillers' Names Howe Bound John Stahnbar Remarks:							
Filling Material Used	0. 0	ano	A THE SECTION ASSESSMENT AND ADDRESS OF THE SECTION ASSESSMENT ASS	+			
Liner Lo	ocation	Amoun	t Pack	cer	Location		and the second
PLUGS USED	AND DEPTH PLACED		BRIDGES		CASING	G AND TUB	ING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-L	OCATION	RECOVERED	SIZE	LOST
	Bridge		6191-	and Syland			in the state.
10 change	Gravel			085-		(September)	vo adMirit
16'						in the state of	on marriali
model test	Budge				rth a	ravel	Cafe shot
14.1 (19 ³)			Linels Use	ai MaWeat		1/0	
from the			doni	the Merc, in		ni hi 1 10 lk	
and the state	3.812		CONNECTION				Sea many
			27.0		o.dr		in the state
				A 10 20 10 10 10 10 10 10 10 10 10 10 10 10 10			
,		444444					
Drillers' Names	ner Bon	met	lo hu	Stahu	wher	Casing and Tubing Vered Size Lost	
		T.3	above well on this date. ADDRESS Charleston W. O. Stallage of the Stallage of	137146-7116			
Remarks:					Location CASING AND TUBING RECOVERED SIZE LOST Total Analy DISTRICT WELL INSPECTOR		
212829	3031/13			RESS Charleston W Va teel COUNTY Word encent Packer Location BRIDGES CASING AND TUBING RUCTION-LOCATION RECOVERED SIZE LOST - 6084 6084 4084 41000000000000000000000000000000000000			
AND BE	M						
1222	567						
4/27 49 48	I hereby certify I v	risited the a	bove well on this date.		. /		
19191b	1815/14			86:	Howa	nd	
ECTREBUL VIEW TODAY					DIST	12/22/	NSPECTOR 2023

DEPARTMENT OF MINES

OIL AND GAS DIVISION

The state of the s						Part of the second of the seco
Company		CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS MARA
Address		Size			Land Initial	
Farm	Parker Lpr	16	A	golfa90	Kind of Pac	ker
Mine way to the way of	and the second second	13		LICE SO STATE	r was arrest to a	
Well No.	ETYGERY HOFFASOL HOTFEUR	10		tions	_ Size of	112 X 2 2
District	County	81/4				
Drilling commenced		65%		shada a	_ Depth set	
	1 1 1 1 1 1	5 3/16				
Drilling completed	Total depth	3			Perf. top	
Date shot	Depth of shot	2		30000	Perf. botton	1
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
	/10ths Merc. inInch				Perf. botton	n
Open now after tubing	/ Total Merc. InInch					
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs.					
Oil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEET	INCHES
Fresh water	feetfeet	FEETFEET	INCH	ES	FEET	INCHES
Salt water	feetfeet	FEET_	INCH	ES	FEET_	INCHES
Drillers' Names						Remarkst
Dimeis ivanies						
Remarks:						



DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. 400 228	_		Well No. 62//							
COMPANY Justed	Fuel Sa	o _ E00	ADD	RESS 6	harleston	2 Q1	Wa			
FARM MG	Veber	DISTRI	ICT	Steele	COUNTY	Vore	9			
Filling Material Used										
Liner L	ocation	Amour	nt	Packer	Location		See			
PLUGS USED	AND DEPTH PLACED			BRIDGES	CASIN	G AND TU	BING			
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTI	RUCTION-LOCATION	RECOVERED	SIZE	LOST			
	Gravel		5-786	- 5-7/3	REAL F		25(13)1			
2 bags			1-7/3			Bentan Zina	NOT WHILE THE			
The same and	Budge		4616	iliqob l	ETI L	5.04	dea nedită			
THE STATE OF THE STATE	Gravel		K116.	- 4-6-41	To Dig O		. A 1648, 07.0°E			
0	Lead wool		15-15-41	- 5-5-36	E(13) 15	37.2	Parada Cherika et			
2 kays			15-36 -	- 5-5-26	/10135	na 113 3 s	La mail regist			
461	Grabel	CHENTER	4716	- 4685			18 m 18 m			
2 Lags	2		4634	- 4621-	SI		Decity Cost			
2 Lugs	Gravel	MITTER NAME OF	4625-	- 45-50 - 45-40			tar.			
Cefucian C	conflicted 1	(=)"	cas							
Drillers' Names Joon	ner Bar	mett	Jos	m Stall	naku					
Ready	to my	Car	mily	1991						
Remarks:			/	,						

1 hereby certify I visited the above well on this date.

DEPARTMENT OF MINES

OIL AND GAS DIVISION

		orik skill	4-27/11		ND)	ELUMOT.
Company		CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS LANA
Address		Size			best Lind	
Farm	port police in the property of	16		BOL(89)	Kind of Pack	er ymil
Well No.	g saudiju .	10	(1) (QA)	a homan dive	Size of	
District	County	81/4	The second secon	-eloove	Dize of	MEMSS
Drilling commenced		65%	3.9	18.	Depth set	
Drilling completed	Total depth	5 3/16		W. 45	Perf. top	
Date shot	Depth of shot	2			Perf. bottom	
Initial open flow	/10ths Water inInch	Liners Used		A7194	Perf. top	
Open flow after tubing	/10ths Merc. inInch				Perf. bottom	
Volume	Cu. Ft.	CASING CEMEN	NTED	SIZE	No. FT	Date
Rock pressure	lbs. hrs.	7.7.9%				3
Oil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	INCHES
Fresh water	feetfeet	FEET_	INCI	HES	FEET	_INCHES
Salt water	feetfeet	FEET_	INCI	HES	FEET	LINCHES
Drillers' Names						Remarkse
Remarks:						



B/0-

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. Woo 2287	0				. W	ell No. 6 -	211
COMPANY Intel	Fuel Ga	z E	(DRESS Ch	COUNTY COUNTY	Mord Word	7
Filling Material Used	Gravel	El	ay .	Lead w	col		Annum a
Liner Loc	cation	Amoun	t	Packer	Locatio	n	THE ATT
PLUGS USED A	ND DEPTH PLACED			BRIDGES	CASI	NG AND TO	UBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONS	TRUCTION-LOCATION	RECOVERED	SIZE	LOST
	Bridge		2060		3743	65%	800
/0'	lelay			- 2020 - 2010	E latel	leoghai leoghai	mer gentlett
Pelis bedisan	Ofustion	emfle		814" Carrie	de lo logod		tode staff
mu al 1107.	Pulling	814"	Casu	ig why all ma	Mand Di	actions to a	is well said
tet TaxoX		OFFICIAL	0.081870	11m32			em ulok
Red Services and Profession	- 17 03800	<u> </u>	EW THUS	ent to tot add	ndt		<u> </u>
Drillers' Names	for of	Tahar	hu F	forward (Bonnet		
Remarks:						B (4)	du?" > S(find).

5/19-1948 DATE I hereby certify I visited the above well on this date.

MAY 1948

12/22/2023

DEPARTMENT OF MINES

OIL AND GAS DIVISION

		77 <i>F</i>		(KIN	1	X V 9 IX O CI
Company	(1000)	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKE	RS MALA
Address		Size			- hold lalista	
Farm	referi	16		нопере	Kind of Packe	er
Well No.	grandist in a satisfier and the	10	7	A PAGE MAIN	Size of	
	County	81/4		IOO W	SASANOTHI TO	Iamao Mariantana
Drilling commenced		65%			Depth set	
Drilling completed	Total depth	5 3/16				
Date shot	Depth of shot	3			Perf. top Perf. bottom_	
	/10ths Water inInch	Liners Used		757353	Perf. top	
	/10ths Merc. inInch				Perf. bottom_	The state of the s
	Cu. Ft.	CASING CEMENT	ED	SIZE	No. FT	Date
Rock pressure	lbs,hrs.					
Oil	bbls., 1st 24 hrs.	COAL WAS ENCO	OUNTERED A	AT_	FEET	_INCHES
Fresh water	feetfeet	FEET	INCHE	IS.	FEET	_INCHES
Salt water	feetfeet	FEET_	INCHE	S	FEET_	LINCHES
Duillous? No mag						Réparties:
Diffiers lyames						
Remarks:						



31

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. 228	P			F. C. F. D. G. F. G. F. F. F.	Wel	I No. 6	211	
COMPANY Quited		2 60.	ADD	RESS Chan	lestan	W	Va	
FARM Of a Old	eber	DISTRI	CT	Steele o	COUNTY	Tord		
Filling Material Used	Gravel Jean	I wood	let	lay and	conent		and the A.	
Liner Loc	eation	Amoun	nt	Packer	Location			
PLUGS USED A	ND DEPTH PLACED			BRIDGES	CASIN	SING AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION		RECOVERED	SIZE	LOST	
	Budge		1624-		2006	8/4	80	
	Celan			- 1/25		Torry (south	the Anthony	
10'	+		1125	- ///h-	in I	be late	no galleri	
1.00	Colay		1114.	- 1070	c broad		forta - gri	
	Budge		654	don't de rom W s	1104	91	trate logar	
4h sachs			664-	- 600	dari		in woll tout	
	Elay	(15) EVITES	600-	h-64			<u> </u>	
	Colley		4-64	to surfa	ce		to their to of	
		ALL DONALD OF	44414			1, 1, 1, 1, 1		
	1							
Drillers' Names	wand C	Born	ett	John .	Stahn	ahu		
Remarks:	5-/19-4	8		V	-ann's			
				•	6272829303	11/23		
				A	S JUN	2		
				(C)	CONTRACT VINE	MA I	78	
				lo co	JUN JUNE	MINES &	78.9	
1					E6/8/110101	METS AND		
5/19-1948	I hereby certify I	visited the a	above well or	this date.	द्भारी	NA GAS		
DATE				100	H	0		

12/22/2023

DEPARTMENT OF MINES

OIL AND GAS DIVISION

Permit No.						Oil or Gas Well.		
Company		-	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS WHALL	
Address			Size			teril lare	all saille	
Farm	Can T	etal I	16		180janan	Kind of Pac	ker	
Well No.	Markouse HOLLAD	32 HOT 346	13	i engan	тираа айк - аабуу	Size of	waita)	
District	County		81/4					
Drilling commenced		-	65% 5 3/16			Depth set		
Drilling completed	Total depth		3			Perf. top		
Date shot	Depth of shot		2			Perf. botton	1	
Initial open flow	/10ths Water in	Inch	Liners Used			Perf. top Perf. botton		
Open flow after tubing	/10ths Merc. in.	Inch				Tell. botton	ATT CANCEL CONTRACTOR OF A STATE OF	
Volume		Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date	
Rock pressure	lbs.	hrs.	18.52.61					
Oil	bbls.,	1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	INCHES	
Fresh water	feet	feet	FEET	INCH	IES	FEET	INCHES	
Salt water	feet	feet	FEET_	INCH	IES	FEET	INCHES	
Drillers' Names							:shumoN	
Remarks:								





DEPARTMENT OF MINES OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES, Charleston, W. Va.

TIDUST PRODUCE BUTTER BUTTER OF A		
	UNITED FUEL GAS COMPANY	
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR	Seption con
6191 to 6085	C/O C W Moome	Fill with C
6075 to 6075	C/O G. H. Moore	the Control of the Co
3873	P.O. Box 1273, Charleston	
ADDRESS	COMPLETE ADDRESS	Fill with G
FOVE of EIVE	Tue (2 Beeins)	Den dneme O
9192	April 22,	enbir 10.48
	15V2	19
COAL OPERATOR OR COAL OWNER	WELL TO BE ABANDON	Eplood baol
वेडलें कर केलले	(2 Sacks)	Coment Time
gra	Steele	enh 'ni de
ADDRESS	Leves	District
मुक्ता ६० ५०६	(2 Magics)	Cement Plum
महत्रमा कर बेट्यम	Wood	County
M. A. Webber		Cenent Clus
LEASE OR PROPERTY OWNER	10 1 (000) 1 1 1 1 1	
R.F.D. #2 0003	Well No.	Banking Joh
Belleville, West Virginia	vel.	TILL WISH OF
ADDRESS	M. A. Webber	Farm
3008	to tes (bellenwas) water	HALA_A FEET
NOTIFY INSPECTOR O	C. HOWARD, GRANTSVILLE, W. VA.	
Gentlemen: _ 24 HOURS IN ADVANCE		D No In LIFE
Gentlemen:		control driame D
	it to abandon the above described well and	
The didensigned well operator is about	destined (belling)	will confinence
488		Set Bridge
००वे ०३ मिवे	erent (45 Saors)	
the work of plugging and abandoning said	well on the 26th day of April	, 1948
(which date shall not be less than five day	ys after the day on which this notice so mail	led is received.
	L. V.	O THE LITT
or in due course should be received by the	e Department of Mines.) d beginner as a	Set Monumen
This notice is given you in order that	at your respective representatives may be	present at the
	further notified that whether you are repr	material and of
	CONTRACTOR	
represented the undersigned will proceed	on that date, or shortly thereafter, to plu	g and fill said

reverse side of this notice, in "Work Order." This notice is being mailed by registered mail to each of you at the above addresses on the

well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the

above date.

Very truly yours,

UNITED FUEL GAS COMPANY

Well Operator.

12/22/2023

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

228-P PERMIT NUMBER

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

U-6211

M. A. Webber Farm

Steele Dist. Wood County Map Sq. 60-113

Total Depth	6627 Sand Line Measurement
Set Bridge at	
Set Bridge at	6191
Fill with Gravel	6191 to 6085
Cement and Plug (2 Sacks)	6085 to 6075
Set Bridge at 3 Land , Sist Nos . 0. 3	5785
Fill with Gravel	5785 to 5713
Cement and Plug (2 Sacks)	5713 to 5703
Set Bridge at ,SS Line	5616
Fill with Gravel	5616 to 5541
Lead Wool 200#	5541 to 5536
Cement Plug (2 Sacks)	5536 to 5526
Set Bridge at	4716
Fill with Gravel	4716 to 4635
Cement Plug (2 Sacks)	4635 to 4625
Fill with Gravel	4625 to 4550
Cement Plug (2 Sacks)	4550 to 4540
Pull 7" Casing set at (cemented)	4534-Rip Collar where free
Set Bridge at	2060
Fill with Clay	2060 to 2020 fire field
Cement Plug (2 Sacks) Teddew .A.M	2020 to 2010
Pull 8-5/8" Casing (aquagelled) set at	2006
Set Bridge at	1625
Fill with Clay	1625 to 1125
Cement Plug (4 Sacks)	1125 to 1115
Fill with Clay	1115 to 1070
Pull 10-3/4" Casing (aggualled) set at	1074
Set Bridge at	654
Fill with Cement (45 Sacks)	654 to 600
Fill with Clay	
Pull 13-3/8" Casing set at	562
Set Monument as required by Law	or in due course should be received by the
was a managed and made and all many	

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

UNITED FUEL GAS COMPANY

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this

day of

April

By:

12/22/2023

DEPARTMENT OF MINES Oil and Gas Division

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.



B-10-



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

Cement-2 Sks. 2020 2010 initials Well Number, farm and da	COMPLETE ADDRESS COMPLETE ADDRESS CONFIGURATION ON OWNER COAL OPERATOR ON OWNER COAL OPERATOR ON OWNER ADDRESS WOOD COUNTY ADDRESS WOOD COUNTY WELL AND LOCATION District WOOD County Mr. A. Webber Farm STATE INSPECTOR SUPERVISING PLUGGING AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26ths day of April and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL FLUGS USED CASING FORMATION COMPANT FORM TOO COMMENT FORM TOO SIZE AND CASING	STATE INSPECTOR SUPPORT OF WEST VIR County of George Was being first duly sworn plugging and filling oil a well operator, and parti was commenced on the and filled in the following sand or zone record formation Total Depth Set Bridge Clinton Sand Grand Gran	ATOR OR OWNER DDRESS ROPERTY OWNER DDRESS PERVISING PLUGO RGINIA, Bowen according to late and gas wells and icipated in the well and possible in granner: FILLING CONTENT Travel ement - 2 Sks. ridge set at ravel	AFFI ss: w depose d were em ork of plu April FROM 6191 6085	Well I Mo Well I Mo DAVIT and and say the ployed by gging and say the ployed by g	complete And 24, Well AND Logele od No. 6211 A. Webber hat they are experiently United Fuel Gast filling the above of the complete of the	enced in the company well, that sa he well was cas pulled 4073 2006 1074	County Farm work of id work plugged LEFT IN 801 0 0
COAL SEAMS COAL OPERATOR OR OWNER COAL OPERATOR OR OWNER COAL OPERATOR OR OWNER ADDRESS WOOD COUNTY WOOD COUNTY WOOD COUNTY WOOD COUNTY WOOD COUNTY WELL AND LOCATION District Wood County Well No. 6211 AFFIDAVIT STATE INSPECTOR SUPERVISING PLUGGING. AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26ths day of April , 1948, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FORMATION COMPENT FROM COM	COAL OPERATOR OR OWNER COAL OPERATOR OR OWNER ADDRESS MOOD LEASE OR PROPERTY OWNER ADDRESS WOOD LEASE OR PROPERTY OWNER ADDRESS WELL AND LOCATION District WOOD County LEASE OR PROPERTY OWNER ADDRESS Well No. 6211 AFFIDAVIT STATE INSPECTOR SUPERVISING PLUGGING AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26ths day of April 1,1948, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CABING FORMATION COMPATION FORM TO SIZE & KINC CASING CASIN	STATE INSPECTOR SUPPLEMENT OF WEST VIR. County of George W. being first duly sworn plugging and filling oil a well operator, and parti was commenced on the and filled in the following SAND OR ZONE RECORD FORMATION Total Depth Set Bridge Clinton Sand Gri Briskany Sand Gri Centriskany Sand Gri Centriskany Sand Centriskany Sand Centriskany Sand Gri Centriskany Sand	ATOR OR OWNER DORESS ROPERTY OWNER PERVISING PLUGO RGINIA, Bowen according to larand gas wells and icipated in the well and gas wells and icipated in the well content FILLING content ravel ement - 2 Sks. ridge set at ravel	AFFI ss: w depose d were em ork of plu April FROM 6191 6085	Well I Mell I Mo OAVIT and and say the ployed by gging	May 24, WELL AND LO eele od No. 6211 A. Webber hat they are experie United Fuel Gas filling the above v 1948, and that the PLUGS USED SIZE & KIND 7" 0.D. 8-5/8" 0.D. 10-3/4" 0.D.	enced in the second well, that sa he well was cas pulled 4073 2006 1074	County Farm work of id work plugged LEFT IN 801 0 0
Steele District ADDRESS Well AND LOCATION District Wood County Well No. 6211 M. A. Webber Farm STATE INSPECTOR SUPERVISING PLUGGING AFFIDAVIT STATE OF WEST VIRGINIA, County of Seorge W. Bowen and being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26ths day of April ,1948, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FORMATION CONTENT FROM TO SIZE A KIND LEFT IN THE STATE TO SIZE A KIND CASING COMMENT STATE OF WEST VIRGINIA, Coment - 2 Sks 6685 6075 13-3/8" O.D. 2006 0 Bridge set at 5785 5713 5703 Bridge set at 5616 5541 5556 CAMBOL SPALL SPA	Steele Well And Location Address Wood County Well No. 6211 Address Well No. 6211 Address Well No. 6211 Affidation Affidation State inspector supervising plugging Affidation Affidation Affidation Affidation Affidation Affidation Affidation Affidation Affidation Agrand April 1,194 and filling the above well, that said work was commenced on the 26th day of April 1,194 and filling the above well, that said work was commenced on the 26th day of April 1,194 and filling the above well, that said work was commenced on the 26th day of April 1,194 and filling the above well, that said work was commenced on the 26th day of April 1,194 and filling the above well, that said work of plugging and filling the above well, that said work was commenced on the 26th day of April 1,194 and filling the above well, that said work of plugging and filling the above well, that said work of plugging and filling the above well, that said work of plugging and filling the above well, that said work of plugging and filling the above well, that said work of plugging and filling the above well, that said work of plugging and filling the above well, that said work of plugging and filling the above well, that said work of plugging and filling the above well, that said work of plugging and filling the above well, that said work of plugging and filling the above well, that said work of plugging and filling the above well, that said work of plugging and filling the above well, that said work	STATE INSPECTOR SUPPORT STATE OF WEST VIR County of George Was being first duly sworn plugging and filling oil a well operator, and partit was commenced on the and filled in the following sand or zone record formation Total Depth Set Bridge Clinton Sand Gride Gri	PERVISING PLUGO RGINIA, Bowen according to late and gas wells and icipated in the well and part of ing manner: FILLING CONTENT Travel ement - 2 Sks. ridge set at ravel	AFFI ss: w depose d were em ork of plu April FROM 6191 6085	Well I Mo Well I Mo DAVIT and and say the ployed by gging and and say the ployed by gging and say the ployed	well and lo	enced in the self, that sa he well was cas pulled 4073 2006 1074	County Farm work of id work plugged LEFT IN 801 0 0
Steele Well And Location Address Wood County Lease or property owner Well No. 6211 M. A. Webber Farm STATE INSPECTOR SUPERVISING PLUGGING. AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26ths day of April and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL FROM FROM FORMATION CONTENT FROM TO SIZE & KIND CONTENT FROM FROM TO SIZE & KIND CONTENT TO SIZE CONTENT TO SIZE CONTENT TO S	Steele WELL AND LOCATION District Wood County Lease on PROPERTY OWNER Well No. 6211 M. A. Webber Farm STATE INSPECTOR SUPERVISING PLUGGING. APPILOR OF BOOK ACCORDING ACC	STATE INSPECTOR SUPPORT STATE OF WEST VIR County of George Was being first duly sworn plugging and filling oil a well operator, and partit was commenced on the and filled in the following sand or zone record formation Total Depth Set Bridge Clinton Sand Gride Gri	PERVISING PLUGO RGINIA, Bowen according to late and gas wells and icipated in the well and part of ing manner: FILLING CONTENT Travel ement - 2 Sks. ridge set at ravel	AFFI ss: w depose d were em ork of plu April FROM 6191 6085	Well I Mo Well I Mo DAVIT and and say the ployed by gging and and say the ployed by gging and say the ployed	hat they are experied that they are experied	enced in the self, that sa he well was cas pulled 4073 2006 1074	County Farm work of id work plugged LEFT IN 801 0 0
Wood County ADDRESS Well No. 6211 ADDRESS Well No. 6211 M. A. Webber Farm STATE INSPECTOR SUPERVISING PLUGGING. AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen and being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of and filled in the following manner: SAND OR ZONG RECORD FILLING MATERIAL FLUGS USED CASING FORMATION CONTENT FROM TO SILLE KIND CONTENT FROM TO SI	Wood County LEASE OR PROPERTY OWNER Well No. 6211 M. A. Webber Farm STATE INSPECTOR SUPERVISING PLUGGING. AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen and being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of April , 1948 , and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FORMATION CONTENT FROM TO SILE & KIND CASING FORMATION CONTENT FROM TO	STATE INSPECTOR SUPPORT OF WEST VIR County of George Was being first duly sworn plugging and filling oil a well operator, and partit was commenced on the and filled in the following sand or zone record formation Total Depth Set Bridge Clinton Sand Grids Sig Six Sand Grids Gr	PERVISING PLUGG RGINIA, Bowen according to late and gas wells and icipated in the wealth day of ing manner: FILLING CONTENT Travel ement - 2 Sks. ridge set at ravel	AFFI SS: W depose d were em ork of plu April FROM 6191 6085	Well I Mo DAVIT and and say the ployed by gging and 6627 6191 6085 6075	hat they are experied to the street of the s	cas PULLED 4073 2006	County Farm work of id work plugged LEFT IN 801 0 0
Well No. 6211 **M. A. Webber** **STATE INSPECTOR SUPERVISING PLUGGING.** **AFFIDAVIT** STATE OF WEST VIRGINIA, County of **George W. Bowen** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by **United Fuel Gas Company** well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the **26th**. April ,1948**, and that the well was plugged and filled in the following manner: **SAND OR ZONE RECORD** **FORMATION** **CONTENT** **FORMATION** **FORMATION** **CONTENT** **FORMATION** **CONTENT** **FORMATION** **CONTENT** **FORMATION** **CONTENT** **FORMATION** **FO	STATE INSPECTOR SUPERVISING PLUGGING AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26ths. day of April April SAND OR ZONE RECORD FILLING MATERIAL FROM TO SILES KIND CONTENT FROM TO SILES KIND CONSTITUTE CONTENT FROM TO SILES KIND CONTENT FROM TO SILES	STATE INSPECTOR SUPPLED STATE OF WEST VIR County of George W. being first duly sworn plugging and filling oil a well operator, and parti was commenced on the and filled in the following sand or zone record formation Source Bridge Clinton Sand Grids Sig Six Sand Grids Grids Sig Six Sand Grids	PERVISING PLUGO RGINIA, Bowen according to late and gas wells and icipated in the well and property of the manner: FILLING CONTENT Travel ement - 2 Sks. ridge set at travel	AFFI SS: W depose d were em ork of plu April FROM 6191 6085	Well I Mo DAVIT and and say the ployed by gging and 6627 6191 6085 6075	hat they are experied to the street of the s	cas PULLED 4073 2006	Farm work of id work plugged csg Left in 801 0
Well No. 6211 M. A. Webber Farm STATE INSPECTOR SUPERVISING PLUGGING. AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen and being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of April ,1948, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGG USED CASING FORMATION CONTENT FROM TO SITE AKIND PULLED LETT IN OLD 1074 OLD 1074 OLD 1074 OLD 1074 OLD 1075 SOLD 1075 SO	Well No. 6211 M. A. Webber Farm STATE INSPECTOR SUPERVISING PLUGGING. AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL SAND OR ZONE RECORD FORMATION COMPENT FROM TO SIZE & KIND CASING CASING FORMATION COMPENT FROM TO SIZE & KIND CASING CASING	STATE INSPECTOR SUPPLED STATE OF WEST VIR County of George W. being first duly sworn plugging and filling oil a well operator, and parti was commenced on the and filled in the following sand or zone record formation Source Bridge Clinton Sand Grids Sig Six Sand Grids Grids Sig Six Sand Grids	PERVISING PLUGO RGINIA, Bowen according to late and gas wells and icipated in the well and property of the manner: FILLING CONTENT Travel ement - 2 Sks. ridge set at travel	AFFI SS: W depose d were em ork of plu April FROM 6191 6085	DAVIT and and say the ployed by gging and 6627 6191 6085 6075	hat they are experied United Fuel Gas I filling the above of the state	cas PULLED 4073 2006	Farm work of id work plugged csg Left in 801 0
STATE INSPECTOR SUPERVISING PLUGGING AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of April ,1948, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGG USED CASING PORMATION CONTENT FROM TO SIZE & KIND PULLED LOT'N PORMATION CONTENT FROM TO SIZE & KIND PULLED LOT'N PORMATION CONTENT FROM TO SIZE & KIND PULLED LOT'N POLICE LOT'N POLICE TO SIZE & KIND PULLED LOT'N POLICE LOT'N POL	STATE INSPECTOR SUPERVISING PLUGGING. AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26ths day of April and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING PORMATION CONTENT PROM TO SIZE & KIND CASING COMENT PROM TO SIZE & KIND CASING CASIN	STATE INSPECTOR SUPPLY STATE OF WEST VIR County of George W. being first duly sworn plugging and filling oil a well operator, and parti was commenced on the and filled in the following sand or zone record formation Form	RGINIA, Bowen according to la and gas wells and icipated in the w 26th day of ing manner: FILLING CONTENT Tavel ement - 2 Sks. ridge set at ravel	AFFI SS: W depose d were em ork of plu April FROM 6191 6085	DAVIT and and say the ployed by gging and 6627 6191 6085 6075	hat they are experied United Fuel Gas I filling the above of the state	cas PULLED 4073 2006	work of id work plugged sing csg LEFT IN 801 0
AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26ths. day of April and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL FROM FORMATION CONTENT FROM FROM TO SIZE & KIND FOLSE LEFT IN FORMATION CONTENT FROM TO SIZE & KIND FOLSE LEFT IN FORMATION COMENT COMENT FROM TO SIZE & KIND FOLSE LEFT IN FORMATION COMENT FROM TO SIZE & KIND FOLS FOLS LEFT IN FORMATION COMENT FROM TO SIZE & KIND FOLS FOLS LEFT IN FORMATION COMENT FROM TO SIZE & KIND FOLS FOLS FORMATION COMENT FROM TO SIZE & KIND FOLS FOLS FORMATION COMENT FROM TO SIZE & KIND FOLS FOLS FORMATION COMENT FORMATION COMENT FORMATION COMENT FROM TO SIZE & KIND FOLS FORMATION FOLS FORMATION COMENT FORMATION COMENT FORMATION COMENT FORMATION TO SIZE & KIND FOLS FOLS FORMATION FOLS FORMATION FORMATION FORMATION COMENT FORMATION FORMATI	AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26ths day of April and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FORMATION CONTENT FROM TO SIZE & KIND PULLED LEFT IN FROM TO SIZE & KIND PULLED LEFT IN GET Bridge Clinton Sand Gravel Gravel Gravel Gravel Gravel Gravel SPAL SPAL Gravel Gravel Gravel Gravel Gravel FORMATION Coment - 2 Sks. 5785 5713 F703 Bridge set at 5616 Gravel G	STATE OF WEST VIR County of George W. being first duly sworn plugging and filling oil a well operator, and parti was commenced on the and filled in the followir SAND OR ZONE RECORD FORMATION Potal Depth Set Bridge Linton Sand Gr Gr Gewberg Dolonite Gr Friskany Sand Gr Cer	RGINIA, Bowen according to la and gas wells and icipated in the w 26th day of ing manner: FILLING CONTENT Travel ement - 2 Sks. ridge set at ravel	AFFI SS: W depose d were em ork of plu April FROM 6191 6085	and and say the ployed by gging and 6627 6191 6085 6075	hat they are experied to the plugs used size a kind 7" 0.0. 8-5/8" 0.0. 10-3/4" 0.0.	cas PULLED 4073 2006	work of id work plugged sing csg LEFT IN 801 0
AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen Being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Compeny well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26ths day of April April SAND OR ZONE RECORD FILLING MATERIAL FROM TO SIZE & KIND CONTENT FROM TO SIZE & KIND COND CONTENT FROM TO SIZE & KIND COND COND SIZE & KIND COND COND SIZE & KIND COND COND SIZE & KIND COND SIZE & KIND COND SIZE & KIND COND COND SIZE & KIND COND COND COND SIZE & KIND COND COND COND SIZE & KIND COND SIZE & KIND COND COND SIZE & KIND COND SIZE & KIND COND SIZE & KIND COND COND SIZE & KIND COND SIZE & KIND COND COND SIZE & KIND COND SIZE & KIND COND COND SIZE & KIND COND SIZE &	AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen Deing first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL FROM TO SIZE & KIND PLUGS USED CASING PROMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING PROMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING PROMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING PROMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING PROMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING PROMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING PROMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING PROMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING PROMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING PROMATION ADDITION TO SIZE & KIND PLUGS USED CASING PROMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING CONTENT FROM TO SIZE & KIND PLUGS USED CASING COND CONTENT FROM TO SIZE & KIND PLUGS USED CASING COND CONTENT FROM TO SIZE & KIND PLUGS USED CASING COND CONTENT FROM TO SIZE & KIND PLUGS USED CASING COSING CONTENT FROM TO SIZE & KIND PLUGS USED CASING COSING CONTENT FROM TO SIZE & KIND PLUGS USED CASING COSING CONTENT FROM TO SIZE & KIND PLUGS USED CASING COSING COSING COSING COSING COSING COSING TO SIZE & KIND PLUGS USED CASING COSING COSING COSING TO SIZE & KIND PLUGS USED CASING COSING COSING COSING COSING TO SIZE & KIND PLUGS USED CASING COSING COSING COSING COSING TO SIZE & KIND PLUGS USED CASING COSING TO SIZE & KIND PLUGS USED COSING COSING COSING TO SIZE COSING TO SIZE COSING COSING TO SIZE COSING COSING TO SIZE COSING TO SIZE COSING COSING TO SIZE COSING COS	County of George W. being first duly sworn plugging and filling oil a well operator, and parti was commenced on the and filled in the followi SAND OR ZONE RECORD FORMATION Total Depth Set Bridge Clinton Sand Gr Br Gr George W. Debrig W. Debri	RGINIA, Bowen according to la and gas wells and icipated in the w 26th day of ing manner: FILLING CONTENT Travel ement - 2 Sks. ridge set at ravel	AFFI SS: W depose d were em ork of plu April FROM 6191 6085	and and say the ployed by gging and 6627 6191 6085 6075	plugs used size a kind 7" 0.0. 8-5/8" 0.0.	cas PULLED 4073 2006	work of id work plugged sing csg LEFT IN 801 0
AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th, day of April , 1948, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL FROM TO SIZE OF KIND FORMATION CONTENT FROM TO SIZE OF KIND FORMATION CONTENT FROM TO SIZE OF KIND FOLLOW LEST COST OF WORLD COST OF WORLD COST OF WORLD COST OF WORLD FORMATION CONTENT FROM TO SIZE OF KIND FOLLOW LEST COST OF WORLD COST OF WORLD COST OF WORLD FOLLOW LEST COST OF WORLD COST OF WORLD COST OF WORLD FOLLOW LEST COST OF WORLD COST OF WORLD COST OF WORLD FORMATION FROM TO SIZE OF KIND FOLLOW LEST COST OF WORLD COST OF WORLD COST OF WORLD FOLLOW LEST FILLING MATERIAL FLUGS USED COST OF WORLD FOLLOW LEST FOLLOW LEST FOLLOW LEST FOLLOW LEST FOLLOW LEST FILLING MATERIAL FLUGS USED COST OF WORLD FOLLOW LEST FOLL	AFFIDAVIT STATE OF WEST VIRGINIA, County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by pulicipal and filling oil and gas wells and were employed by well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26ths day of and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL FORMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING PROMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING PROMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING PROMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING PROMATION CONTENT FROM TO SIZE & KIND PLUGS USED CASING PROMATION COSTON LEFT IN 10-70-, D. 4073 801 801 801 801 805/81 0.D. 2006 0 Cement = 2 Sks 6085 6075 13-3/81 0.D. 562 0 Bridge set at 5785 5713 5703 Bridge set at 5616 Gravel Gravel Gravel John Gravel John Gravel John Gravel John Gravel John Gravel John Joh	County of George W. being first duly sworn plugging and filling oil a well operator, and parti was commenced on the and filled in the followi SAND OR ZONE RECORD FORMATION Total Depth Set Bridge Clinton Sand Gr Br Gr George W. Debrig W. Debri	RGINIA, Bowen according to la and gas wells and icipated in the w 26th day of ing manner: FILLING CONTENT Travel ement - 2 Sks. ridge set at ravel	AFFI SS: W depose d were em ork of plu April FROM 6191 6085	and and say the ployed by gging and 6627 6191 6085 6075	plugs used size a kind 7" 0.0. 8-5/8" 0.0.	cas PULLED 4073 2006	id work plugged SING CSG LEFT IN 801 0
STATE OF WEST VIRGINIA, County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of April ,1948, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL FROM TO SIZE & KIND PULLED LEFT IN O.D. 4073 801 Set Bridge Content - 2 Sks 6085 6075 13-3/8 0.D. 2006 0 Bridge set at 5785 5713 10-3/4 0.D. 1074 0 Gravel 5785 5713 5703 Bridge set at 5616 5541 Lead Wool 5541 5536 Comment-2 Sks 5713 5703 Bridge set at 4716 Gravel 4625 4550 Coment-2 Sks 4635 4625 Coment-2 Sks 4635 4625 Coment-2 Sks 4655 4625 Coment	County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of April ,1948, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL FROM TO SIZEA KIND CONTENT	County of George Wood being first duly sworn plugging and filling oil a well operator, and partice was commenced on the and filled in the following sand or zone record formation FORMATION Total Depth Set Bridge Clinton Sand Gridge Clinton Sand	Bowen according to lar and gas wells and icipated in the w 26th day of ing manner: FILLING CONTENT ravel ement - 2 Sks. ridge set at ravel	ss: w depose d were em ork of plu April MATERIAL FROM 6191 6085	and and say the ployed by gging and 6627 6191 6085 6075	PLUGS USED SIZE & KIND 7" 0.D. 8-5/8" 0.D.	cas PULLED 4073 2006	id work plugged SING CSG LEFT IN 801 0
County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26ths day of April was commenced on the 26ths day of April and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING PORMATION CONTENT FROM TO SIZE & KIND PULLED LEFT IN CONTENT PROM TO SIZE & KIND PULLED LEFT IN CONTENT PROM TO SIZE & KIND PULLED LEFT IN CASING CASING POLLED LEFT IN CONTENT PROM TO SIZE & KIND PULLED LEFT IN CASING CASING POLLED LEFT IN CASING POLLED LEFT IN TO SIZE & KIND PULLED LEFT IN CASING CASING POLLED LEFT IN TO SIZE & KIND PULLED LEFT IN APRIL APOLLED LEFT IN TO SIZE & KIND PULLED LEFT IN TO SIZE & KIND PULLED LEFT IN APOLLED LEFT IN TO SIZE & KIND PULLED LEFT IN APOLLED LEFT IN TO SIZE & KIND PULLED LEFT IN TO SIZE & KIND PULLED LEFT IN APOLLED LEFT IN TO SIZE & KIND PULLED LEFT IN TO SIZE & KIND CASING CASING CASING CASING CASING CASING CASING CASING CASING TO SIZE	County of George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th, day of April ,1948, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING PORMATION CONTENT FROM TO SIZE A KIND PCSC COSC	County of George Wood being first duly sworn plugging and filling oil a well operator, and partice was commenced on the and filled in the following sand or zone record formation FORMATION Total Depth Set Bridge Clinton Sand Gridge Clinton Sand	Bowen according to lar and gas wells and icipated in the w 26th day of ing manner: FILLING CONTENT ravel ement - 2 Sks. ridge set at ravel	w depose d were em fork of plu April MATERIAL FROM 6191 6085	70 6627 6191 6085	PLUGS USED SIZE & KIND 7" 0.D. 8-5/8" 0.D.	cas PULLED 4073 2006	id work plugged SING CSG LEFT IN 801 0
George W. Bowen being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26ths. day of and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING PORMATION CONTENT FROM TO SIZE & KIND PULLED LEFT IN SOLD FORMATION CONTENT FROM TO SIZE & KIND PULLED CASING	George W. Bowen and being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of April ,1948, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FOOMATION CONTENT FROM TO SIZE & KIND CASING CASING CASING CASING CASING FOOMATION CONTENT FROM TO SIZE & KIND CASING CASING FOOMATION CONTENT FROM TO SIZE & KIND CASING CA	being first duly sworn plugging and filling oil a well operator, and parti was commenced on the and filled in the followi SAND OR ZONE RECORD FORMATION Total Depth Set Bridge Clinton Sand Gr Br Br Br Br Br Br Br Br Br	Bowen according to la and gas wells and icipated in the w 26th day of ing manner: FILLING CONTENT ravel ement - 2 Sks ridge set at ravel	w depose d were em fork of plu April MATERIAL FROM 6191 6085	70 6627 6191 6085	PLUGS USED SIZE & KIND 7" 0.D. 8-5/8" 0.D.	cas PULLED 4073 2006	id work plugged SING CSG LEFT IN 801 0
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of April , and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING FORMATION CONTENT FROM TO SIZE & KIND PULLED LEST IN PULL PULL PULL PULL PULL PULL PULL PUL	being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26ths day of and filled in the following manner: SAND OR ZONE RECORD	being first duly sworn plugging and filling oil a well operator, and parti was commenced on the and filled in the followi SAND OR ZONE RECORD FORMATION Total Depth Set Bridge Clinton Sand Gr Br Gewberg Dolonite Gr Ce Br Tiskany Sand Gr Ce	according to la and gas wells and gas wells and icipated in the w 26th. day of ing manner: FILLING CONTENT Travel ement - 2 Sks. ridge set at cravel	w depose d were em ork of plu April MATERIAL FROM 6191 6085	70 6627 6191 6085	PLUGS USED SIZE & KIND 7" 0.D. 8-5/8" 0.D.	cas PULLED 4073 2006	id work plugged SING CSG LEFT IN 801 0
prigging and filing oil and gas wells and were employed by United Fuel Gas Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th, day of April 1948, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD	well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of April , 1948, and that the well was plugged and filled in the following manner: SAND OR ZONE RECORD	well operator, and parti was commenced on the and filled in the followi sand or zone record formation Total Depth Set Bridge Clinton Sand Gr Br Gewberg Dolonite Gr Cee Br Tiskany Sand Gr Cee	and gas wells and icipated in the ward and gas wells and icipated in the ward and ing manner: FILLING CONTENT TRAVEL ement - 2 Sks. ridge set at cravel	d were em ork of plu April MATERIAL FROM 6191 6085	ployed by gging and 6627 6191 6085 6075	PLUGS USED SIZE & KIND 7" 0.D. 8-5/8" 0.D.	cas PULLED 4073 2006	id work plugged SING CSG LEFT IN 801 0
was commenced on the 26th day of and filling the above well, that said work and filled in the following manner: SAND OR ZONE RECORD	was commenced on the 26th, day of and filled in the following manner: SAND OR ZONE RECORD	was commenced on the and filled in the following sand or zone record formation FORMATIO	26th. day of ing manner: FILLING CONTENT Travel ement - 2 Sks. ridge set at ravel	April MATERIAL FROM 6191 6085	70 6627 6191 6085 6075	PLUGS USED SIZE & KIND 7" 0.D. 8-5/8" 0.D.	cas PULLED 4073 2006	plugged CSG LEFT IN 801 0
and filled in the following manner: 1940	Ag of Ag o	and filled in the following and filled in the following and or zone record formation FORMATION FORMATION FORMATION FORMATION FORMATION FORMATION GRADIENT SAND GRAD	content ravel ement - 2 Sks. ridge set at ravel	FROM 6191 6085	6627 6191 6085 6075	PLUGS USED SIZE & KIND 7" 0.D. 8-5/8" 0.D. 10-3/4" 0.D.	cas csg PULLED 4073 2006	plugged CSG LEFT IN 801 0
SAND OR ZONE RECORD	SAND OR ZONE RECORD FILLING MATERIAL PLUGS USED CASING	FORMATION	FILLING content ravel ement = 2 Sks. ridge set at ravel	FROM 6191 6085	6627 6191 6085 6075	PLUGS USED SIZE & KIND 7" 0.D. 8-5/8" 0.D. 10-3/4" 0.D.	CAS PULLED 4073 2006	csg Left in 801
Content From To	Content From To	FORMATION Total Depth Set Bridge Clinton Sand Gr Br Big Six Sand Gr Ewberg Dolonite Gr Le Ce Br riskany Sand Gr Cer	ravel ement - 2 Sks ridge set at ravel	6191 6085	6627 6191 6085 6075	7" 0.D. 8-5/8" 0.D. 10-3/4" 0.D.	2006 1074	CSG LEFT IN 801 0
Content From To	Casing C	Total Depth Set Bridge Clinton Sand Gr Br Brig Six Sand Gr Br Gewberg Dolonite Gr Le Ce Br riskany Sand Gr Ce	ravel ement - 2 Sks ridge set at ravel	6191 6085	6627 6191 6085 6075	7" 0.D. 8-5/8" 0.D. 10-3/4" 0.D.	2006 1074	CSG LEFT IN 801 0
Company Comp	Cottal Depth 6627 7" 0.D. 4073 801	Set Bridge Clinton Sand Ce Bridge Clinton Sand Ce Bridge Ce Briskany Sand Ce Ce Ce Ce Ce	ravel ement - 2 Sks. ridge set at ravel	6191	6627 6191 6085 6075	7" 0.D. 8-5/8" 0.D. 10-3/4" 0.D.	4073 2006 1074	801 0
Set Bridge 6191 8-5/8" 0.D. 2006 0 Clinton Sand Gravel 6191 6085 10-3/4" 0.D. 1074 0 Cement - 2 Sks. 6085 6075 13-3/8" 0.D. 562 0 Bridge set at 5785 5713 Cement-2 Sks. 5713 5703 Bridge set at 5616 5541 Lead Wool 5541 5536 Bridge set at 4716 Cement-2 Sks. 5536 5526 Bridge set at 4716 Cement-2 Sks. 4635 4625 Gravel 4716 4635 Cement-2 Sks. 4635 4625 Gravel 4625 4550 Cement-2 Sks. 4530 4625 Gravel 4625 4550 Cement-2 Sks. 4635 4625 Cement-2 Sks. 4635 4625 Gravel 4625 4500 Cement-2 Sks. 4635 4625 Cement-2 Sks. 4635	Set Bridge Clinton Sand Gravel Cement - 2 Sks	Set Bridge Clinton Sand Ce Bridge Clinton Sand Ce Bridge Ce Briskany Sand Ce Ce Ce Ce Ce	ement - 2 Sks ridge set at ravel	6085	6191 6085 6075	8-5/8" O.D. 10-3/4" O.D.	2006	0
Gravel	Cament = 2 Sks	Ce Br Sig Six Sand Gr Br Sewberg Dolonite Ce Br Tiskany Sand Ce Ce	ement - 2 Sks ridge set at ravel	6085	6085	10-3/4" O.D.	1074	0
Cement = 2 Sks 6085 6075 13-3/8" O.D. 562 O	Cement = 2 Sks 6085 6075 13-3/8 0.D. 562 0 Bridge set at 5785 5785 0.D. 562 0 Bridge set at 5785 5713 0.D. 562 0 Gravel 5785 5713 5703 Bridge set at 5616 5616 Gravel 5616 5541 5536 Cement = 2 Sks 5536 5526 Bridge set at 4716 4635 Cement = 2 Sks 4635 4625 Gravel 4625 4550 Gravel 4625 4625 Gravel 4625 4550 Gravel 4625 4550 Gravel 4625 4625 Gravel 4625 Gravel 4625 4625 Gravel 4625 Gravel	Big Six Sand Gr Br Gewberg Dolonite Gr Le Ce Br riskany Sand Gr	ridge set at	6085	6075			
Bridge set at 5785 5713	Bridge set at 5785 5713	Big Six Sand Gr Br Br Bewberg Dolonite Gr Le Ce Br Friskany Sand Gr Cer	ravel	E-70.F		-7 710 0000	702	
Cement-2 Sks. 5713 5703 5703 5704 5616 5541 5536 5541 5536 5526 5541 5536 5526 5541 5536 5526 5541 5536 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526 5526	Cement-2 Sks. 5713 5703	Gewberg Dolonite Gr Le Ce Br riskany Sand Gr		E=0=	7/07			0
Bridge set at 5616 5541	Bridge set at 5616 5541	lewberg Dolonite Gr Le Ce Br riskany Sand Gr	Cement-2 Skg	2/02		·		State of the state
Gravel 5616 5541 5536	Sewberg Dolonite Gravel 5616 5541 5536	lewberg Dolonite Gr Le Ce Br riskany Sand Gr	ridge get et	5713				
Lead Wool 5541 5536	Lead Wool 5541 5536	Ce Br riskany Sand Gr Cer		=(=(SEDA!	7728300
Cement-2 Sks. 5536 5526 Bridge set at 4716 riskany Sand Gravel 4716 4635 Cement-2 Sks. 4635 4625 Gravel 4625 4550 Coal seams Cement-2 Sks. 4550 4540 Bridge set at 2060 4-1/2" of 13-3/8" used as monument as men and decement and dece	Cement-2 Sks. 5536 5526 Bridge set at 4716 riskany Sand Gravel 4716 4635 Gravel 4625 4550 Conent-2 Sks. 4635 4625 Bridge set at 2060 4-1/2" of 13-3/8" used as monument at 2060 Clay 2060 2020 Fill with cement. Marked with companient at 2060 Bridge set at 1625 abandoned.	Ce Br riskany Sand Gr Ce					EL DE LOCAL	30,3
Bridge set at 4716 Gravel 4716 4635 Cement-2 Sks. 4635 4625 Gravel 4625 4550 Coal seams Cement-2 Sks. 4550 4540 Bridge set at 2060 4-1/2" of 13-3/8" used as monument at 2060 Clay 2060 2020 Fill with cement. Marked with comment at 2060 Gravel 4625 4550 Emidge set at 2060 2020 Fill with cement. Marked with comment at 2060 Emidge set at 2020 2010 initials Well Number, farm and data	Bridge set at 4716 riskany Sand Gravel 4716 4635 Cement-2 Sks. 4635 4625 Gravel 4625 4550 Coal seams Cement-2 Sks. 4550 4540 Bridge set at 2060 4-1/2" of 13-3/8" used as monument at the companion of the	Br riskany Sand Gr Cer				Marie Town	AN MAN	10/18
Cement-2 Sks. 4635 Gravel 4625 Gravel 4625 Coal seams Coment-2 Sks. 4550 Bridge set at 2060 Clay 2060 Cement-2 Sks. 2020	Cement-2 Sks. 4635 4625 Gravel 4625 4550 Coal seams Cement-2 Sks. 4550 4540 Bridge set at 2060 4-1/2" of 13-3/8" used as monument at the companion of the c	riskany Sand Gr			5526		WEST V	ADEINIA (
Cement-2 Sks. 4635 4625 Gravel 4625 4550 Coal seams Cement-2 Sks. 4550 4540 Bridge set at 2060 4-1/2" of 13-3/8" used as monument Clay 2060 2020 Fill with cement. Marked with comment Cement-2 Sks. 2020 2010 initials Well Number, farm and decement Comment Clay 2060 2020 Fill with cement.	Coment-2 Sks. 4635 4625 Gravel 4625 4550 Coal seams Cement-2 Sks. 4550 4540 Bridge set at 2060 4-1/2" of 13-3/8" used as monument at 2060 Clay 2060 2020 Fill with cement. Marked with companient at 2060 Gravel 4625 4550 Description of monument at 2060 4-1/2" of 13-3/8" used as monument at 2060 4-1/2" of 13-3/8" used as monument at 2060 2020 Fill with cement. Marked with companient at 2060 2020 2010 initials Well Number, farm and data 2000 2010 2010 2010 2010 2010 2010 201				4635		DEPARTMEN	T OF MINES
Gravel 4625 4550 Coal seams Cement-2 Sks. 4550 4540 Bridge set at 2060 4-1/2" of 13-3/8" used as monument comment Clay 2060 2020 Fill with cement. Marked with comment com	Gravel 4625 4550 Coal seams Cement-2 Sks. 4550 4540 Bridge set at 2060 4-1/2" of 13-3/8" used as monument as monument as men and data as monument as men		ement-2 Sks.				60	0
COAL SEAMS Cement-2 Sks. 4550 Bridge set at Clay Clay Cement-2 Sks. 2060 Clay Cement-2 Sks. 2020	COAL SEAMS Cement-2 Sks. 4550 Bridge set at Clay Coal Seams C						890	(8)
Bridge set at 2060 4-1/2" of 13-3/8" used as monument Clay 2060 2020 Fill with cement. Marked with comment Cement-2 Sks. 2020 2010 initials Well Number, farm and dates	Bridge set at 2060 4-1/2" of 13-3/8" used as monument 2060 Clay 2060 2020 Fill with cement. Marked with compact 2060 Ending Sks. 2020 2010 initials Well Number, farm and data 2060 Bridge set at 1625 abandoned.	Cel				DESCRIPTION	OF MONING	2111010
Cement 2 Sks. 2020 2010 initials Well Number, farm and da	Cement 2 Sks. 2020 Fill with cement. Marked with compact Sks. 2020 2010 initials Well Number, farm and data 1625 abandoned.					4-1/2" of 13-3/	81 used as	monimont
Bridge set at 2020 initials Well Number, farm and da	Bridge set at 1625 abandoned.				2020	Fill with cemen	t. Marked	with comm
	abandoned.			2020		initials Well N	umber, far	m and dat
Bridge set at 1625 abandoned.		" Bri	rage set at		1625	abandoned.		
Bridge set at 1625 abandoned.		ME) Bri Cla Me) Cen	ridge set at ay ment-2 Sks	2060	4540 2060 2020 2010	4-1/2" of 13-3/ Fill with cemen initials Well N	8" used as	monum
and that the work of plugging and filling said well was completed on the 19th day of	UN OF							12/22/20
1010	10/0	And further deponent	ts saith not.		XXII	Mowen	2	,, _
1010	10/0	0 \ 2 \						
And further deponents saith not. And further deponents saith not. 12/22/2	And further deponents saith not. Sus ABawen 12/22/2	Sworn to and subscrib	ibed before me tl	his 26	day of	May		0
And further deponents saith not. And further deponents saith not. 12/22/2	And further deponents saith not. Sus ABawen 12/22/2			T.	4	11/1	, 19	940.
And further deponents saith not. Sworn to and subscribed before me this 26 day of May , 1948.	And further deponents saith not. Sworn to and subscribed before me this 26 day of May , 1948.	1 13			X.C	naspo	Notary Del	1
And further deponents saith not. Sworn to and subscribed before me this 26 day of May , 1948. My commission expires:	And further deponents saith not. Sworn to and subscribed before me this 26 day of May, 1948. My commission expires:	6-6-1953		()	/	LONDEREE Permit	No. Woo -	

Cearleston, West Virginia IIS Toddolf .A .M - Japane Jo Jee, eghing Cement-2 . Bol Sedies of vas room octons. improd with congrator Lesis B-Jilameo ministrated author, Total and date 12/22/2023 FORM OG-8

JARRETT PRINTING COMPANY, CHARLESTON, W. VA.




STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE

COAL OPE	ADDRESS RATOR OR OWNER					
A	1			COMPLETE ADDI	RESS	
				WELL AND LO	CATION	194
LEASE OR	ADDRESS		***********			District
LEASE OR	PROPERTY OWNER					County
******************************	PROPERTY OWNER		Well No			
A	ADDRESS			•		Towns.
STATE INSPECTOR SU	PERVISING PLUGGI	NG				
		AFFIC	AVIT			
STATE OF WEST VI	IRGINIA,					
County of		·ss:				
			and			
being first duly swor	rn according to law	depose a	and say tha	at they are experie	nced in the	work of
plugging and filling of						
well operator, and par	rticipated in the wo	rk of plu	gging and	filling the above w	vell, that sa	id work
was commenced on th	neday of					
and filled in the follow	wing manner:					166
SAND OR ZONE RECORD	FILLING	MATERIAL		PLUGS USED	CAS	ING
FORMATION	CONTENT	FROM	то	SIZE & KIND	CSG PULLED	CSG LEFT IN
alt Sand	Clay	1625	1125			
		1125	1115			
	Cement-45 Sks.					
	Clay	1115	1070			
	Clay Set Bridge at	1115	1070			
oal	Clay Set Bridge at Cement-45 Sks.	1115 654 654	600			1
	Clay Set Bridge at Cement-45 Sks. Clay	1115 654 654 600	1070 600 564			1
	Clay Set Bridge at Cement-45 Sks.	1115 654 654	600			
	Clay Set Bridge at Cement-45 Sks. Clay	1115 654 654 600	1070 600 564			
	Clay Set Bridge at Cement-45 Sks. Clay	1115 654 654 600	1070 600 564			162526272
	Clay Set Bridge at Cement-45 Sks. Clay	1115 654 654 600	1070 600 564			3162526272
	Clay Set Bridge at Cement-45 Sks. Clay	1115 654 654 600	1070 600 564			MAY 19
	Clay Set Bridge at Cement-45 Sks. Clay	1115 654 654 600	1070 600 564		NO RES	MAY 19 WEST VINCE
	Clay Set Bridge at Cement-45 Sks. Clay	1115 654 654 600	1070 600 564		81920323	MAY 19 WEST VIRGI
	Clay Set Bridge at Cement-45 Sks. Clay	1115 654 654 600	1070 600 564			MAY 19 WEST VIRGI
	Clay Set Bridge at Cement-45 Sks. Clay	1115 654 654 600	1070 600 564	DESCRIPTIO	181	MAY 19 WEST VIRGI
COAL SEAMS	Clay Set Bridge at Cement-45 Sks. Clay	1115 654 654 600	1070 600 564	DESCRIPTIO		MAY 19. WEST VIRGI
COAL SEAMS	Clay Set Bridge at Cement-45 Sks. Clay	1115 654 654 600	1070 600 564	DESCRIPTIO	181	MAY 19 WEST VIRGI
COAL SEAMS	Clay Set Bridge at Cement-45 Sks. Clay	1115 654 654 600	1070 600 564	DESCRIPTIO	181	MAY 19. WEST VIRGI



Date JUNE-2, 1947 Scale 1 400 '