

DEPARTMENT OF MINES

OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To The Department of Mines, Charleston, W. Va.	
NONE	CLARENCE W. MEADOWS, Agent
COAL OPERATOR OR COAL OWNER	701-703 United Carbon Bldg.
ADDRESS	Charleston, W.Va.
	March 1 , 19 50
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
	STEELE District
ADDRESS	
C.A. Barnett	County
OWNER OF MINERAL RIGHTS	39005
Rockport, W.Va.	Well No. 2 81'30'
ADDRESS	C.A. Barnett Farm
Gentlemen:	Farm
	drill upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the case	
	by C.A. Barnett & Wife , to
Clarence W. Meadows	and recorded on the 27 day
of May 1949	in the office of the County Clerk for said County in
Book 322 , page 231	
and County above named, determined by survey and land marks. The undersigned well operator is informed and of coal beneath said farm or tract of land on which	believes there are no coal operators operating beds said well is located, or within 500 feet of the bound-
aries of the same, who have mapped their workings coal operators or coal owners (if any) above named	and filed their maps as required by law, excepting the as addressees.
desire to make to such proposed location, or which the drilling of a well at said proposed location will ca coal mines, must be received by, or filed with the Depa a copy of this notice and accompanying plat by said that forms for use in making such objections will be on request and that all such objections must set forth	(if any) are notified that any objections they may ey are required to make by Section 3 of said Code, if use a dangerous condition in or about their respective rtment of Mines within ten* days from the receipt of Department. Said coal operators are further notified furnished to them by the Department of Mines promptly as definitely as is reasonably possible the ground or the direction and distance the proposed location should
(The next paragraph is to be completed only	in Department's copy.)
	mailed by registered mail, or delivered to the above
named coal operators or coal owners at their above	shown respective addressday before, this copy to the Department of Mines at Charleston,
	By Robert C. Lafferty Rows Well operator Geologist Tol-703 United Carron Bldg STREET CHarleston
55	(D) a.

*Section 3 . . . If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

WOO-309

PERMIT NUMBER

doors . Note to the allegations 701-705 United Cardon Bldg. Charleston, W. Va. Justine .A.V ell's offerned .A.O. a lie 283 Olarence W. Meadors

By Robert G. Lafferby / Sectorist 12/15/2023

February 24, 1950 Mr. Clarence W. Meadows, Attorney 701-03 United Carbon Building Charleston, West Virginia Dear Mr. Meadows: We have not yet received notices to drill or tracings of location for the C. A. Barnett Well No. 2 which, we understand, is drilling at about 2000 feet; the Davis No. 1 and Betts No. 1, all in Steele District, Wood County. We would appreciate receiving these data at an early date. Very truly yours, Administrative Assistant OIL AND GAS DIVISION MG:g 12/15/2023 March 16, 1950

Mr. Clarence W. Meadows, Agent 701-703 United Carbon Building Charleston, West Virginia

Door Sir:

Enclosed is permit WOO-309 to drill Well No. 2 on the C. A. Barnett Farm, Steele District, Wood County.

Very truly yours,

Administrative Assistant OIL AND GAS DIVISION

CMHaK Encl-2

CC: Inspector O. C. Howard

A"




STATE OF WEST VIRGINIA

DEPARTMENT OF MINES CHARLESTON

ARCH J. ALEXANDER

July 22, 1950






STATE OF WEST VIRGINIA DEPARTMENT OF MINES CHARLESTON

ARCH J. ALEXANDER CHIEF

fully 22, 1950





Belliville

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS DIVISION 5

WELL RECORD

Permit No. WOO - 309

Oil or Gas Well Dry Hole

Address Unite	larence W. Meado d Carbon Bldg, C	harlest	oh, W.Va.	Casing and Tubing	Used in Drilling	Left in Well	F	ackers
Location (water	Barnett s) Sandy Creek L-449		-14	Size	20	20	_ Kind of F	acker
	teele Coun			13	9291 1"			
	tract is owned in fee by.	C.A. B	rnett	103/4	1466* 1"		_ Size of_	
Mineral rights a	Addres			# 85/8 ** 7	2395 5295		Depth se	t
			ort, W.Va.	5 3/16				
Drilling commen	E 7 EA			32				tom
Date Shot		То		Liners Used				com
With							Peri. bott	,om
Open Flow	/10ths Water in			CASING CEMI	ENTED 7	SIZE 5295	_No. Ft. 4-	23-50 Date
Volume			Cu. Ft.					
	lb			COAL WAS E	NCOUNTERED	AT	FEET	INCHES
	fe						FEET	INCHES
	485,2025,2075, fe						_FEET	INCHES
Th	Color H	ard or	Ton	Rottom	Oil, Gas	Depth	1	Remarks

Formation Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil		0	5			
Lime		5	90			
Red Rock		90	130			
Lime		130	140			
Red Rock		140	235			
Gritty Lime		235	255			
Red Rock		255	430			1
Sand		430	455			
Lime		455	505			
Red Rock		505	515			
Slate & Shells		515	555	vacer.	5416	
Red Rock		555	570	002,011 0		
Gritty Line		570	630	0.02	5400	Small Show
Slate & Shells		630	650			
Lime C Land		650	685			
Red Rock		685	735			
Slate & Shells		735	760	(1812)	4875-4285	Show
Sand		760	830			
Red Rock		830	850			
Sandy Lime		850	935		-	
Red Rock		935	955			
Slate & Shells		955	1045			
Red Rock		1045	1060			
Slate & Shells		1060	1085			
Sand		1085	1110			
Slate & Shells		1110	1125			
Red Rock		1125	1190	Marer -	2016	Hole all
Lime		1190	1240			Z M28.
Slate & Shells		1240	1300	Mater.	2025	8 birs in
Red Rock		1300	1350		12/	15/2023
Slate & Shells		1350	1385		12/	3/2023
Sandre o proffs		1385	1410			
Slate Black		1410	1435			
Slate Blue		1435	1450			
Sand		1450	1525	Water	1485	7 Bailers in
Slate & Shells		1525	1640			12 Hrs.
Sand Broken		1640	1695			
Slate & Shells	F 1996	1695	1755	or Water	Herman	Memaria

B-2

				()861)			*
Formation	Color	Hard or Soft	Top 5	Bottom 22	Oil, Gas or Water	Depth Found	Remarks
Sand	ejja		1755	1765			12 170.
Lime			1765	1800	Mater	1485	7 bellers 4
Sand	Blue		1800	1835			
Lime	Bleck		1835	1890			
Slate & S	nells		1890	1910			
Slate & S	Shells		1940	2020			
Maxon Sar	THE RESIDENCE OF THE PARTY OF T		2020	2350	Water	2025	8 Blrs in
Line			1130	1240			2 Hrs.
Red Rook		22.20	1125	JI30	Water	2075	Hole Full
	iells		2350	2355			
Lime			2355	2363			
Slate 2	10115		2363	2367			
Lime Slate & S	Shalla		2367 2393	2670			
Brown She			2670	2696			
Sand			2696	2702			
Slate &			2702	3510			
Slate			3510	4200			
Shale	Hells -		4300	4550	Gas	4275-4285	Show
Slate			4550	4985			
	Brown		4985	5279			
Cornifer			5279 5396	5396 5416	Gas	5400	Small Show
CHISKAILY.	Pariti		555	870	Gas Oil &	0400	Omerate once
Total De	pth Ja		515	5416	Water	5416	
Red Fook			808	515			
Lime			455	505			
Sand		200	430	. 455			
Red Reck			255.	430			-
Red Rook Gritty Li			235	255			
Line			140 180	140 235			
Red Rock			90	120			
Tyue			5	80			
5011			0	5			
	Color	Mard or Soft	Tep	Bottom	Oll, Gast	Depth Fennd	
Constitution of the second		,					
a real maser was	165,2025,20		feet	BJGR	P INCH	DB BER	
Tresh water		feet	feat	HRE	r INCH	Ba LEE	
			bbis, 1st 84 hrs.	COAL WAS I	MCOUNTERED	A LEE	
		The.	in hra.				
			Cu. Ft.				
	f10ths Meye.	P = 1	Inch	CASING CEM	EMEED 7 s	1977 5295 No. 1	6-25-50 Date
	Albthe Whter,		Inch	***************************************			
						1963	
	fetiga	170		Linera Used		Per	
		0		ā a		1,61	
	6 d 1-21			3		ber	
		riguess Bookb	01.5, 1.18 x	7 5 3/16			
	re owned by	*A. Barnett		XX Z	5205	Dei	99 8a(
		Address Rockp	LG * M*AU*	xxtc 85/8	2505		
	rart is owned in	6e by 0 *A * B	meet	103/4	J4681 1"	918	of the
	preja -	County WOO		18	950: In		
Well No. 2	Petro		1084 D.E.	10 NOOG			N OT T WOMEN
		reek			80	2) Kin	d of Packer
Farin C.A.	Sarmett		Acres 245	Size			
Address United		C. Charlest		7.0000			
Company		leadous, Age		Casing and Tubing	Used in Drilling	Left in Wall	Packers
	4/1						
Perbus No. It	= 208					12/	15/2023
Feb.			METT	RECORE	1	On Turn H	A Dry Hole
Your Marie			The second secon				
			OF WILD	Wa DIAISION			

DEFART

	DateMay 2	, 19.50
APPROVED.	Clarence W. Meadows, Agent	, Owner
By_	Robert C. Laffertyle Geolog	
Vone"	Robert C. Laffertyle Geolog	gist

13-3

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. 100 #30	19P			Wel	1 No. 2 L	449	
COMPANY Clarance	e W Made	ws agen	ADDRESS Char	leston	NU	a.	
FARM 6 G B	anutt	DISTRICT	Steel	COUNTY	voil	S	
Filling Material Used	Lead	elay	and Cemen	_		NIA	
Liner Lo	cation	Amount	Packer	Location		2 - 100 (2.1)	
PLUGS USED	AND DEPTH PLACED		BRIDGES	CASIN	CASING AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	RECOVERED SIZE		
	Land		5-410 - 5-4/2	las O _{gene} .		trapsfi	
	Bailing	water	01/03		_bondeds ()	ne saidiri	
						ios eciliofi Vi	
Firth squasi			e San	to Bush			
			U granid doub in Lines U	m1)1/	W (7)	nego lyttin	
months due v				*	endas rei	a troll mark	
			Merci in	211 2 1			
and Trans.	TANE	GATZAMA	ANDER MUNICIPALITY			985,658	
						2004	
	m A STORY	THE THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE	in the last the state of			- N-13	
7 <u>26715-327</u>							
B	11/	:1	10 0 Wha	ubson			
Drillers' Names	ish Inc	sprian	W 20 2 p. 00				
Remarks:			,			e 7 haolis	
		31415	1617 18193				
		(2) M	AY 1950 P				
		010 MB	WINDS DE STATE OF THE STATE OF				
		W 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Marin S	,			
5/12-1960 DATE	_ I hereby certify	I visited the a	bove well on this date.	- /			
DATE		233	AIRECE ON	Down	nel		

12/15/2023

DEPARTMENT OF MINES OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

rermit No.		mar Vaskas			r Gas Well	NVAGET.
Company	CAL YTS, UNIT	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PAC	KERS
Address		Size		To S. Barrey	her II land	stoff godffs
Farm	- 1941 -	16		2 (117 1923)	Kind of Pa	cker
Well No.	a complete a service and a	13		d and days	Last say is	
796.) asie das	BYDDSC TO LOTTAGE MOTOR	10	10 d 10 AP	-doew	Size of	TRAMED
District	County	81/4				
Drilling commenced		65%			_ Depth set_	
D-illi-		5 3/16				
Drilling completed	Total depth	3			Perf. top	
Date shot	Depth of shot	2			Perf. botto	m
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch				Perf. botto	m
Volume	Cu. Ft.	CASING CEMEN	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs.					
Dil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	INCHES
Fresh water	feetfeet	FEET_	INCH	ES	FEET	INCHES
Salt water	feetfeet	FEET_	INCH	ES	FEET	INCHES
Orillers' Names						talkaning).
Remarks:						



B-4.

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. Nov. 308	P				We	II No.	2
		and the same of th	1	RESS Char	M-	WW	(a
FARM & U	amelt	DISTRI	CT OL	cel	COUNTY	oval	
Filling Material Used	lela	y ba	l am	l convert	<u>(</u>		
Liner Lo	cation	Amour	nt	Packer	Location	1	ncode
PLUGS USED	AND DEPTH PLACED			BRIDGES	CASIN	IG AND TU	JBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONST	RUCTION-LOCATION	RECOVERED	SIZE	LOST
	Solay		6414	- 5-376	5-296-	63%	66
100	5 state		5376-	5-361			
240 193	Budge		43 16-	l death.	10 1		ar registlati
The state of the s	lelay		43/1-	- 4250	le CigeO		
161	h' Stame		4256	- 4235-	eris il.	200	and this at
	Pulling	8/49	Casning	what is a mile	415 61	riagin av	le salt regio
80 (T. 1986) 1986 (T. 1986)	3838	CATTUME	o sinc o	17 80	<i>.</i>		
				· ·	att .		
ect TV and T	es pante		1.07	t an antisatif4			
Drillers' Names Chus	h Hie	hman	(B)	& Shank	2an		
Remarks:						- 100 P	

17/17-1950 DATE

___ I hereby certify Prisited the above well on this date.

8199 Obstowns

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No.		ann Humen	Active Test	Oil oi (Kil	r Gas Well	66691600
Company	Barriero y anti-	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS MATAN
Address	New 20	Size			Seatt proj	
Farm	tonia esperias	16	*	polygy	Kind of Pac	ker
Well No.	O-10 (10) (10) (10) (10) (10)	10	Rage.	O HITS ON A	Size of	
	County	81/4			BONESCHIE	Halled
Drilling commenced	333	65%			Depth set	
Drilling completed	Total depth	5 3/16			Perf. top	
Date shot	Depth of shot	2			Perf. botton	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch	2000 2000			Perf. bottom	1
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbs. hrs.			· ·		
Oil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	INCHES
Fresh water	feetfeet	FEET	INCI	IES	FEET	INCHES
Salt water	feetfeet	FEET	INCH	IES	FEET	INCHES
Drillers' Names						terminal (fee
Remarks:						



3/5

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No. W00, 309+	THOT		aw a		Wel	1 No.2 7	449
COMPANY Clarence	W Meadon	ws. Cega	ut ADI	RESS Char	leston (WV	e a filane
// 0 1) //	DISTRIC		011		Voor	,
Filling Material Used	() 1	lay .	and	cement			्र दृशक्षपुरसः व्य
Liner Lo	ocation	Amount		Packer	Location		1
PLUGS USED A	AND DEPTH PLACED		Principle State of Pales and Commence of Consumer	BRIDGES	CASIN	G AND TUE	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONS	TRUCTION-LOCATION	RECOVERED	SIZE	LOST
/	2-10	4,0	/	9 10/2	U- 2		2472
	anslet	y OM	ay &	2-/450		handani.	organic.
			Divise	Haqali, in		and the lates	en nediĝ
Perf introd				The first	Ligaria		fred a dde
and Australia		. be	ed stanti				
a digital distribution				that wall a			
				iford ni syste s	The second	official as a	
Infl. 1 TT od	0.765	CHÀ VAI WHE	DAIST	171,00			
				And the second	<u>x88i</u>		
CHESTALE TOTAL	n a distant	AUBOWS L	w rabó	2.2 58 197 844			
Drillers' Names Tu	sh Flie	hman	a	& Shan	fran		
Remarks:				/			
	aír	829303111	23				
	. (62)	MAY 10E	250				
	2425	WEST WITH	M 00				
5/23-1950	I hereby certify I v	visited the ab	ove well of	this date.			
DATE	E.	,	13	(nn	4		

12/15/2023

DEPARTMENT OF MINES

OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No.	- Andrew	205.438	una sa	14477		r Gas Well	YAPHKUS.
Company	- 777/1500	2355	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	KERS MAAA
Address			Size			heelf laire	Pilling Mat
Farm	und page	g ¹	16		- ADDE	Kind of Pac	ker
. Lunibur due duise			13	7 4143	A THE CALORA	0121/801/19	
Well No.	ravotan korrabbil-l	(OUT.CO.)	10	m2 3	X11 - GODW	Size of	LP3MSD
District	County		81/4	- 4 . +			
Drilling commenced			65%	34.43 (A)		_ Depth set_	
			5 3/16				
Drilling completed	Total depth		3			Perf. top	
Date shot	Depth of shot		2			Perf. botton	n
Initial open flow	/10ths Water in	Inch	Liners Used			Perf. top	<u> </u>
						Perf. botton	n
Open flow after tubing		Inch					
Volume		Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbs	hrs.					
Oil	bbls., 1st	24 hrs.	COAL WAS EN	COUNTER	ED AT	FEET	INCHES
Fresh water	feet	feet	FEET	IN	CHES	FEET	INCHES
Salt water	feet	feet	FEET	IN	ICHES	FEET	INCHES
Drillers' Names							
Remarks:							



S PORM OW S



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES, Charleston, W. Va.

Charleston, W. Va.	Who all the commence.
NONE	Clarence W. Meadows, Agent
COAL OPERATOR OR COAL OWNER	NAME OF WELL OPERATOR
	United Carbon Bldg. Charleston, W.Va.
ADDRESS	COMPLETE ADDRESS
the light, buyyers were	May 2 50
COAL OPERATOR OR COAL OWNER	
	WELL TO BE ABANDONED
ADDRESS	STEELE Distric
	WOOD
C. A. Barnett	County
LEASE OR PROPERTY OWNER	Well No. 2 L-449
Reckport, W.Va.	Tyrige the second of the second
ADDRESS	C.A. Barnett Farm
the work of plugging and abandoning said well o	on the above described well and will commence
	r the day on which this notice so mailed is received.
plugging and filling of said well. You are further represented the undersigned will proceed on that	er respective representatives may be present at the er notified that whether you are represented or not at date, or shortly thereafter, to plug and fill said at 4, Chapter 22 of the Code and given in detail on the
This notice is being mailed by registered mai	il to each of you at the above addresses on the
Very	truly yours,
same transplant strictions and a fettransplant as	Robert C Ato
ant of Mines to Meananner herein described for	Well Operator.

12/15/2023

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

8-9

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

Bottom	Top	
5416	5414	Led Plug
5414	5376	Red Mud
5376	5371	Cement Plug
· Pull 7" 0	asing	
4315	4315	Set Bridge
福龄 4300	4355 425	Red Mud
4355 4255	4350	Cement Plug
	4250 asing	
	2105	Set Bridge
2105	2005	Red Mud
2005	2000	Cement Plug
	1510	Set Bridge
1510	1470	Red Mud
1470	1465	Cement Plug
Pull 13" 6	asing	
	30	Set Bridge
30	02	Red Mud
02	00	Cement

Note: WOO- 309 Shall be marked in cement monument.

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 9th

___day of May, 1950 , 194____

DEPARTMENT OF MINES
Oil and Gas Division

By: (M. Wall

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

E-6.

Clarence W. Meadows Attorney and Public Relations Counsel 101-03 United Carbon Building Charleston 1, West Virginia

Capitol 6-6222

July 24, 1950

Mr. C. N. Hall
Oil and Gas Division
Department of Mines
State Capitol
Charleston, W. Va.

Dear Senator:

I acknowledge receipt of your communication of July 22 requesting affidavits for the plugging of the Morris Well #1, permit Wir-288-P and the C. A. Barnett Well #2, permit Woo-309-P.

I was under the impression that these had been filed with you by the drilling contractor who has been paid in each instance and I am, therefore, forwarding these forms to Mr. C. J. Hughes of Logan, contractor on the Morris Well and Mr. E. M. Reynolds, of Ripley, contractor on the Barnett #2 Well, with the request that such be completed and forwarded to your office at an early date.

Very truly yours,

Clarence W. Meadows

CWM: PR

E-1



STATE OF WEST VIRGINIA DEPARTMENT OF MINES CHARLESTON

ARCH J. ALEXANDER

W 00,309

September 28, 1950

Mr. E. M. Reynolds, Contractor Ripley, West Virginia

Dear Mr. Reynolds:

We have been advised by Mr. Clarence W. Meadows that affidavit of plugging Well No. 2 on the C. A. Barnett Farm, Steele District, Wood County should be filed by you.

Please file one copy of form OG-8 for plugging the above-described well as soon as possible. Blanks are enclosed.

OCT 1950
WEST WIGHT OF AMERICAN MG: g COST

Very truly yours,

Administrative Assistant OIL AND GAS DIVISION

cc: Mr. Clarence W. Meadows

The day that we finished plugging this well my boys say that Mr. Robert Lafferty took the plugging permit with him the day they finished plugging the well.

If you will send me a copy we will fill it out.

E. M. Reynolds

DEPARTMENT OF MINES CHARLESTON

Copyright Bu, 1950

:80100 00 .% 1708

concerns in which the process of the concerns of the concerns

no de le como la como de la composición del composición de la comp

. James itend was !


dnavalas évicamentidos

amoused . A sourced . T. too

yd llo eidd ymbennfa beleinio am dawn web aff ni o' digod wywaffani dradak .ni defd tak abad m eid ni digodak in wood wab ood affil dith cines

Type til fill er geografit fill it om t

aliforne . . .



New	Location.
Drill	Deeper
	donment

- 1			
	Company CLARENCE W. MEADOWS, Agent		
I	Address 701-03 UNITED CARBON Bldg, Charleston, W.V.a		
I	Farm C.A.BARNETT		
l	Tract Acres 245 Lease No		
l	Well (Farm) No. 2 Serial No. L-449		
	Elevation (Spirit Level) 1080.3 Gr.		
	Quadrangle BELLEVILLE		
	County Wood District STEELS		
	Engineer Robert C. Lafferty		
	Engineer's Registration No. 1654		
1	File No. 45 Drawing No. 2		
_	Date 1-3-50 Scale \"= 660		

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

FILE NO. WOO-309 12/15/2023

- + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.