

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES
OIL AND GAS DIVISION

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES, Charleston, W. Va.	
None COAL OPERATOR OR COAL OWNER	United Fuel Gas Co.
COAL OPERATOR SHOULD BE CAMERE	NAME OF WELL OPERATOR C/O G. H. MOOPE
	P. O. Box 1273, Charleston 25, W. Va.
ADDRESS	COMPLETE ADDRESS
	October 26, 19 50
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
	Steele
ADDRESS	District
Ralph Ayers	Wood County
OWNER OF MINERAL RIGHTS	390051
Slate, West Virginia	Well No. 6651 810 301
ADDRESS	Ralph Ayers
GENTLEMEN:	Farm
The undersigned well operator is entitled to July	
The undersigned well operator is entitled to dril	upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the case ma	
	Ralph Ayers, etux to
United Fuel Gas Co.	and recorded on the 22nd day
of April, 1948 ,in t	the office of the County Clark for said County
Book 308 , page 416	and office of the County Clerk for said County in
The enclosed plat was prepared by a competent ento be drilled for oil and gas by the undersigned well operand County above named, determined by survey and couland marks. The undersigned well operator is informed and be of coal beneath said farm or tract of land on which said aries of the same, who have mapped their workings and coal operators or coal owners (if any) above named as a the above named coal operators or coal owners (if desire to make to such proposed location, or which they are the drilling of a well at said proposed location will appear to the control of the same of the sa	lieves there are no coal operators operating beds well is located, or within 500 feet of the bound-diffied their maps as required by law, excepting the addressees. any) are notified that any objections they may
coal mines, must be received by, or filed with the Department a copy of this notice and accompanying plat by said Department forms for use in making such objections will be furnous request and that all such objections must set forth as a grounds on which such objections are based and indicate the be moved to overcome same.	a dangerous condition in or about their respective ent of Mines within ten* days from the receipt of artment. Said coal operators are further notified nished to them by the Department of Mines promptly definitely as is reasonably possible the ground or direction and distance the proposed location should
(The next paragraph is to be completed only in	Department's copy.)
Copies of this notice and the enclosed plat were ma	iled by registered mail, or delivered to the above
named coal operators or coal owners at their above show or on the same day with the mailing or delivery of this West Virginia.	yn respective address
Very truly	yours,
2993037173	United Fuel Gas Co.
1200 A 632	WELL OPERATOR
0CT 1950 S	c/o G. H. Moore
OCT 1950 WEST VIRGINIA WEST VIRGINIA West VIRGINIA	STREET
S DEPARTMENT OF MANCE Well Operator	P. O. Box 1273, Charleston 25,
OCT 1950 WEST VIRGINIA OF Well Operator	CITY OR TOWN 12/15/2023
- Cora	West Virginia
*Section 3 Hand such objections he filed or he found	STATE
ten days from the receipt of said notice and plat by the department shall forthwith issue to the well operator a drilling perm have been made by the coal operators to the location, or four approved and the well operator authorized to proceed to drill	de litting the lifting of such plat, that no objections

JARRETT PRINTING COMPANY, CHARLESTON, W. VA.

W00-346

PERMIT NUMBER

Ã9.

November 10, 1950

United Fuel Gas Company c/o G. H. Moore P. O. Box 1273 Charleston, West Virginia

Gentlemen:

No. 6651 on the Ralph Ayers Farm, Steele District,

Very truly yours,

Administrative Assistant OIL AND GAS DIVISION

CMH:K Encl-2

CC: Inspector O. C. Howard

LAW OFFICE MALCOLM B. LOUDEN 312 1/2 JULIANA - TELEPHONE 2-1404 PARKERSBURG, W. VA. December 30, 1950 Department of Mines Capitol Building Charleston, West Virginia Attention: Oil and Gas Division Dear Sir: A client of mine has drilled a well in Wood County. He drilled under one contract to a depth of 1,047 feet. After reaching that depth, he and the land-owner, at the instigation of the land owner, decided to drill further. Without any definite understanding, without any contract having been made, my client, the driller, began to drill. Of course my client could not continue to drill without any contract. He has discontinued drilling, but the land owner will not sign a plugging permit. What must I do to obtain the Department of Mines' assistance in obtaining a plugging permit? Very truly yours, Malcolm Bofonder Malcolm B. Louden Attorney at Law MBL:pcl 12/15/2023 MALCOLM & LOUDEN

WALL THE LONG STATE

PARKERSOLRO, W. W.

ROT OF HARMONIN

andring to local and to dead

ADJAN TO AND FIRE INC. TO SECURITION AND

Carrie dage

The regular of the state of the

To the made jet gat Minduo of Se I family a destruction of the section of the sec

.aruay yawa ta

Maloca . 1 m Toolog Albert Law

10011160



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

Belleville

WELL RECORD

Permit No. WOO-346 Oil or Gas Well Company United Fuel Gas Company Casing and Tubing Used in Drilling Left in Well Address P. O. Box 1273, Charleston 25, W. Va. Packers Farm Ralph Ayers Location (waters) Slate Cr. Size 6651 16: 18" 651 651 Well No. Kind of Packer. Elev. 951.00 District Steel 13 3/8 10621 10621 Wood The surface of tract is owned in fee by. Pulled 10 3/4 14541 Address 84-8-5/8 51131 51131 Mineral rights are owned by Ralph Ayers 6%_ Depth set. Slate, W. Va. _Address_ 5 3/16_ 10-23-50 Drilling commenced___ Perf. top_ Drilling completed_ Perf. bottom. Date Shot 1-26-51 то 5218 - 5237 Liners Used Perf. top_ With Shape charge shot 30 - 5 oz RDX Shots Perf. bottom_ 38/10ths Water in 7" Open Flow Inch /10ths Merc. in_ CASING CEMENTED_ SIZE 2,659 M - Oriskany Cu. Ft. 410 15 Rock Pressure_ hrs. COAL WAS ENCOUNTERED AT_ FEET_ INCHES _bbls., 1st 24 hrs. . . 1000 1/2/

Fresh water 1000,1424 feet Salt water 1832,1936 feet			feet	FEET	019 2 2		TEXTOR LA SE
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock	9		0	28		10.01	
White Slat	te		28	31			
Red Rock	11 P		31	92			
Lime Shell	1		92	104			
Red Rock	For Part 1 and 1		104	126			
White Slat	te		126	132			
Red Rock	N.		132	138			
White Slat	t.e		138	164			100 100
Red Rock			164	185			
Sand			185	195			
Red Rock			195	225	restricted.	-T8391 ** S	POTE LUTT
White Slat			225	240			TO Le COME.
Red Rock			240	252	s Fater	15351	low bailer
Sand	16119		252	265			
White Slat			265	280			
Red Rock			280	305			
Sand			305	315	,		
Red Rock			315	322			
Slate & Sh	elle		322	354			hourage
Red Rock	ICTIS		354	364	Veter 1	That!	orton partna.
Slate & Sh	ells		364	400			
Red Rock	10110		400	485			
White Slat	e		485	505		~	
Red Rock			505	547	202	22232425262	
Sand	6.30		547	560	300	V 20502	
Red Rock			560	570	13		
Slate			570	590	15/18/18/18/18/18/18/18/18/18/18/18/18/18/	UN 1951	
Red Rock			590	610	E WE	ST VIRGINIA	000
White Slat	e		610	624	E DEPART	MENT OF MINES	
Red Rock	HM I I		624	645	1-3 UEVAN		
White Slat	te		645	670	8/1	1/// 12/9	5/2023
Red Rock	(670	688	COLA.	81957	
White Slat	te		688	720	1	0.1.3	in pour
Red Rock	7		720	774	MATERIA.	TOOL	r - 43 a 151765
White Slat	e		774	800		T0001	DEC 0576
Black Slat	te		800	824			
Sand			824	846			
White Slat	te		846	870	ger Davig (der Geger Manten), a saka beri sebagai		with the college was always

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			870	900			
White Slat	e		900	910			
Red Rock			910	972		9601	Bad Cave
Sand			972	1005	Water		1 - 13" bailer
White Slat	e		1005	1012			per hour
Red Rock			1012	1059			
White Slat	e		1059	1125		11 A 11 7 3 3 4	
Red Rock			1125	1178		171 63	
Slate & Sh	ella		1178	1215			
Sand	CITS		1215	1247			
Black Slat			1247	1265		Ta Division 1	
Slate	6		1265	1275			
Red Rock			1275	1285			
						389	
White Slat	e		1285	1290		an option	
Sand			1290	1336			
Slate			1336	1339			
Sand	STTE		1339	1378			
Slate			1378	1412		21014	0.70" 1.13
Sand	TT3		1412	1427	Water	1424	2-10" bailers
1000			5/7	20.60			hours
Slate			1427	1438			
Sand			1438	1460			
Slate			1460	1485			
Sand		130	1485	1615			
Slate & Sh	ells		1615	1748			
Sand			1748	2198	Water	18321	4 - 10" bailer
Dand	3.	7.3	200.5	510		- 4	per hour
sed hock			195	225	Water	19361	Hole full
Time Shear	-		2198	2228		and the same of	
Lime Shell			2228	2472			
Slate& She				2482			
Brown Shal			2472	2500			
Berea Sand			2482				
Slate & Sh			2500	3700			
Light Brow	m Shale		3700	3796			
Slate & Sh	nells		3796	3970			
Brown Shall	Le		3970	4325			
Slate & S	nells		4325	4697			
Gray Shale	9		4697	4898	(I) (I	10701	
Black Shall	le		4898	5092	Show Gas	49101	
Cornifero			5092	5205	Diff. Figs.	F070 F00	11/10 W 711 22
Oriskany	Sand		5205	5237	Gas	5219-5226	6 14/10 W 7" 22 1,614 M
OI I Shally	11200		1,000	7 7 7 7 8 809	The state of the s	F00/ F00	20/10 W 711 22
The section of the second	THE SECTION SECTION				Gas	5220-523	28/10 W 7" 22 2,282 M
TOO	M. T. S.		Delicitor ex mo		200 400%	19 600	2,202 1
Total dep	th		100	5237	BY OUNTER STA	(A) (E) (E)	ENGRES OF
EBS THE T	ATI - ALTI		en in				
	Marke Mare,			TOWNING ONE	shot 20/10	W 711 22# 1	929 M
Miral San	TOTAL MARKAL		Files	Test before	Shot 20/10	Change sho	t 30 - 5 07 RDI
N SOOL S		A. 1.	100000000000000000000000000000000000000	Shot 1-25-5	with Shape	FOOD FOID	t 30 - 5 oz RD
in Milite of	String Shot	Series On H	S. C. Carlotte		shots from	7200-7210 W	711 22# 1 977 1
ing train [To]	-5T	523	5213 - 5237	Test 30 mir	utes after	snot ZI/IO W	7" 22# 1,977 1
mante could pro-	7-0	17-27		8		b'	hullon
	in the	0-70		3		70 W 711 20	1 929 M
		with the same of the same		Test before	2nd shot 2	10 W 7" 22	5216-5237
声声图6 ,	421				MT	II - O I DT. THI I I'V	
	1 4500 67	alah wers		Test 1 hour	and 40 min	utes after s	shot 38/10 W 7"
		A distriction of the			22# 2,659	M	
	The section of the	FOR ISA		Maria Separation		The second secon	E OF
	-	Contraction of the contraction	Jeog	FINAL OPEN	FLOW - 2,65	9 M - Oriska	any
		*		15 Hr. R.P	410#	37601	
	17		1841 950 480				her Packer
	The second second second	217		Shut in 1-	26-51 in 7"	casing.	
	orang ol		TON TON	Dirdo Til T-	7		-
	Vera					11000	
dorve 2. U. arm 103.ph compa (which sit no 00	Dog 1949,	whirled on	46, M. Va.	Lapins contail and	TO TOMBURE	ASH Fall III	Pachers
derse 2. U. nem (Calph costian (which remain Of	Dog 1949,		15,-7. Va.	Cuning and Tubing	Tard in Lichtnick		Pachera
acm (Calph course (which	Dog 1949,	s oppose.	15, M. Va.	Canigh and Eding	Tace in Delining	Left in	
	ted fuel o		W Wa.	Cusing and Ending	Take in	Left in	5/2023

Date June 21, , 19 51

APPROVED UNITED FUEL GAS COMPANY , Owner

By (Title)

Chief Engineer

DESIGNATION MAT

March 26, 1951

Mr. R. L. Deem 1210 Fike Street Parkersburg, West Virginia

Dear Sir:

Please send two copies of recrod of the drilling of Well No. 1 on the Margaret B. Deem Ferm, Tygard District, Wood County for which permit WOO-345 was issued November 2, 1950.


Forms OG-10 are enclosed.

Very truly yours,

Administrative Assistant OIL AND GAS DIVISION

CC: Inspector O. C. Howard

May 1, 1951 Mr. R. L. Doom 1210 Pike Street Parkersburg, West Virginia Dear Mr. Doem: This will acknowledge receipt of your letter of April 25th in reply to my letter asking for record of Well drilled on the Margaret B. Deem Parm. I have read your letter and considered it very carefully and since the application for permit was made out in your name and permit was issued to you, the Department has no other person to converse with regarding the well. from your letter that you contracted the drilling to Layfield and Collins and I sincerely hope that your contract is such that you can force them to properly case the well and drill it to the point of sands called for or should have been called for in your contract. You ask me in your letter for my advice. Not knowing anything about your contract, this is about as far as I would wish to go at this time, but, saying your contract is properly made out, I believe you can force them to case water off and drill to the specified depth. I may be in Parkersburg shortly and will call you on the telephone and we can discuss this more fully. Very truly yours, Administrative Assistant OIL AND GAS DIVISION CNH:E co: O. C. Howard, Inspector 12/15/2023



KAECO. N. Y.