


P

Latitude $39^{\circ} 10'$
 $39^{\circ} 07' 30''$ (7/2)
 5.285
 5.285
 $1.61 W.$
 $1.59 W$
 $650 (G-5)$



New Location
Drill Deeper
Abandonment

Company Godfrey L. Cabot, Inc
Address 300 Union Blvd, Charleston W. Va
Farm Jacob E. Singledecker (BLC 066)
Tract Acres .54 Deed Case No. 2-92
Well (Farm) No. 1 Serial No. 1345
Elevation (Spirit Level) 885.72
Quadrangle Belleville - EC
County Wood District 1-2-10
Engineer H. J. ...
Engineer's Registration No. 1652
File No. _____ Drawing No. _____
Date 12-16-50 Scale 1" = 1320'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. W00-349

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
= Denotes one inch spaces on border line of original tracing.

Deep Well

Well No. 1345

WELL RECORD 25

Woo-349

SERIAL NO. 1345 OPERATING DISTRICT Wirt
 FARM S.E. Singledecker No. 1 LEASE NO. 64-39
 COUNTY Wood TAX DISTRICT STATE W. Va.
 DRILLING COMMENCED 2-8-51 DRILLING COMPLETED 5-28-51

CONTRACTOR Company tools ADDRESS
 ROCK PRESSURE RECORD PRODUCING SAND RECORD DRY HOLE

Sand	lbs., in	hrs.	Sand, from	to	Init. Prod.	M. C. F. Gas
Sand	lbs., in	hrs.	Sand, from	to	Init. Prod.	M. C. F. Gas
Sand	lbs., in	hrs.	Sand, from	to	Init. Prod.	M. C. F. Gas

OPEN FLOW Time, Condition: DRY HOLE

10ths Water Mercury in inch opening

Volume M. C. F.
 24 HOUR PRODUCTION TEST AFTER TUBING

M. C. F. Line Pressure 8"
 Bbls. Oil in 24 Hours 7"

CASING RECORD

SIZE	WEIGHT	USED IN DRILLING	LEFT IN WELL	HOW CASING SET
13"		312		
10"		1440		
8"		2091		
7"		4971		

TUBED AND SHUT IN Date

Packer, Size Kind
 Set, Depth Size Anchor

Perf. Top Bottom
 Perf. Top Bottom

SHOOTING RECORD NOT SHOT

ELEVATION: 886 Gauge Before { Acid Shot } Date Min. Hrs. After { Acid Shot }

FORMATION	COLOR	TOP	BOTTOM	STEEL LINE MEASUREMENTS	HARD OR SOFT	OIL, GAS OR WATER	DEPTH FOUND	REMARKS
Clay		0	10					
Red Rock		10	28					
Sand		28	44					
Red Rock		44	50					
Sand		50	90					
Slate		90	105					
Red Rock		105	150					
Slate		150	180					
Red Rock		180	230					
Slate		230	250					
Red Rock		250	320					
Slate & Shells		320	350					
Red Rock		350	370					
Slate & Shell		370	440					
Red Rock		440	515					
Lime		515	550					
Red Rock		550	570					
Lime		570	605					
Sand		605	636					
Slate		636	665					
Sand		665	740					
Slate		740	810					
Lime		810	885					
Sand		885	930					
Red Rock		930	994					
Slate & Shell		994	1015					
Red Rock		1015	1075					
Slate & Shell		1075	1112					
Sand		1112	1150					
Slate		1150	1170					
Sand		1170	1275			Water	1193	
Lime		1275	1322					
Slate		1322	1330			Water	1322	8 bailers per hr.
Lime		1330	1412					
Slate & Shell		1412	1425					
Sand		1425	1515					



Water 900 1/2 bailer per hr.

Water 1193

Water 1322 8 bailers per hr.

1345

S.E. Singledacker

1

OPERATING DIST. Wirt
TOWNSHIP

MAP SQUARE 64-39
LOT NO
WARRANT NO.

SERIAL NO. FARM NO. NO.

25

STEEL LINE
MEASURE
MENTS

HARD OR
SOFT

OIL, GAS
OR WATER

DEPTH
FOUND

REMARKS

FORMATION	COLOR	TOP	BOTTOM	STEEL LINE MEASURE MENTS	HARD OR SOFT	OIL, GAS OR WATER	DEPTH FOUND	REMARKS
Slate & Shell		1515	1650					
Sand		1650	2070			Water	1715	Hole full.
Line		2070	2125					
Slate & Shell		2125	4050					
Brown Shale		4050	4260					
Slate & Shell		4260	4600					
Brown Shale		4600	4825			Gas	4730	Small show.
Black Shale - <i>MARCELLUS</i>		4825	4949					
Corniferous		4949	5084					
Criskany		5084	5124					
Line		5124	5130					
Sand		5130	5144					
Line		5144						
		TOTAL DEPTH		5160				
				485				
				4949		5084	5124	
				886		886	886	
				4063		4198	4238	

TOTAL DEPTH

DATE

APPROVED

FORWARD