



## DEPARTMENT OF MINES OIL AND GAS DIVISION

## NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To THE DEPARTMENT OF MINES,	
Charleston, W. Va. Frieda S. Somerville & Earl L. Somerville	
2010 Bolton Street, Baltimore 17, Maryland	Columbian Carbon Company
Ernest E. Allen and Lorraine Allen	NAME OF WELL OPERATOR
2012 10th Ave. So. Parkersburg, W. Va.	Box 873, Charleston 23, W. Va.
	COMPLETE ADDRESS
G. E. Buchanan and Dora M. Buchanan R.F.D. #4, Parkersburg, W. Va.	Ima 30
COAL OPERATOR OR COAL-DWNER	June 19 , 19 52
J. Edward Florence and Della C. Florence	PROPOSED LOCATION
R.F.D. #3. Parkersburg, W. Va.	Lubeck
Richard H. Florence and Virginia H. Florence R.F.D. #3, Parkersburg, W. Va.	e Wood County
Seddie E. Emerick and Margaret L. Emerick	Well No. 1 - (W-7787 200 350)
R.F.D. #4, Parkersburg, W. Va.	Well No. 1 - GW-1181 8/0 3301
(over)	Frieda S. Somerville, et al
GENTLEMEN:	Farm
The undersigned well operator is entitled to dril	l upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the case ma	the under great or less days from 1 10 1000
Columbian Carbon Company	Frieda S. Somerville, et al , to
of .	and recorded on theday
, in	the office of the County Clerk for said County in
page 519	
The enclosed plat was prepared by a competent ento be drilled for oil and gas by the undersigned well operand County above named, determined by survey and colland marks.	urses and distances from two permanent points, or
The undersigned well operator is informed and be of coal beneath said farm or tract of land on which said aries of the same, who have mapped their workings and coal operators or coal owners (if any) above named as a	dified their maps as required by law, excepting the
The above named coal operators or coal owners (if desire to make to such proposed location, or which they at the drilling of a well at said proposed location will cause coal mines, must be received by, or filed with the Department a copy of this notice and accompanying plat by said Department forms for use in making such objections will be furn on request and that all such objections must set forth as of grounds on which such objections are based and indicate the be moved to overcome same.	any) are notified that any objections they may are required to make by Section 3 of said Code, if a dangerous condition in or about their respective on the fartment. Said coal operators are further notified as a said coal operators are further notified as a said to them by the Department of Mines promptly
(The next paragraph is to be completed only in	Department's copy.)
copies of this notice and the enclosed plat were ma	iled by registered mail and live 1
West Virginia with the mailing or delivery of this	
Very truly	yours, COLUMBIAN CARBON COMPANY
JUN 1952 🗐	by: 0. W. Van Petten, Vice Pres.
(SE WEST VIRGINIA	Box 873
DEPARTMENT OF MINES Address	STREET
WEST VIRGIMA  DEPARTMENT OF MINES  Address of Well Operator	Charleston 23
(401 0 0 1 9 5)	CITY OR TOWN 12/08/2023
T	W. Va.
DOLLD . Thee state	STATE

\*Section 3.... If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the departhave been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

MATHEWS PRINTING AND LITHOGRAPHING CO. CHARLESTON, W. VA.

WOO-372 PERMIT NUMBER



## DEPARTMENT OF MINES

## NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

	Charleston, W. Va.
o Columbian Carbon Company	Livrence . I fra & elivrence . abeit?
PART OF STALL OF STALE	2010 Polton Street, Peltimore IV, Maryl
- In and and	Erness w. Allen and Lopraine Allen 2012 10th ave. So. Parkersburg, M. Vs.
Box 873, Charleson 83, W. Va.	
	C. A. Mehanan and Tora . Budhanan
Tone 13 19 58	R.V.J. M. Carlesones, M. Va
PROPOSED LOCATION	deard Flor mes and Della V. Plorence
	SV . W. CHINE YEAR CO.
IOTDIRCE.	Richard S. Florence and Virginia H. Flor
	R.F. D. W. Parkersaurg, W. Vr.
Auto0	Seddie a. merick and Hargeret L. Emoric
K Well No. 1 - (W-1281 8/0 85)	R.F.J. My Cankersburg, W. Ve.
	(Yavo) washing the Company of the Co
Frieds 3. Sonorville, et al Ferm	Gentlemen (COVEE)
The state of the state of the state of the state of	
drill upon the above named farm or man of land for	OI DOUGHTO EL LORINGIO AND CONTROL DE LA
e way be mader grant or lease dayed April 30. 199	on and gas, naving the interio, (or as the cas
bby Prieda 8. Somerville, et el	DEG ROSE
vab adt so behroost bna	Columbian Company
in the office of the County Clerk for sain County in	Book 255 page 519
the engineer and shows the proposed location of a well operator on the farm and in the Magisterial District dourses and distances from two permanent points, or	to be drilled for oil and gas by the undersigned well and County above nomed, determined by survey and land ravels.
d believes there are no coal operators operating bads said well is located, or within 500 feet of the bounds and filed their maps as required by law, excepting the as addresses,	coal operators or roal owners (Hoan') shore nemed
(if any) are notified that any objections her may not are required to uncles or oction 3 of said Codes it uses a dangerous condition in or about their respective afterest of Mines within tent days from the revent of objections. Said coal operators are turiner notified desired to them by the Department of Mines promotify indispect to them by the Department of Mines promotify as definitely as its reasonably possible the ground or the direction and distance are proposed to also about the direction and distance are proposed to also about the direction and distance are proposed to also about the direction and distance are proposed to also also also also also also also als	the drilling of a well a said proposed location will est contained, must be received by or filed with the Dens a copy of this notice and econfiguration but by said that forms for use on making such objections will be on request and that all such about our sections.
the state of the boundaries and holient	
shown respective address as the common of Mines at Charleston	or view manufacture and the wall at the contract of the wall was a delivery of
traly years. COLUMNIAN CAPRON CONSMIT	
by: O. W. Van Petten, Vice 1760.	13 PTO MIN 8
NOTATION LINE	STOLUTION TO THE STOLET
Box 673	Baltimore 29, Md.
	Betty Lew Harbour & Melvin Harbour
Obanlesion 23	
MACK NO ALC	12/08/2023
1	R.F.D. #4, Parkersburg, W. Va.
Start Start Assess Start	Della F. Criss, widow

Will Ca 272 Program Measure

## DEPARTMENT OF MINES OIL AND GAS DIVISION /2

. Belleville

Permit No.WOC	372		WELL	RECORL		Oil or C	Gas Well dry hole (KIND)
Address Box	873, Charle	ston 23, W.		Casing and Tubing	Used in Drilling	Left in Well	Packers
Location (water	rs) Badgl	eille, et al ey Fork		Size	251	251	
Disting Tabo	ole	C Mand	Elev.856.01 G	13		73.	Kind of Packer
The surface of t	tract is owned in	fee by Frieda	Somerville, et	ta <b>10</b> 3/4" 40#	19281	pulled pulled	Size of
Mineral rights a	are owned by Fr	Address Baltimieda S.Somer	ville, et al	8½ 20 23#		458717"	Depth set
Drilling commer		Address C.C	.0.)	5 3/16			Perf. top
Drilling complet	ted 10-1	<b>-</b> 52		2			Perf. bottom
With		nTo		Liners Used			Perf. top Perf. bottom
			Inch	CASING CEME	ENTED	SIZE	No. Ft. Date
Volume	dry hole		Cu. Ft.	see			36
Oil	1 211 200		hrs. _bbls., 1st 24 hrs.				FEET 36x INCHES
	7581		feet				FEET INCHES FEET INCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
ed Rock			0	40			
ed Rock		h, iowr a	93	93			
late led Rock			102 137	137 168			

Salt water	50.	feet	feet		EETINCH	ESFEF	TINCHE
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			0	40			
Slate		LOUIS TO	40_	93			
Red Rock			93				
Slate			102	137			
Red Rock			137	168			
Slate	The second second	cor cocest	168	180			
Red Rock	HI HERMANIE	I-II-II-Dayber	180	188		1 T. V. V. V.	
Lime			188	208			
Red Rock	)		208	266			
Slate			266	272			
Red Rock			272	346			
Lime			346	372			The second secon
Sand			372	388	/ 3		
Slate			388	408			
Lime			408	440			
Sand			1,1,0	472			
Slate	399'SLM-3	95'DLM	472 505	505			
Lime			505	525 551 561			
Slate			525	551			
Red Rock			551	561			
Lime and Sha	le	_TX: T. DTT	561	589			
Sand	- 2 D.D. + A.		589	619	s nacht.	Southon .	page unit
Slate			619	631			
Slate			631	741			
Sand	- SN		741	767 787			
Slate			767	787	1110		
Red Rock			787	889	20371123	4	
Slate			889	935	1500	196	
Red Rock			935	963	DOTAGE		
Slate			963	973	OCT 195	256188	
Red Rock			973	983	145 MEDI AIKEII	UIA .	8/2023
Slate			983	1023	DEPARTMENT OF	MINES 3	0/2023
Sand			1023	1043	12	10 10 10 10 10 10 10 10 10 10 10 10 10 1	
Slate			1043	1054	(3)	181	
Lime		to the second	1054	1076	COZEI DI II D	617	
Slate			1076	1102	EEEE 18181119		THE REAL PROPERTY.
Lime	1105'DLM-1	107'SIM	1102	1105			
Sand			1105	1128			
Lime	Towns 1		1128	1141	OF HERE	Lang	mountain to the

Formation	Color	Hard or Soft	Top 18	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate Gritty Lime Slate Sand Slate Coal Sand Slate Sand	TTO-POTE -	F01: 313	1141 1194 1219 1257 1271 1295 1298 1335 1345 1348 1355 1461 1559 1602	1194 1219 1257 1271 1295 1298 1335 1345 1348 1355 1461 1559 1602 1650			312.
State Sand Lime Sand Slate Lime Slate& Shells Lime Slate Brown Shale Slate & Shells Lime Slate Slate Shale Slate Shale Lime Oriskany Sand Lime	4537°DI	M-4556'SIM corrected	1650 1734 1880 1968 1978 2030 2063 2540 2605 3375 3426 3681 3713 3855 3915 4400 4522 4541 SIM 4644 4706	1734 1880 1968 1978 2030 2063 2540 2605 3375 3426 3681 3713 3855 34400 4522 4644 4750	S. water	17581	hole full
Table Socie		TOTAL DE	PTH	47501		* X-	
CASING RECORD	C. P. Co.	216	Kun	seed fund	en en Vansen	Found	remarks
7-18-52	4.4	easing not Aq		10 mg	Later Tulo		THORNE
7-26-52	Company of the Compan	asing - ran 2	L 16 h., 250 g.t bin	sel 5 4 72	BOTTO COMO	28	L IMPRES
9-17-52	7" casir	ng not aquage	lled		esiano.	36	May MCL
	Affilia in area		1200	CYSIAC GER	1043,5157	(80) 3790	
Driller to public Berline compate Date spots Rec who	Top and	5-38		S. Americ Officer		50 50 50 50 50 50 50 50 50 50 50 50 50 5	
2010 Total kept of an analysis of the second control of the second	o device gar	Adjust 2 Louis Locks 0 . 20083	aro, ed.	201. 22. 71. 23.	F280 Au	burjos b	P0 102
h < 2 mon (washers Well mo. 1 — Discovery I biteo	1-7307 1-7307		000001011	See	Str.	521 K	and of Punker
Comparts Dol	. Joner	Toot was into		infeat georging	User in Linitary	12/	08/2023
Termit au MOS	172.5		METT	RECOR	3	Alth or some	An and person
		1	OFF SHE	FYR STAIRION	Date 0	ctober 1, 19	52 19

APPROVED Columbian Carbon Company , Owner

By R. L. Bird, Jr. Ass't Sup't

(Title)

#### DEPARTMENT OF MINES

OIL AND GAS DIVISION

## INSPECTOR'S PLUGGING REPORT

Permit No. W 70 # 3 72	P	1	1	00	We	II No.Z.G	70V 1181
COMPANY Column	hian ban	two 6	ADD ADD	RESS Charle	eston O	V. Va	Control Tipped
FARM Huda SS	mugulle et	al DISTRI	CT Z	wheek co	UNTYC	Word	}
Filling Material Used	Clar	1 gras	ul Ce	must and q	iquage	2	Company Address
Liner as Month to Bar Lo	ocation	Amoun	t	Packer	Location	1	We do
PLUGS USED	AND DEPTH PLACED		13	BRIDGES	CASIN	IG AND T	JBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONST	RUCTION-LOCATION	RECOVERED	SIZE	LOST
	Georel		4750	- 4624	)		District
10'	s'stance		4624	- 469		Liegnera	Drilling con
Tan Pen	my gran	ragel	The second secon	otal depth		pleted	Drilling com
Perf botton	1 //		·	Jone to	ligeG.		ioda efeij
Perf. top		5	Liners Use	the Water inInch		wof	noqo Initial
Porf. bettem			an Alan er en reg	the Mere in Inch	11\	ter tubin.	Open flow at
tagDat	DAME	ogress va	o omizaci	39 (C)			omaday
					-11		
AND PRINTS							
		100mg a	W V LEAU				
Drillers' Names Had	Harhy	and c	Denve	, Hamitt	U 101		19167 118911
PRET NOTE	and the second	7793		Jan 2	2091		Lastaw HaR
Remarks:				-t		200	Dyfliers' Na
	678	9 107772					
	ASS BE	49					
	STI STI	SIS W	31617				
10/6-12	I hereby certify I	visited the al	ove well on	this date.	0		
DATE	EB 130m	747C772		1000	B/ - /	1	

12/08/2023

# DEPARTMENT OF MINES OIL AND GAS DIVISION

## INSPECTOR'S WELL REPORT

Permit No		Oil or Gas Well(KIND)					
Company	LYTNUOQ L L XXY XX	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS MATAN	
	distribute had had	Size			basO fairet	M griffing Ma	
Address	Parker Loc	16		no di Mana	Kind of Pacl	cer	
Farm	n unionis	13		THE STATE OF THE	c su anua		
Well No.	NOTE NOTE NOTE NOTE OF THE NEED OF THE NEE	10			Size of	BANGO	
District	County	81/4		Section Street			
Drilling commenced		65% 5 3/16			_ Depth set		
Drilling completed	Total depth	3		•	Perf. top		
Date shot	Depth of shot	2			Perf. bottom	1	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top Perf. bottom		
Open flow after tubing	/10ths Merc. inInch				Peri. bottom		
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date	
Rock pressure	lbshrs.						
Oil	bbls., 1st 24 hrs.	COAL WAS E	NCOUNTEREL	) AT	FEET	INCHES	
Fresh water	feetfeet	FEET	INC	HES	FEET	INCHES	
Salt water	feetfeet	FEET	INC	HES	FEET_	INCHES	
Drillers' Names						Remarks	
Remarks:		P.					

#### DEPARTMENT OF MINES

OIL AND GAS DIVISION

## INSPECTOR'S PLUGGING REPORT

COMPANY Golds	metion ban	for 6	7 A ADE	RESS Chan		W Wa	GOV 1181
FARM Greida & &	Simumillet	DISTRI		100	UNTY	Wor	Preparation of the same
Filling Material Used	Colony	gra	wl_	Cornert and	aqua	Jel	Company
Liner Louis Louis Lo	ocation	Amoun	nt	Packer	Location	l	
PLUGS USED	AND DEPTH PLACED		- 1	BRIDGES	CASIN	IG AND T	UBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONST	RUCTION-LOCATION	RECOVERED	SIZE	LOST
	Pulling	65/8"	casmi	y windy	9		
	1		1			bsonem	Dulling com
Perf. top			8	otal depth		beleiq	Drilling com
Perf, bottom			2	tode lo	ijqe(I		Linds sintly
ger tref			Liners Use	the Water inInch	M\.	vrol	nago leitini
Post potron				the More, in	) [\]	inidat 193	ts woff negO
No. PT. Par	8778	GATUMMA	GASING C	aW uO			ontale?
				and.	adī		manura shoral
NINT TIME	TA GERRY	AMODMS 6	A.W. LAGO				•
Drillers' Names Hod	Hunds	uan	Des	wer & a	nett		14184 111917
but	Cost Cass	ig a	hut.	3500 18.	J931		_Audaw Heb
Remarks:		f .					Drillers' Nat
		18	91011127	14.			
		E OF	Meg.				
		23	May May S				
		Eco	Miller				
18/10-15-2 DATE	I hereby certify I	visited the a	boye well on	this date.	10/		
				_ 06	Don	rase	0
ROTORTHIN LINE TOINTSIN					DIS	12/08	12023

## DEPARTMENT OF MINES

#### OIL AND GAS DIVISION

## INSPECTOR'S WELL REPORT

Permit No.	The startes	O PERM	cas soc	busha		r Gas Well	COMPANY
Company	COUNTY	10244	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACK	ERS
nastik	ing Jan		Size	a jung		beell Isign	Filling Ma
Address	roods.	Taxia	16	1.1		Kind of Pac	ker
Farm		Sapoten	13		100383		19Hiti
Well No.			10			Size of	измар
District			81/4				
Drilling commenced			6%			Depth set	
Drilling completed	Total de	pth	5 3/16			7	
Date shot			3			Perf. top Perf. botton	
			Liners Used			Perf. top	
Initial open flow	/10ths Wa	ater inInch	Differs Oseu			Perf. botton	
Open flow after tubing	/10ths Me	rc. inInch					
Volume		Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbs	hrs.					200
Oil		bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTERE	D AT	FEET	INCHES
Fresh water	feet	feet	FEET	INC	CHES	FEET	INCHES
Salt water	feet	feet	FEET	INÒ	CHES	FEET	INCHES
Drillers' Names			America Maria Managaria	4			Remarks:
Dimers Traines			18 THE PA				
Remarks:			**			i i	
			of The				

TO THE DEPARTMENT OF MINES,



### STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

#### NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

Charleston, W. Va.	1 Day of the form 1 for 1	
Coal Operator or Coal Owner	Columbian Carbon Company Name of Well Operator	
Address	Box 873, Charleston 23, W. V. Complete Address	a.
	October 1	19 52
Coal Operator or Coal Owner	WELL TO BE ABANDONED	
Address	Lubeck	_ District
	Wood	County
Lease or Property Owner	Well No. 1 - GW-1181	
Address	Frieda S. Somerville, et al	Farm
spector to be notifiedO. C. HOWARD -	CRANTSVILLE - THLE. 108	

Gentlemen:-

The undersigned well operator is about to abandon the above described well and will commence

October 6, 1952

the work of plugging and abandoning said well on the date inspector is notified (which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

Well Operator

DEPARTMENT OF MINES NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a registered engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners and adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

NOTE: In case plugging is not commenced within four months from the above date, this permit shall expire and be of no further force or effect.

### PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

### WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

#### **WORK ORDER**

Well to be plugged and filled as follows:

Fill Total depth to 4624'
Cement 4614' - 4624' - 2 sacks

Fill hole with water
Pull 7" 0.D. casing up to 17001

Bridge 1788' - 1798'

Fill 1738' - 1738' - 5 sacks

Cement 1728' - 1738' - 5 sacks

Pull balance of 7" O.D. casing to 1250'

Bridge 1328' - 1338'

Cement 1275' - 1328' - 26 sacks Pull balance of 7" O.D. casing

Boodcood Occoped

Generation de la compansión de la compan Pull 25' of 16" O.D. drive pipe Fill 35' to surface

Erect monument as prescribed by law

BRIDGES NOT PERMITTED ABOVE COAL SEAMS

FILL FROM 1275' - 200' Neat Cement 200 - 190 | 5 | crushed stone on cement and fill

with clay to surface

To the Department of Mines Coal Owner or Operator, Lease or Property Owner.

#### Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandant the said will be a stated in the notice of intention to plug and abandant the said will be a stated in the notice of intention to plug and abandant the said will be a stated in the notice of intention to plug and abandant the said will be a stated in the notice of intention to plug and abandant the said will be a said will be a stated in the notice of intention to plug and abandant the said will be a said will be don the said well on opposite side of this sheet.

Very truly yours,

COLUMBIAN ARBON COMPANY R.L. Bird, Jr., Assit Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby aparagray

\_, 19\_ 2nd day of October, 1952

DEPARTMENT OF MINES Oil and Gas Division

NOTE: This "work order" shall be filed in triplicate, one copy for the files of the Department of Mines; one to be approved or corrected and returned to the well operator as his authority for plugging said well; and one for the well inspector.

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES
OIL AND GAS DIVISION

OCT 24 1952

RECEIVED


CHARLESTON, W. VA.

### AFFIDAVIT OF PLUGGING AND FILLING WELL

			Co	lumbian Carbon C	
COAL	OPERATOR OR OWNER	49	Bo		n 23. W. Va.
	ADDRESS			COMPLETE ADD	
			Oc	tober 22	19 52
COAL	OPERATOR OR OWNER	Harliff Harl	Tan	WELL AND LO	District
	ADDRESS				
L FACE	OR PROPERTY OWNER		Wo	od	County
	OR PROPERTY OWNER		Well N	To.1 - GW-1181	
	ADDRESS				
			Fr	ieda S. Somervil	le Farm
STATE INSPECTOR	SUPERVISING PLUGG	ING		•••••	
		AFFIR	DAVIT		
STATE OF WEST	VIRCINIA	ALLII	JAVII		
		ss:			
County of Wood		)			
	n Johnson worn according to lay			S. J. Taylor	angod in the work of
-1	!1 1 11	,	-1 1 h-		-
plugging and filling	g oil and gas wells and participated in the w	were em	ployed by	Columbian Carb	on Co
was commenced on	the 8th day of	Octob	er	, 19 52 , and that t	the well was plugged
and filled in the fo	llowing manner:				
AND OR ZONE RECORD	FILLING	MATERIAL	To der	PLUGS USED	CASING
FORMATION	CONTENT	FROM	ТО	SIZE & KIND	CSG CSG PULLED LEFT II
	Filled solid		4624		16" all
	Cement-2 sacks	4624	4614		13-3/8" all
	Filled with water	r			10-3/h" all
	Bridge	1798	1788		8-5/8" all
	Filled solid	1788	1738	7"	3718'11" 868'8
	Cement-5 sacks	1738	1728		A CONTRACTOR OF THE CONTRACTOR
	Bridge	1338	1328		
	Cement-26 sacks	1328	1275		
	Filled solid	1275	200		4
	Neat cement 5 ft. crushed s	200	190		
	Pulled 16" pipe				
	Filled solid				
	A 28293	13			
COAL SEAMS	Constitution of	97			ON OF MONUMENT
(E)	OCT 1952	10			erville #1, GW-11
IE)	MECT VIRGINI	1 0		Columbian Carl	
(E)	IN WELL THE	MINES C		Box 873, Chas	• " • Va •
AE)	DEPARTMENT UF	Illino		10-22-52	
and that the work	of plugging and fill	ling said	well was	completed on the	22nd day of
October	19/1/527	110		10 1	0
	eponents saith not.		180	16h la	linson
and larener de	Polician Balvir 1100.		01 10	Tank	40100100
Swam to and	subscribed before me	this 2	4	of Ont	12/08/20
Sworn to and	subscribed before me	this	4 day	0 2/ 2	, 19 52
My commission exp	oires:			5	Notary Public.
Oct. 4.			3,0		mit No. WOO-372-P
1 100 0					

Wood

12/08/2023



MPERIAL" TRACING CLOTH