


714

P



Latitude 39° 15'

Longitude 81° 40'

New Location
 Drill Deeper
 Abandonment

Company B. H. Putnam, Operator.
 Address 1st. Nat. Bank, Marietta, Ohio.
 Farm Millard Abbott
 Tract _____ Acres 70 Lease No. _____
 Well (Farm) No. 2 Serial No. _____
 Elevation (Spirit Level) 701'
 Quadrangle Belleville NW
 County Wood District Harris
 Engineer Robert R. Anderson
by O. Meredith
 Engineer's Registration No. _____ 296
 File No. _____ Drawing No. _____
 Date 3/10, 53 Scale 1 in = 30 Poles

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. W00-387

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

6-6 0 Deepwell



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Belleville

WELL RECORD

Permit No. Woo-387

Oil or Gas Well Oil & Gas
(KIND)

Company B. H. Putnam, Operator
Address 512 Third Street, Marietta, Ohio
Farm Millard Abbott (Jonecy Abbott) Acres 126
Location (waters) _____
Well No. 1 Elev. 126
District Harris County Wood
The surface of tract is owned in fee by M. Abbott
Address New England, W. Va.
Mineral rights are owned by M. Abbott
Address _____

Drilling commenced 3-27 53
Drilling completed 6-1-53
Date Shot Hydrafrac From _____ To _____
With _____


Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume 53 MCF Cu. Ft.
Rock Pressure 1620 lbs. 36 hrs.
Oil 4 bbls., 1st 24 hrs.
Fresh water none feet _____ feet
Salt water none feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16	46		
13	194		Baker Model "K"
10	878		Size of
8 1/4	1633		
6 1/2		4238	Depth set 4230
5 3/16			
3			Perf. top
2		4230	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED 7 SIZE 4238 No. Ft. 17-53 Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			0	10			
Rock	Red		10	40			
Slate	Blue		40	45			
Gravel			45	50			
Rock	Red		50	85			
Slate	Blue		85	120			
Rock	Red		120	124			
Slate			124	140			
Sand			140	190			
Rock	Red		190	198			
Slate			198	265			
Rock	Red		265	310			
Slate	Sandy		310	345			
Rock	Red		345	350			
Slate			350	390			
Rock	Red		390	400			
Slate			400	540			
Rock	Red		540	648			
Slate			648	695			
Rock	Red		695	720			
Slate			720	795			
Slate	Black		795	820			
Slate			820	885			
Sand			885	895			
Slate			895	964			
Slate & Shells			964	1013			
Slate			1013	1063			
Sand			1063	1100			
Slate			110	1170			
Sand			1170	1235			
Slate			1235	1245			
Slate	Black		1245	1265			
Sand			1265	1283			
Slate			1283	1335			



Formation	Color	Hard or Soft	Top 6	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			1335	1390			
Lime			1390	1455			
Sedlin Sand			1455	1615			
Slate			1615	1624			
Lime			1624	1630			
Slate			1630	1636			
Lime			1636	1650			
Slate			1650	1665			
Slate & Shells			1665	1720			
Slate			1720	1926			
Shale	Brown		1926	1955			
Sand - <i>Beuca?</i>			1955	1956			
Slate			1956	2032			
Slate & Shells			2032	3100			
Slate			3100	3110			
Shale	Brown		3110	3155			
Shale			3155	3358			
Slate			3358	3434			
Shale	Brown		3434	3630			
Slate			3630	3925			
Shale	Brown		3925	3980			
Shale			3980	4035			
Shale	Brown		4035	4155			
Lime - <i>Onidera</i>			4155	4243			
Oriskany Sand			4243	4246-1/2			
				<i>425</i>			
					<i>4155</i>	<i>4243</i>	
					<i>701</i>		

Date August 5, 1953, 19

APPROVED B. H. Putnam, Operator, Owner

By *[Signature]*