

New Location...   
 Drill Deeper.....   
 Abandonment.....

Company B.H Putnam, Operator  
 Address 1st National Bank, Marietta, Ohio  
 Farm Lydia Tennant  
 Tract \_\_\_\_\_ Acres 179 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 739'  
 Quadrangle Belleville **NW**  
 County Wood District Harris  
 Engineer Robert R. Anderson  
 Engineer's Registration No. 296  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date \_\_\_\_\_ Scale 1/111 = 30 Poles

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. W00-400

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

Deepwell



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION 15"

*Bellaire*

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Permit No. W00-400


Company B. H. Putnam  
Address 512 Third Street, Marietta, Ohio  
Farm Lydia Tennant Acres 160  
Location (waters) Ohio River  
Well No. 1 Elev. 739  
District Harris County Wood  
The surface of tract is owned in fee by same  
Address \_\_\_\_\_  
Mineral rights are owned by same  
Address \_\_\_\_\_  
Drilling commenced 9-10-53  
Drilling completed 11-25-53  
Date Shot 12-8-53 From \_\_\_\_\_ To \_\_\_\_\_  
With Hydrafree  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
60 MCF Attr /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil none bbls., 1st 24 hrs.  
Fresh water none feet \_\_\_\_\_ feet  
Salt water none feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
18			Kind of Packer
13	<u>21</u>		<u>Baker Model 27H</u>
10	<u>341</u>		Size of _____
8 1/4	<u>950</u>		
6 3/4	<u>1643</u>	<u>1643</u>	Depth set _____
5 3/16	<u>4244</u>	<u>4244</u>	
3			Perf. top _____
2	<u>4244</u>	<u>4244</u>	Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED 5 SIZE 4244 No. F91-10-53 Date

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
rock	red		0	55			
slate			55	95			
sand			95	165			
rock	red		165	175			
slate			175	240			
rock	red		240	270			
slate			270	385			
sand			385	410			
slate			410	435			
sand			435	470			
slate			470	500			
sand			500	540			
slate			540	550			
rock	red		550	635			
slate			635	655			
rock	red		655	715			
slate	715		715	782			
sandy slate			782	812			
slate	black		812	825			
rock	pink		825	845			
slate	gray		845	1065			
sand			1065	1085			
slate			1085	1100			
sand			1100	1137			
slate			1137	1150			
sand			1150	1175			
slate			1175	1185			
sand			1185	1197			
slate			1197	1220			
slate	black		1220	1250			
sand			1250	1300			
slate			1300	1425			
sand			1425	1530			
slate	black		1530	1555			
sand			1555	1590			
lime			1590	1600			
slate	white		1600	1605			
lime			1605	1625			
slate			1625	1635			



(Over)

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
slate			1635	1678			
slate and shells			1678	1915			
shale - <i>Coffee</i>			1915	1939			
Berea sand			1939	1941			
Shale	gray		1941	1964			
slate and shells			1964	3085			
shale	brown		3085	3175			
slate and shells			3175	3395			
shale	brown		3395	3575	4092	4203	
shale and shells & slate			3575	3880	739	739	
shale	brown		3880	4092	3353	3464	
lime - <i>Onondaga</i>			4092	4203			
Oriskany sand			4203	4227			
				475			

Date April 13, 1954

APPROVED B. H. Putnam Operator, Owner

By B. H. Putnam Supt