

Washington Smith (Farm)
~~0.28-5~~
~~0.30-5~~
~~2.97 W~~
~~2.93 W~~
 4 NC (GS)

New Location...
 Drill Deeper.....
 Abandonment.....

Company B. H. Putnam, Operator
 Address 1st Nat. Bank Marietta Ohio
 Farm Jay G. Auville & John W. Stewart
 Tract _____ Acres 205 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 597'
 Quadrangle Belleville **W.C.**
 County Wood District Harris
 Engineer Robert R. Anderson
 by O. Meredith
 Engineer's Registration No. 296
 File No. _____ Drawing No. _____
 Date June 9 54 Scale 1 in = 40 poles

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. W00-424

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

-- Denotes one inch spaces on border line of original tracing.

66-296 Deepwell



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION //

Belleville

WELL RECORD

Oil or Gas Well Gas
(KIND)

Permit No. W00-424


Company B. E. Putnam, Operator
Address 512 Third Street, Marietta, Ohio
Farm Blaine & Nellie Auville Acres 73
Location (waters) Lee Creek
Well No. 1 Elev. 597
District Harris County Wood
The surface of tract is owned in fee by Same
Address _____
Mineral rights are owned by Same
Address _____
Drilling commenced 5/18/54
Drilling completed 9/24/54
Date Shot 9/24/54 From 4091 To 4106
With 50 Qts. Nitroglycerin
Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume 1700 Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil None bbls., 1st 24 hrs.
Fresh water None feet _____ feet
Salt water None feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
18 <u>3/8</u>	<u>415</u>		
10 <u>3/4</u>	<u>944</u>		Size of
<u>8 5/8</u>		<u>1470</u>	
6 1/2			Depth set
<u>5 1/2</u>		<u>4016</u>	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED 5 1/2 SIZE 200 No. Ft. Aug. 27 Date

COAL WAS ENCOUNTERED AT None FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil			0	30			
Gravel			30	40			
Red Rock			40	62			
Lime			62	87			
Red Rock			87	111			
Slate & Shells			111	136			
Red Rock			136	153			
Slate & Shells			153	190			
Lime			190	235			
Slate & Shells			235	255			
Red Rock			255	280			
Slate			280	325			
Sand			325	385			
Slate			385	415			
Red Rock			415	490			
Slate			490	495			
Sand			495	505			
Red Rock			505	610			
Lime Shells & Slate			610	640			
Red Rock			640	660			
Sand			660	700			
Red Rock			700	720			
Slate			720	780			
Sand			780	810			
Slate & Shells			810	840			
Sand			840	860			
Slate			860	915			
Sand			915	944			
Slate			944	950			
Sand			950	975			
Slate & Shells			975	1000			
Sand			1000	1020			
Slate & Shells			1020	1075			
Sand			1075	1160			
Slate			1160	1185			
Sand			1185	1235			
Slate & Shells			1235	1315			
Sand			1315	1470			



(Over)

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate			1470	1530			
Line			1530	1645			
Slate & Shells			1645	1818			
Brown Shale			1818	1834			
Sand			1834	1836			
Slate & Shells			1836	2975			
Slate			2975	3329			
Brown Shale			3329	3422			
Shale			3422	3467			
Slate & Shells			3467	3527			
Slate			3527	3765			
Shale			3765	3997			
Line			3997	4026			
Corniferous Line			4026	4030	3997	4043	
Line			4030	4043	597	597	
Sand - CRISKANY			4043	4060	3400	3446	
				(475)			

Date November 11, 1924, 19
 APPROVED B. W. Putnam Operator, Owner
 By B. W. Putnam District Engineer