

Company B.H. Putnam (operator)
 Address Box 597 Marietta Ohio
 Farm Audra Riggins
 Tract _____ Acres 95 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 707'
 Quadrangle Belleuille (NW)
 County Wood District Harris
 Engineer Robert R Anderson
by O. Meredith
 Engineer's Registration No. 296
 File No. _____ Drawing No. _____
 Date July 21 54 Scale 1 in = 20 Poles

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. WOO-428

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

6-296 Deepwell



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 8

Becksville

WELL RECORD

Permit No. WOO-428

Oil or Gas Well Gas
(KIND)

Company B. H. Putnam, Operator
Address 512 Third Street, Marietta, Ohio
Farm Rudra Riggins Acres 45
Location (waters) _____
Well No. _____ Elev. 707
District Harris County Wood
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced 8-18-54
Drilling completed 11-12-54
Date Shot _____ From _____ To _____
With Hydrafrac


Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10 <u>3/4</u>	<u>935</u>		Size of
8 <u>5/8</u>	<u>1583'</u>	<u>1583'</u>	Depth set
6 <u>5/8</u>			
5 <u>3/8</u>	<u>4104</u>	<u>4104</u>	Perf. top
3			Perf. bottom
2 <u>3/8</u>		<u>4175</u>	Perf. top
Liners Used			Perf. bottom

Open Flow /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume 700,000 Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil None bbls., 1st 24 hrs.
Fresh water None feet _____ feet
Salt water None feet _____ feet

CASING CEMENTED Yes SIZE 5 1/2 No. Ft. 4104 Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Rock	Red		0	45			
Slate	Gray		45	75			
Slate	Blue		75	105			
Slate & Shells			105	365			
Shale	Blue		365	405			
Slate & Shells			405	450			
Sand			450	495			
Slate			495	530			
Rock	Red		530	590			
Lime			590	615			
Rock	Red		615	785			
Sand			785	805			
Slate	Dark		805	815			
Rock	Red		815	825			
Slate	Gray		825	850			
Rock	Red		850	860			
Slate	Gray		860	875			
Slate			875	890			
Sand			890	945			
Sandy Slate			945	965			
Slate & Shells			965	1000			
Slate			1000	1025			
Sand			1025	1050			
Slate			1050	1125			
Sand			1125	1330			
Slate			1330	1395			
Sand			1395	1410			
Slate			1410	1425			
Unjur Sand			1425	1430			
Sand			1430	1555			
Slate			1555	1583			
Slate & Shells			1583	1745			
Slate			1745	1795			
Slate & Shells			1795	1895			
Slate			1895	1917			
Coffee Shale			1917	1935			
Berea Sand			1935	1938			
Slate & Shells			1938	2005			
Lime			2005	2010			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate & Shells			2010	2025			
Slate			2025	2075			
Slate & Shells			2075	2175			
Slate			2175	2220			
Slate & Shells			2220	3055			
Shale	Brown		3055	3445			
Shale			3445	3545			
Slate	White		3545	3605			
Slate			3605	3850			
Shale	Black		3850	3895			
Shale			3895	4060			
Lime - Onondaga			4060	4171½	4060	4171	4202
Sand - ORISKANY			4171½	4202	707	707	707
Lime - HELDERBERG			4202				
					3353	3464	3475
			485				

DEPARTMENT OF MINES
 Date January 15, 1955
 APPROVED R. H. Putnam Operator, Owner
 By R. H. Putnam M. S.