WEST LINE

IV-35 (Rev 8-81)

State of West Virginia

Bepartment of Mines
Dil und Gas Division

Date 1/ Operato		200	ite	Perfor
Well No	en h	7 00	its	Cumit2
Farm	Witte			
API No.	47 -	107		1238

WELL OPERATOR'S REPORT
OF

## DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

OCATION: Elevation: 662 K.B. Watershed Mi	11 Run	THOS NO	CHAH HO.	ICO MOTTAMI
District: Clay County Wood			e Kanawha	7.5 min.
1923	SUTTACE		nsylvania	emian & Pen
OMPANY Appeo Oil & Gas Corporation	Uall		bo	ist Salt Sa
ODRESS 100 S. Orange Ave.S-909 Orlando, Fla.	Casina	Used in	Toft bo	Cement
ESIGNATED AGENT Richard Brunbaugh	Casing		BHOJS	fill up Cu. ft.
ODRESS 212 Court St. Spencer, W.Va. 25276	Tubing	DETTITIG	III MEII	Cu. It.
URFACE OWNER Adrian Witte	Size 20-16		Shale	5/8" casing
ODRESS Rt. 9, Box 213 Parkersburg, W.Va. 26101	Cond.			SHOT CANON
	13-10"	300	300	to surface
INERAL RIGHTS OWNER Adrian Witte	9 5/8		100	SHOREST SE
DDRESS Rt. 9. Box 213 Parkershurg, W. V2. 26101	8 5/8	1754	1754	to surface
IL AND GAS INSPECTOR FOR THIS WORK  26178	7 8		- 01	sd2 veneins
muel Hersman ADDRESS P.O. Box 66, Smithville, W. VA	5 1/2		9.1	rcellus Sha
PERMIT ISSUED	4 1/2	4672	4672	2700'fill
RILLING COMMENCED 12/15/82	3			
PRILLING COMPLETED 12/21.82	2			
F APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON N/A	Liners			
POLOGICAL TARGET FORMATION Marcellus Shale		Dep	th 4700'	feet
Depth of completed well 4731' feet F	Rotary >			
Water strata depth: Fresh 90'+ feet;				
Coal seam depths: N/A				area? No.
DPEN FLOW DATA	n.	ne rone den	th 4655-	661 foot
Desire Francisco Marcallus Chala				
Producing formation Marcellus Shale				
Gas: Initial open flow 550 Mcf/d			TOM -	
Gas: Initial open flow 550 Mcf/d Final open flow 350 Mcf/d	F			
Gas: Initial open flow 550 Mcf/d  Final open flow 350 Mcf/d  Time of open flow between initial	F:	final tests	72 h	
Gas: Initial open flow 550 Mcf/d  Final open flow 350 Mcf/d  Time of open flow between initial Static rock pressure 1400 psig(surface)	Filal and i	final tests	72 h	
Gas: Initial open flow 550 Mcf/d  Final open flow 350 Mcf/d  Time of open flow between initial Static rock pressure 1400 psig(surface (If applicable due to multiple completions)	Filal and in measure	final tests ement) afte	72 hour 24 hou	urs shut in
Gas: Initial open flow 550 Mcf/d  Final open flow 350 Mcf/d  Time of open flow between initial Static rock pressure 1400 psig(surface (If applicable due to multiple completion Second producing formation	ial and in measure	final tests  ament) afte  ay zone dep	72 hour 24 hou	ers shut in
Gas: Initial open flow 550 Mcf/d  Final open flow 350 Mcf/d  Time of open flow between initial Static rock pressure 1400 psig(surface (If applicable due to multiple completions)	ial and in measure	final tests  ment) afte  ay zone dep  nitial open	72 hour 24 hour th	urs shut in

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, EIC.

Perforations 9 .49 tru-jet perforations from 4656 to 4660 Marcellus

Stimulation 715 mscf nitrogen
15% HCL misted in an initial breakdown
maximum treating pressure = 3200#
initial shut-in pressure = 2650# 5 min SIP = 2500#

## WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas		
Permian & Pennsylvania Cow Run 1st Salt Sand 2nd Salt Sand 3rd Salt Sand Maxton Sandstone Greenbriar Big Injun Sandstone 8 5/8" casing Siltstone & Shale Sunbury Shale Siltstone & Shale Gordon Stray Siltstone & Shale Huron Member (Ohio Shale) Siltstone & Shale Olentangy Shale Marcellus Shale Onondaga Limestone	surface .966 1 h20 1 182 1227 1447 1523 1611 1754 2044 2070 2381 2404 3638 3938 4306 4655 4661	1523 1040 1137 1196 1264 1483 1596 1710 1754 2044 2070 2381 2404 3638 3938 4306 4655 4661 4731	wet wet sli SG  Coffee shale, Berea absent Trace oil fluor in samples Organic shales, sli SG Organic shales, sli SG Organic shale T.D. Driller 4703 T.D. Logger 4731		
Dapth A700's feet  Cable Tools  Of feet (Top)  being maned in the area? No	SALTIN	ALE ON CAMAGO CAMAGO Callus Shale 11' for	Depth of completed well 47		

(Attach separate sheets as necessary)

		Gas Corporat		
By:	Well Opera Benymu Ben Smelt:	Smilte Zer, Geologist	Static rock pressure	
Date	January	26, 1983	Sacrad paralisming from	

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed evological record of all formations including

final tests 72 hours

enemt) after 14 hours shut lin

DRILLING CONTRACTOR:

1)	Date:	NOV. 29
2)	Operator's	1.1 to appropriate to a
	Well No.	WILLE #1

Well No. 47
State County

Permit

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES, OIL AND GAS DIVISION

MINITIME	OI	MILLIANS,	OIL AND	UAS	DIAISIO

				OIL A	AND GAS	WELL PERMIT	APPLICATION			
							SERVICE SERVICE			
4) WELL TYPE		Gas", Pro			/ _/	I Indonground stor		/ Door	/ Challan	V 0
5) LOCATION:			auction _			Underground stor	age	_/ Deep	_/ Shallow	/)
3, 2001111011.	Distric		CLAY				OHIE WORLD	Quadrangle: _	KANAWHA	7.5'
6) WELL OPER	RATOR	PCO 01	[L & B	AS C	ORP.			AGENT MICHAR	D H. BRUMB	AUGH
Address	100 5	ORAN	IGE ST		SUTTE	9991 bets an	Address _	212 COURT	STOP OF ATT	
	UKLAI	woy ri	10-328	3/			EREN EN 19	PAFIREER'MA	. Z5Z76 P	
7) OIL & GAS ROYALTY C	WNER	ADRIA	AN D. I	HITTI		12)	COAL OPERAT	OR		
Address	MI RT.	91 80	X 213	<b>Main</b>	STETLES OF	dag kort morte	Address	nel ve ned time		
	PAF	RKERSBU	IRG.WV	. 26	101		MED attack to a			
Acreage		51	D' 1181	priip yes		13)	COAL OWNER	(S) WITH DECLA	RATION ON RE	ECORD:
8) SURFACE O	WNER	AUKIAN	0. 91	Ht			Name			
Address	PARKE	RSBURG	LWV. 1	2610	1		Address _		The state of the	
Acreage		46.6	55				Name			
9) FIELD SALE	E (IF MADI	E) TO:					Address			
Address		103 103			detainte	e eidereinen	anti socitor i	DIFF	PROPER	
						14)	COAL LESSEE	WITH DECLARA	TION ON RECO	ORD.
0) OIL & GAS I	INSPECTO	R TO BE	NOTIFIE	D			Name	44	5	
Name	P.0.	80X 6	6	al to the	20 Sibn 1	5.00 E 225 m 512	Address _	NOVo	0 1000	U)
Tradition of	SMITH	WILLE.	W. 20	5178		A ANDRESS 100	ing set or at and	0	1382	
5) PROPOSED	WORK:	Drill		Drill d	leeper	/ Redrill_	/ Fract	ure or stimulate		
		Plug off	old form	ation_		_/ Perforate nev	v formation	OF TO GAS	DIVISION	
				202	well (specif	(y)	PEONE		MINE	
<ul><li>6) GEOLOGICA</li><li>17) Estimate</li></ul>						feet	Septime.	71 62 7 7 8 2	and the state of t	
18) Approxir	nate water s	strata denti	s: Fresh		90	feet; sa	t	feet.		
19) Approxir	nate coal se	am depths:	100	n)				rea? Yes	/ No	×
0) CASING AN										
	11				11	5 10 2/				
CASING OR TUBING TYPE			CIFICATION Weight		1	FOOTAGE I		OR SACKS	PACKE	RS
Conductor	Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	77. 1	
Fresh water	8.5/8			×		17001	1700'	ot fill up	Kinds	
Coal									Sizes	
Intermediate										
Production	Als			Х		460	0 5400'	35.6 S. S. N.S.	Depths set	
Tubing								ESTIGNE THE	Jan 16	12 27
Liners									Perforations:	Dattam
								COLL STATE STATE	Тор	Bottom
										465
EXTRACTIO	N RIGHTS					tanta ata ah		Department, act	se six la	
Check and pro					salo sal	91986 251149		e 8 ye badusan		
						act or contracts by ee reverse side for		right to extract oil o	or gas.	
2) ROYALTY P										
								t or contracts provid		
similar provisi				vner of	the oil or	gas in place which	is not inherently	related to the volume	me of oil or gas	so extracted,
f the answer abov	e is No, no	thing addit		eeded.	If the answ	wer is Yes, you ma	y use Affidavit Fo	rm IV-60.		
24) Required Cop			and the co	released	plat and	eclamation when h	ve heen moiled t	registered mail	delivered by her	d to the above
					-	A STATE OF THE PARTY OF THE PAR	and the second s	registered mail or or of this Permit App		
Mines at Cha										
Notary:	4	13.1		As at		pago bios ata i	Signed:	a ran or so a	Il Waster	
My Commission	Expires	9-6	72	tors	Marine T.		Its:	banda'ar	in Man	AGA.
					OF	FICE USE ON	T.Y			
		44.99			DODGO DE CONTROL DE CO	RILLING PER	MT	Cember 3		
Permit number										19
This magnit	na the all	000004	ndII I	anti-	shows 1. 1	ou le sulden	anmicaion and	Da		tinent local co
uirements subject	to the cond	ditions con	tained her	rein and	d on the re	everse hereof. Not	fication must be g	to drill in accordance to the District	Oil and Gas Insp	pector.
(Refer to No. 10) P	rior to the	constructio	n of road	s, locati	ions and pi	ts for any permitte	work. In addition	, the well operator o	r his contractor s	shall notify the
	anu gas insp	Dector 24 h	iours deto	re actu	ai permitte	ed work has comm				
Permit expires Bond:	Agent	. [1	Plat:		Casing	unless drill	ng is commenced p	orior to that date and	prosecuted with	due diligence
Dona.	Agent	. 1	iat.	A STATE OF THE PARTY OF THE PAR	Casing	. rec				

NOTE: Keep one copy of this permit posted at the drilling location.

Administrator, Office of Oil and Gas