

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452 Earl Ray Tomblin , Governor Randy C. Huffman , Cabinet Secretary www.dep.wv.gov

Wednesday, August 03, 2016 WELL WORK PERMIT Vertical / Plugging - 2

EXCO RESOURCES (PA), LLC 260 EXECUTIVE DRIVE

CRANBERRY TOWNSHIP, PA 16066

Re:

Permit approval for KEM-734 47-107-01413-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: KEM-734

Farm Name: HOFMANN, WILBERT U.S. WELL NUMBER: 47-107-01413-00-00

Vertical / Plugging - 2

Date Issued: 8/3/2016

Promoting a healthy environment.

T

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged within two years of the date of issuance of this permit.

Rev. 2/01

2)Operator's
Well No. Hufmann Kem 734
API Well No. 47- 107 01413

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

4) Well Type: Oil/ GasX_/ Liqui	d injection/ Waste disposal/
(If "Gas, Production X or Und	erground storage) Deep/ Shallow_x_
5) Location: Elevation 610	Watershed_Ohio_River
District Harris	County Wood Quadrangle Lubeck 7.5
6) Well Operator EXCO Resources (PA), LLC	
Address PO Box 8.	Address 5400 D Big Tyler Road
Ravenswood, WV 26164	Charleston, WV 25301
Oil and Gas Inspector to be notified	
Name_Jamie Stevens	Name R & R WELL SERVICE
Address 105 Kentuck Rd.Kenna WV25248	Address 42 LYNCH RIDGE
PHONE 304 206 7775	WALTON, WV 25286
1110HL 304 200 7773	
Well is as follows: Check Rock pressure Remove all equipment used to produce well Run tubing to PBTD of 1913 gel hole Cement 1913 to 1813 over 7"seat Freepoint cut and pull 7"csg $\approx 300'$. Gel to 50'below cut 300'. Cement: From 50' below $\approx 230'$ To surface Cement 660 to 560 over elevation Gel 560 to 310	RECEIVED Office of Oil and Gas JUL 0 5 2016 WV Department of
Cement 310 to 210 across surface pipe seat	Environmental Protection
Gel to 100'	
Cement 100'to surface	
Set monument with proper API	1 - 1
Set monument with proper API Signature Signature	Date 6/17/2016
J. will be	•

WV Department of wironmental Protection

IV-35 (Rev 8-81)





OCT 0 198 State of West Birginia

W. VA OIL & GAS Department of Mines
CONSERVATION COMMISSION Gil und Gas Division

Date	October 2, 1987
Opera	tor's BW #28 No. (KEM #734)
	Wilbert Hofmann
API N	0.47- 107-1413

WELL OPERATOR'S REPORT OF

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

WELL TYPE: Oit / Gas X / Liquid Injection / Waste Disposal / (If "Gas," Production X / Underground Storage / Deep / Shallow X /)				
IOCATION: Elevation: 610' Watershed				
District: Harris County Jac			e Lubeck	
COMPANY Dealer C.				
COMPANY Peake Energy, Inc.				
ADDRESS P. O. Box 8, Ravenswood, WV 26164	Casing	Used in	Left	Cement fill up
DESIGNATED AGENT R. A. Pryce	Tubing	Drilling	in Well	Cu. ft.
ADDRESS Same	Size			
SURFACE OWNER Wilbert Hofmann	20-16 Cond.			
ADDRESS Rt. 1, Box 42, New England, WV	10 3/4"	10 3/4"	257'	175 sks classA
MINERAL RIGHTS OWNER Same	9 5/8			33/
OIL AND GAS INSPECTOR FOR THIS WORK Glen	8 5/8			
	7	7"	1894	100 sks class
Robinson ADDRESS Mt. Plesant Estate, Minera PERMIT ISSUED	5 1/2's, W	V		pozmix
DRILLING COMMENCED 9/18/87	4 1/2			
DRILLING COMPLETED 9/22/87	3			
IF APPLICABLE: PLUGGING OF DRY HOLE ON	. 2			
CONTINUOUS PROGRESSION FROM DRILLING OR Linear				
REWORKING. VERBAL PERMISSION OBTAINED ON	used			
GEOLOGICAL TARGET FORMATION Berea Sandsto	ne	Dept	h 1805	feet
Depth of completed well 1913' feet R	otary X	_/ Cable	Tools_	
Water strata depth: Fresh feet;				
Coal seam depths: N/A				
OPEN FLOW DATA Drilled on fluid not known.				
Producing formation Berea Sandstone Pay zone depth 1805-1807 feet p				
Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d				
Final open flow 200 Mcf/d Final open flow Bbl/d O				
Time of open flow between initial and final tests 4 hours III O				
Static rock pressure 800 psig(surface measurement) after 72 hours shut in 0				
Static rock pressure 800 psig(surface measurement) after 72 hours shut in (If applicable due to multiple completion) Second producing formation				
Pay 2018 depth feet				
	Dil: Init	ial open :	Elow	Bb1/d
Final open flow Mcf/d Oil: Final open flow Bbl/d				
Time of open flow between initial and final tests hours				
Static rock pressurepsig(surface measurement) after hours shut in				

FORM IV-35 (REVERSE)

DETAILS OF PERFORMED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

9/25/87 Young Wireline perforated Berea from 1805' to 1807' with 16 .39" diameter shots.

9/28/87 NOWSCO 75% foam fractured the Berea with 45,000# of 20/40 sand and 15,000# of 10/20 sand, 648,000 scf of nitrogen, and 319 bbls of water at 1450 psig. ISIP: 1160 psig. 5 min SIP: 1080 psig.

WELL LOG


FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fres	
			and salt water, coal, oil and ga	
Shale Sand Shale & Siltstone Sand Shale Sand Shale & Siltstone Sand Shale Dunkard Sands Shale Salt Sands Shale Coffee Shale (Sunbury) Berea Sand Shale Total Depth	0 42 100 306 394 423 447 849 875 1030 1230 1310 1436 1790 1806 1810 1913	42 100 306 394 423 447 849 875 1030 1230 1310 1436 1790 1806 1810 1913	RECEIVED Office of Oil and Gas	JUL 15 2016 WV Department of Environmental Protection
*			080	

(Attach separate sheets as necessary)

Peake Energy, Inc.	
Well Operator	
By: ZAP	
Date: October 2, 1987	


Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including coal, encountered in the drilling of a well."



RECEIVEIN	
AUG 25 1987	
DEPARTMENT OF ENERGY	
Well Site (
The first of the second	
The state of the s	•
THE MADE	
The second secon	
M The state of the	
2220	
Supercy pointary	
Drieting facts	
Planned faces — / — / — Heat spot & Strain	
Crain pips — C—A— C—A	
PHASE I - INSTALL DITCHLINE	
INSTALL BECAR BORE DO	
BOT AND PROSIEN	
LITTLE CA NO VESTICAL CUT	. /
	4
The state of the s	
61 / 1 200	
NEM- 379	
1 Part of the second of the se	
ACCEST ROAD - 1200: FIRE	
230. NEW 071413	
Office	Gas

Pedameter WV Department of Environmental Professional



W-4A Revised 6-07 1) Date: <u>5/1/2016</u>
2) Operator's Well Number
Hufmann 734

3) API Well No.: 47 - 107 1413 -

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND APPLI

d. Washington WV 26181 Name none NoneAddress
(b) Coal Owner(s) with Declaration Name Address P.O.
Address
(c) Coal Lessee with Declaration Name Address

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Con, West Virginia Department of Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chie

Well Operator EXCO RESOURCES (PA) Randall Sheets Karola By: Its: POBOX8 Address WV Department of RAVENSWOOD, WV 26164 304-273-5371 Telephone OFFICIAL SEAL NOTARY PUBLIC Subscribed and sworn before me this ____ STATE OF WEST VIRGINIA JERRY M. TEPHABOCK My Commission Expires RT. 1, BOX 101A RIPLEY, WV 25271

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at deprivacyoffier@wv.gov.

My commission expires June 11, 2018

			107014139
	Page	of _	
API Number 47 -	107 1413		
Operator's Well	No Hufmann 7	134	


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name ÉXCO Resources (PA), LLC OP Code 307860			
Watershed (HUC 10 Ohio River Quadrangle Lubeck 7.5			
Elevation 610 County Wood District Harris			
Will a synthetic liner be used in the pit? Yes No If so, what ml.?	OF PROPERTY OFF SITE,		
Proposed Disposal Method For Treated Pit Wastes: Land Application Underground Injection (UIC Permit Number) Reuse (at API Number) Off Site Disposal (Supply form WW-9 for disposal location)			
Other (Explain no flluids are expected in return			
Will closed loop system be used?	5		
-If oil based, what type? Synthetic, petroleum, etcOffice of Oil and Gas			
Additives to be used in drilling medium?			
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc	ion		
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any tone and distributed in the provision of the permit are enforceable by law. Violations of any tone and distributed in the provision of the permit are enforceable by law. Violations of any tone and distributed in the provision of the permit are enforceable by law. Violations of any tone and all attachment action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for companing the information, including the possibility of fine or imprisonment. Company Official Signature			
Subscribed and sworn before me this			
OFFICIAL SEAL NOTARY PUBLIC STATE OF W. 35T VIRGINIA JERRY M. TEPHABOCK RT. 1, BOX 101A RIPLEY, WV 25271 My commission expires June 11, 2018 O8/05/	2016		

Operator's Well NoHufmann 734_____

Proposed Revegetation Trea 0.5	tment: Acres Disturbed		Prevegetation	Ph 6.0	
	2Tons/acre or to correct t	o pH			
	10-20-20				
Fertilizer amount_		_500 lbs/acre			
	2 7				
	4	Seed Mixtures			
Seed Type KENTLICKY FESCUE	emporary		Permanent		
Seed Type	lbs/acre	S	eed Type	lbs/acre	
KENTUCKY FESCUE	# /4 lb	SA	ME		
ALSIKE CLOVER	5	-			
ANNUAL RYE	16/2				
provided) Photocopied section of invo	n, pit and proposed area for land				
Plan Approved by:					
Comments:					
	OK.			RECEIVED Office of Oil and Gas	
	,			JUL 0 5 2016	
				WV Department of Environmental Protection	
Title:	Tevan, J.	Date:	6/17	12016	
Field Reviewed?	(V) Yes () No			





West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

API: 47 107 1413	WELL NO.: Kem 734			
FARM NAME: Hufmann				
FXCO R	esources (PA), LLC			
COUNTY: Wood	DISTRICT: Harris - 2			
QUADRANGLE: Lubeck 7.5 - 449				
SURFACE OWNER: Duane Hofmann				
ROYALTY OWNER: Duane Hofmann				
UTM GPS NORTHING: 4336048 UTM GPS EASTING: 435 284	v			
UTM GPS EASTING: 435284	GPS ELEVATION: 610			
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential Real-Time Differential Mapping Grade GPS: Post Processed Differential				
4. Letter size copy of the topography mand I the undersigned, hereby certify this data is correct belief and shows all the information required by law prescribed by the Office of Oil and Gas. Signature Soft	ap showing the well location. It to the best of my knowledge and w and the regulations issued and			