

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, July 7, 2023
WELL WORK PLUGGING PERMIT
Vertical Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re: Permit approval for 80062 47-107-01757-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 80062

Farm Name: Jay-Bee trust

U.S. WELL NUMBER: 47-107-01757-00-00

Vertical Plugging Date Issued: 7/7/2023

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1)Date	, 20
2)Operator's	
Well No. CNGT	RANSMISSION CORP 80062
3) API Well No.	47-107 - 01757

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

5)	Location: Elevation 1175'	Watershed Mudlick Run
- ,	District Walker	County Wood Quadrangle Petroleum
5)	Well Operator Unknown - DEP Paid Plugging Contract WVDEP	7)Designated Agent H. Jason Harmon
	Address 601 57th Street	Address 601 57th Street
	Charleston, WV 25304	Charleston, WV 25304
)	Oil and Gas Inspector to be notified	9)Plugging Contractor
	Name Joe Taylor	Name Coastal Drilling East, LLC
	Address 1478 Claylick Road	Address 130 Meadow Ridge Road
	Ripley, WV 25271	Mt. Morris, Pennsylvania 15349

Please see attached "Plugging Prognosis" for well work procedure.

Office RECEIVED of Oil and Gas

JUN 2 2 2023

Environmental Protection

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector

Date

6-13-23

47-107-00458 OFFSET TO 47-107-01757

Office of Oil and Gas

JUN 2 2 2023

Wy Department of Environmental Protection



DEPARTMENT OF MIN

ermit No			WELL	RECORD		Oil or G	Well Oil
	N.H.Cay to			Casing and Tubing	Used in Drilling	Left in Well	Packers
4	P etroleu Volomoto	Coal & Oil	Acres				. 1
cation (water	a) white	Oak Run	434	Size		11	
ell No	; 1	· · · · · · · · · · · · · · · · · · ·	Elev.	16	1		Kind of Packer
strict	an laction	County	d	13	!	1 0	'; //==/= 1==3.4
a surface of	ract is owned	in fee by <u>rria</u>	-1	10	!}	<u> </u>	Hook Wall
77 60-	:	_Address	dalaha. La	84	11 76	11 ft	
ingral rights	rie omuse bar	oleante Co	al & 011 C	G55	·	349 It	Depth set
 			adelphia.	6 a . 8 3/15	1	547 - 1	849-34
rilling comments.	. 20	, t. 1956.		1	 	,	Perf. top.
•		t 1956\	Polen	71	1.		Perf. bottom
	Ct., 155	v 595 · {\\^ 7	ro <u>477</u>	Liners Used	 		Perf. top
en Flow	/10ths Water	.tn	Ineli				Perf. bottom
	LO10Ga Merc		Inch				
lume			Cu. Ft.	CASING CEM	ENTED	SIZE	No. FtDat
ck Pressure		lbe	hre.		<u> </u>		•
Lettont		1	bbls., 1st 24 hrs.		NCOUNTERED	AT	FEETINCHE
ELL ACIDIZ	-	4.	1.50	FEE	TINCI	1ES <mark>/4</mark> 1	EETINCHE
			1	FEE	TINCI	ind i	EETINCHE
ELL FRACT	UREDNo	<u> </u>	!	1	! -		
	· · · · ·	<u>: • </u>	1		я	1 , · _	<u>i</u>
	R TREATME		"		! /		_ · ·
OCK PRESSU	DE ARTER T	PEATMENT '			. ` `		
		£					
esh Water		Peri		Salt Water	NO	Feet.	•
esh Water		Hard or Soft	Тор	Salt Water. Bottom	Oil, Gas or Water	Feet	Remarks
esh Water	Color	Hard or Soft	Top	Bottom	NO " Oil, Gas or Water	i	
Formation	Color Top Soil	Hard or Soft	20	Bottom 20	Oil, Gas or Water	Depth	
Formation To Stone	Color Top Soil Blue Yellow	Hard or Soft	20 30	Bottom 20	Oil, Gas or Water	i	
Formation no op Stone	Color Top Soil Blue Yellow	Hard or Soft Soft Hard Soft Goft	20 30	Bottom 20 30 35 74	Oil, Gas or Water	Depth	
Formation TO Stone at 0	Color Top Soil Blue Yellow Thite Black	Hard or Soft Goft Hard Sort Goft Goft	20 30 35 74	Bottom 20 30 35 74	Oil, Gas or Water	Depth	
Formation To Stone at a	Color Top Soil Blue Yellow Thite Black Shite	Hard or Soft Goft Goft Goft Goft Soft Soft Soft	20 30 35 74 77	Bottom 20 30 35 74 77	Oil, Gas or Water	Depth	
Formation TO Stone at 0	Color Top Soil Blue Yellow Thite Black Thite Dark	Hard or Soft Hard Soft Soft Soft Soft Hard	20 30 35 74 77	Bottom 20 30 35 74 77 100	Oil, Gas or Water	Depth	
Formation TO Stone at a late	Color Top Soil Blue Yellow Thite Black Thite Dark Brown Black	Hard or Soft Goft Goft Goft Goft Soft Soft Soft	20 30 35 74 77 100	Bottom 20 30 35 74 77 100 130	Oil, Gas or Water	Depth	
Formation To Stone at a 1 at	Color Top Soil Blue Yellow Thite Black Thite Dark Brown Black Black Black	Hard or Soft Hard Soft Soft Soft Soft Soft Soft Soft Hard Hard Hard	20 30 35 77 77 100 115 125	Bottom 20 30 35 74 77 100	Oil, Gas or Water	Depth	
Formation Formation TO Stone TO S	Color Top Soil Blue Yellow Thite Black Thite Dark Brown Black Black Brown Black Black Black Black	Hard or Soft Hard Soft Soft Soft Soft Soft Hard Hard Hard Boft Boft	20 30 35 77 77 100 115 125	Bottom 20 30 35 74 77 100 130 145 225	Oil, Gas or Water	Depth	Remarks
Formation Formation TO Stone TO S	Color Top Soil Blue Yellow Thite Black Thite Dark Brown Black Black Black	Hard or Soft Hard Soft Soft Soft Soft Soft Soft Soft Hard Hard Hard	20 30 35 74 77 100 130 145 275 310	Bottom 20 30 35 74 77 100 135 275 310 327	or Water	Depth	Remarks
Formation Formation TO Stone TO S	Color Top Soil Blue Yellow Thite Black Thite Dark Brown Black White Brown	Hard or Soft Soft Flard Soft Soft Soft Soft Soft Soft Hard Hard Boft Hard Hard Hard Hard	20 30 35 74 77 100 130 145 275 275 310 327	Bottom 20 30 35 74 77 100 130 145 275 310 327 329	or Water	Depth	Remarks
Formation To Stone at a les ate and a	Color Top Soil Blue Yellow White Black White Brown Black White Brown Brown Black	Hard or Soft Hard Soft Soft Soft Soft Soft Soft Soft Hard Hard Hard Broken Hard Hard	20 30 35 74 77 100 130 1455 275 275 275 275 275 275 275 275 275 2	Bottom 20 30 35 74 77 100 130 145 275 310 327 329	or Water	Depth	Presh
Formation To Stone at a second at a secon	Color Top Soil Blue Yellow White Black White Brown Black White Brown Brown	Hard or Soft Boft Boft Soft Soft Soft Soft Soft Hard Hard Hard Broken Hard Hard	20 30 35 74 77 100 130 145 275 275 310 327	Bottom 20 30 35 74 77 100 145 875 310 312 312 313 313 313 313 313 313 313 313	300 water	Depth'	Fresh Frosh
Formation To Stone at a les ate and a	Color Top Soil Blue Yellow White Black White Brown Black White Brown Brown Black	Hard or Soft Hard Soft Soft Soft Soft Soft Soft Soft Hard Hard Hard Broken Hard Hard	20 30 35 74 77 100 130 1455 275 275 275 275 275 275 275 275 275 2	Bottom 20 30 35 74 77 100 145 875 310 312 312 313 313 313 313 313 313 313 313	300 water	Depth	Fresh Frosh
Formation TO Stone at a second at a secon	Color Top Soi Blue Yellow Thite Black Thite Dark Brown Black White Brown Black White Brown	Hard or Soft Soft Hard Soft Soft Soft Soft Soft Soft Hard Hard Broken Hard Hard Hard Hard	20 30 35 77 10 10 10 10 10 10 10 10 10 10 10 10 10	Bottom 20 30 35 74 770 135 125 275 310 327 310 327 385 385 385	300 water	Depth	Fresh Frosh
Formation To Stone at a les ate and a	Color Top Soil Blue Yellow Thite Black Thite Brown Black Black Black Black Black White Brown	Hard or Soft Soft Flard Soft Soft Soft Soft Soft Hard Hard	20 30 35 77 10 10 10 10 10 10 10 10 10 10 10 10 10	Bottom 20 30 35 74 770 135 125 275 310 327 310 327 385 385 385	300 water	Depth	Fresh
Formation To Stone ato	Color Top Soil Blue Yellow Thite Black Thite Brown Black Black Black Black Black White Brown	Hard or Soft Soft Hard Soft Soft Soft Soft Soft Soft Hard Hard Broken Hard Hard Hard Hard	20 30 35 74 77 100 130 1455 275 275 275 275 275 275 275 275 275 2	Bottom 20 30 35 74 77 100 145 875 310 312 312 313 313 313 313 313 313 313 313	300 water	Depth	Fresh
Formation To Stone at a second	Color Top Soil Blue Yellow Thite Black Thite Brown Black Black Black Black Black White Brown	Hard or Soft Soft Flard Soft Soft Soft Soft Soft Hard Hard	20 30 35 77 10 10 10 10 10 10 10 10 10 10 10 10 10	Bottom 20 30 35 74 770 135 125 275 310 327 310 327 385 385 385	300 water	Depth	Fresh
Formation To Stone at a second	Color Top Soil Blue Yellow Thite Black Thite Brown Black Black Black Black Black White Brown	Hard or Soft Soft Flard Soft Soft Soft Soft Soft Hard Hard	20 30 35 77 10 10 10 10 10 10 10 10 10 10 10 10 10	Bottom 20 30 35 74 770 135 125 275 310 327 310 327 385 385 385	300 water	Depth	Fresh
Formation To Stone at a second	Color Top Soil Blue Yellow Thite Black Thite Brown Black Black Black Black Black White Brown	Hard or Soft Soft Flard Soft Soft Soft Soft Soft Hard Hard	20 30 35 77 10 10 10 10 10 10 10 10 10 10 10 10 10	Bottom 20 30 35 74 770 135 125 275 310 327 310 327 385 385 385	300 water	Depth (5)	Fresh Fresh Frosh Office UN Environment
Formation To Stone at a second	Color Top Soil Blue Yellow Thite Black Thite Brown Black Black Black Black Black White Brown	Hard or Soft Soft Flard Soft Soft Soft Soft Soft Hard Hard	20 30 35 77 10 10 10 10 10 10 10 10 10 10 10 10 10	Bottom 20 30 35 74 770 135 125 275 310 327 310 327 385 385 385	300 water	Depth 5 Nov 1	Fresh Frosh Office JUN Environment
Formation To Stone at a second	Color Top Soil Blue Yellow Thite Black Thite Brown Black Black Black Black Black White Brown	Hard or Soft Soft Flard Soft Soft Soft Soft Soft Hard Hard	20 30 35 77 10 10 10 10 10 10 10 10 10 10 10 10 10	Bottom 20 30 35 74 770 135 125 275 310 327 310 327 385 385 385	300 water	Depth 5 6 7 NOV: RECEIV	Fresh Frosh Office UN Environment
Formation To Stone at a second at a secon	Color Top Soil Blue Yellow Thite Black Thite Brown Black Black Black Black Black White Brown	Hard or Soft Soft Flard Soft Soft Soft Soft Soft Hard Hard	20 30 35 77 10 10 10 10 10 10 10 10 10 10 10 10 10	Bottom 20 30 35 74 770 135 125 275 310 327 310 327 385 385 385	300 water 011 395-10	Depth 5 6 7 NOV 1 RECEIVED WEST WREST	Fresh Frosh Office UN Environment
Formation To Stone at a second at a secon	Color Top Soil Blue Yellow Thite Black Thite Brown Black Black Black Black Black White Brown	Hard or Soft Soft Flard Soft Soft Soft Soft Soft Hard Hard	20 30 35 77 10 10 10 10 10 10 10 10 10 10 10 10 10	Bottom 20 30 35 74 770 135 125 275 310 327 310 327 385 385 385	300 water 011 395-10	Depth 5 6 7 NOV 1 RECEIVED WEST WREST	Fresh Frosh Office UN Environment
Formation To Stone at a second at a secon	Color Top Soil Blue Yellow Thite Black Thite Brown Black Black Black Black Black White Brown	Hard or Soft Soft Flard Soft Soft Soft Soft Soft Hard Hard	20 30 35 77 100 135 275 275 275 310 395 395 180 500	Bottom 20 30 35 74 770 135 125 275 310 327 310 327 385 385 385	300 water 011 395-10	Depth 5 6 7 NOV: RECEIV	Fresh Frosh Office Frosh Office Frosh Office New Department



			•
STATE OF	West Vincinia		
	ENT OF MINES		
- COLLAND	GAS DIVISION		-
NOTICE OF PROPOSED LOC	CATION OF OIL AND GAS WELL	•	
To THE DEPARTMENT OF MINES,			
Charleston, W. Va.			٠٠,
- No Coal Operators	N. H. Cayton		
COAL OPERATOR OR COAL OWNER	ANNE OF WELL OPERATOR		٠,
ARRAGAS	Petroleum, West Virginia		٠,
	August 18th 56		•
" COAL OPERATOR OR COAL GWHEE,	PROPOSED LOCATION		
	Walker		
ACORES	Wood		
Volcanie Coal & Oil Company	County	•	
123 S.Broadway, Phila. Pennsylva	nia Well No.		
APORES	Volcanic Coal & Oil Company_		
GENTLEMEN:	Farm		
•	to drill upon the above named farm or tract of land for		,
	and about any most named lating of tract of their for		
Oil 200 gas, having ico lillo thereto, for ad the	case mer ha) under ment or live detail	T	
ANTA KLEUT 1820	case may be) under grant or lease dated Volcano Inal & Oil Co.		
ANTA KLEUT 1820	nadary Volcano Soal & Oil Co.	T .	•
July Kigu. 1956	nadery, and recorded on theday		
N. H. Cayton	nadary Volcano Soal & Oil Co.		•
N. H. Cayton of Book page The enclosed plat was prepared by a compe	and recorded on theday		(
N. H. Cayton of	and recorded on the		•
N. H. Cayton of Book page The enclosed plat was prepared by a competo be drilled for oil and gas by the undersigned wand County above named, determined by survey land marks.	and recorded on the		•
N. H. Cayton of	and recorded on the		•
N. H. Cayton of	and recorded on the		
N. H. Cayton of	and recorded on the		
N. H. Gayton of The enclosed plat was prepared by a compet to be drilled for oil and gas by the undersigned wand County above named, determined by survey land marks. The indersigned well operator is informed of coal beneath said farm ov tract of land on whi aries of the same, who have mapped their work coal operators or coal owners (if any), above nam The above named coal operators or coal own desire to make to such proposed location, or which the drilling of a well at said proposed location will	and recorded on the		
N. H. Cayton of	and recorded on the		
N. H. Cayton of Book page The enclosed plat was prepared by a competo be drilled for oil and gas by the undersigned wand County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on which aries of the same, who have mapped their work coal operators or coal owners (if any), above named coal operators or coal owners (if any), above named desire to nake to such proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the I a copy of this notice and accompanying plat by at that forms for use in making such objections will	and recorded on the		
N. H. Gayton of The enclosed plat was prepared by a compet to be drilled for oil and gas by the undersigned wand County above named, determined by survey land marks. The indersigned well operator is informed of coal beneath said farm ov tract of land on whi aries of the same, who have mapped their work coal operators or coal owners (if any), above named desire to nake to such proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the I a copy of this notice and accompanying plat by su that forms for use in making such objections will or request and that all such objections must set for grounds on which such objections are based and indi	and recorded on the		
N. H. Gayton of The enclosed plat was prepared by a competo be drilled for oil and gas by the undersigned wand County above named, determined by survey land marks. The imdersigned well operator is informed of coal beneath said farm ov tract of land on whi aries of the same, who have mapped their work coal operators or coal owners (if any), above named coal operators or coal owners (if any), above named coal operators or coal own desire to nake to such proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the I a copy of this notice and accompanying plat by set that forms for use in making such objections will or request and that all such objections must set for grounds on which such objections are based and indice moved to overcome same.	and recorded on the		
N. H. Gayton of The enclosed plat was prepared by a competo be drilled for oil and gas by the undersigned wand County above named, determined by survey land marks. The indersigned well operator is informed of coal beneath said farm ov tract of land on whi aries of the same, who have mapped their work coal operators or coal owners (if any), above named coal operators or coal owners (if any), above named coal operators or coal own desire to nake to such proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the I a copy of this notice and accompanying plat by set that forms for use in making such objections will or request and that all such objections must set for grounds on which such objections are based and indice moved to overcome same. (The next paragraph is to be completed.	and recorded on the		
N. H. Gayton The enclosed plat was prepared by a compet to be drilled for oil and gas by the undersigned wand County above named, determined by survey land marks. The imdersigned well operator is informed of coal beneath said farm ov tract of land on whi aries of the same, who have mapped their work coal operators or coal owners (if any), above named desire to nake to such proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the I a copy of this notice and accompanying plat by at that forms for use in making such objections will or request and that all such objections must set for grounds on which such objections are based and indicated the competitor of this flotice and the enclosed plat was named coal operators or coal owners at their above named coal operators or coal owners at their above	and recorded on the		
N. H. Cayton Of	and recorded on the		
N. H. Gayton N. H. Gayton The enclosed plat was prepared by a compet to be drilled for oil and gas by the undersigned wand County above named, determined by survey land marks. The indersigned well operator is informed of coal beneath said farm or tract of land on whi aries of the same, who have mapped their work coal operators or coal owners (if any), above named desire to nake to such proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the I a copy of this notice and accompanying plat by at that forms for use in making such objections will or request and that all such objections must set for grounds on which such objections are based and indice moved to overcome same. (The next paragraph is to be completed Copies of this flotice and the enclosed plat and the same day with the mailing or delivery westlyinging.	and recorded on the		
N. H. Gayton Of Book page The enclosed plat was prepared by a compet to be drilled for oil and gas by the undersigned wand County above named, determined by survey land marks. The imdersigned well operator is informed of coal beneath said farm ov tract of land on whi aries of the same, who have mapped their work coal operators or coal owners (if any), above named desire to nake to such proposed location, or which the drilling of a well at said proposed location, will coal mines, must be received by, or filed with the I a copy of this notice and accompanying plat by at that forms for use in making such objections will or request and that all such objections must set for grounds on which such objections are based and indicated the competition of this flotice and the enclosed plat or on the same day with the mailing or delivery westlyinging.	and recorded on the	RECEIVED OIL OIL OIL	
N. H. Cayton of Book page The enclosed plat was prepared by a compet to be drilled for oil and gas by the undersigned wand County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on whi aries of the same, who have mapped their work coal operators or coal owners (if any), above named coal operators or coal owners (if any), above named desire to make to such proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the I a copy of this notice and accompanying plat by set that forms for use in making such objections will or request and that all such objections must set for grounds on which such objections are based and indice moved to overcome same. (The next paragraph is to be completed Copies of this flotice and the enclosed plat and the same day with the mailing or delivery westly irginis.	and recorded on the	RECEIVED OIL OIL OIL	D 0dd
N. H. Cayton of Book page The enclosed plat was prepared by a compet to be drilled for oil and gas by the undersigned wand County above named, determined by survey land marks. The undersigned well operator is informed of coal beneath said farm or tract of land on whi aries of the same, who have mapped their work coal operators or coal owners (if any), above named coal operators or coal owners (if any), above named desire to make to such proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the I a copy of this notice and accompanying plat by set that forms for use in making such objections will or request and that all such objections must set for grounds on which such objections are based and indice moved to overcome same. (The next paragraph is to be completed Copies of this flotice and the enclosed plat and the same day with the mailing or delivery westly irginis.	and recorded on the	RECEIVED of Oil an	12
N. H. Cayton of Book page The enclosed plat was prepared by a competo be drilled for oil and gas by the undersigned wand County above named, determined by survey land, marks. The undersigned well operator is informed of coal beneath said farm ov tract of land on whi aries of the same, who have mapped their work coal operators or coal owners (if any), above named coal operators or coal owners to nake to such proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the I a copy of this notice and secompanying plat by at that forms for use in making such objections will or request and that all such objections must set for grounds on which such objections are based and indice moved to overcome same. (The next paragraph is to be completed Copies of this hotice and the enclosed plat to named coal operators or coal owners at their about on the same day with the mailing or delivery west Wirginia.	and recorded on the	RECEIVED of Oil an	12

*Section 8 . . . If no such objections be filed or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorised to proceed to drill at said location.

WOO-4158 PREMIT NUMBER /07/2023

		n.	ng)		,		· • • • • • • • • • • • • • • • • • • •	C.M.	Ti.
, j	•	(a) 3	8		∖ lu-j∷ Ši	Latitud	• \\\ 39°	75	
			· ***** (e		+			
	1		•						
			4,					2	77
	2	W 24 3			**			. 70	
							とは 40 円 人様 (42) マシンディン	90	
			60 ° 1	N'X	, 10.C			Longitud	
			OIL NO.	y / ``					
		co ^k	13/2		6.	7, 7			
	10		10c	NIC COA	OIL COM	120	2		
	Cut stone X Monument	4.			No JUN	"AND"			
		1	OFLE	, 1012			Cut stone Monume		
			3.			\mathcal{Y}	John		
	4				155	60 CO	•		
		30		\ /5		ol kic			
	W E			X	VOLCANIC				•
				100 c					
					*				the second
	New Location 18								
	Abandonment	AYTON			Maria de la composición dela composición de la composición dela composición dela composición dela composición de la composición dela composición de la composición dela composición de				
	Address PETROLE Farm VOLCANIC				#0	12 AI1D 36	AN DIAIRIO		
	Tract 8 2 Acres	Z:Les	se No.		WELI		ATION	MAR Depai	2 2023
	Elevation (Spirit Level Quadrangle <u>ELIZA</u>	1012	(A) (A)		PIE	E NO. L V	00-45	p Environmenta	ment o Protéc
		District	WALKER		Topograph	location of	ale 1 to 62	,500, lat-	1.75 1.15 1.15
	Surveyed by Home Engineer's Registration	n No.	102		by border	longitude lir lines as sho	wn,		
	File No. Date <i>AUG. 18. 195</i>	Drawing 6 Scale /*			of original	one Inch a tracing	paces on D	07/07	/202

Quadrangle ELIZABLIH

County WOOD District WALKER

Topograph

Engineer Long R. Myers Itude and by border Engineer's Registration No.

File No. Drawing No.

Date AUG. 18. 1956 Scale I = 100

Terrimory Tables Scale I = 100

Sectember 6, 1956

Patroleum, West Virginia

Dear Sirs

Enclosed is permit W-0-458 to drill well No. 1 on the Wolcanic Coal and Oil Company farm, Walker District, Wood County.

When the drilling is completed, please send us two copies of the well record on the enclosed forms.

Very truly yours,

Administrative Archistant OIL AND GAS DIVISION

Gillik Engl-2

CO: Inspector Harry Stevens

RECEIVED
Office of Oil and Gas

JUN 2 2 2023

WV Department of Environmental Protection

November 2, 1956

Mr. M. H. Cayton Petroleum, West Virginia

Dear Mr. Caytons

We will appreciate receiving two copies of the well retord for your location No. 1 on Volcanic Coal and Oll Company Tract, Walker District, Wood County for which permit WOO-458 was issued on September 6, 1956.

Forms OG-10 are enclosed.

Very truly yours;

Administrative Assistant OIL AND GAS DIVISION

Mig anci

cc: Mr. Herry Stevens, Inspector

Office of Oil and Gas

JUN 2 2 2023

WV Department of Environmental Protection



Coastal Drilling East LLC • 130 Meadow Ridge Road, Mt. Morris, PA 15349

Phone 304-291-0175 Fax 304-413-0061

"A Shaft Drillers International Company"

PLUGGING PROGNOSIS

This API# has no well records associated with it. Offset well records have been used.

API# 47-107-01757

BY: Hunter Deremer DATE: 06/13/2023

Based upon Offset Well Records from 47-107-00458

Elevation @ approximately 1127' TD: approximate 525' Drilled in?

Casing present at surface Casing Depths approximations from offset well records

2" tubing

- approximately down 525'

4 1/2" Casing

- approximately down 350'

Fresh Water and Oil Depths pulled from Offset well records

Fresh Water @ 300'

Oil @ 395'-405', 418'-436', 462'-477'

- 1. Notify State Inspector, Joe Taylor 304-380-7469, 48 hours prior to commencing operations.
- 2. Conduct Tailgate Safety Meeting. Complete JSA's as required.
- 3. Check pressures on all casing with a gauge. Blow down well into a grounded tank with secure line.
- 4. MIRU. Begin plugging and abandonment operations, Check TD with Wireline and notify WV OGO.
- 5. Attempt to pull tubing with 150% of string weight and remove if free. If no movement notify WV OGO inspector and discuss cut and or perforation schedule. Perforate if needed.
- 6. Set a Class L bottom hole cement plug from TD 400' and WOC. Cut and remove 2" tubing from well.
- 7. Load 4 1/2" casing with fresh water.
- 8. RU Wireline. Run CBL on 4 1/2" casing from TD'- surface. Determine free point on 4 1/2" casing.
- 9. Notify WV OGO inspector to discuss perforations and cut schedule.
- 10. TIH w. tubing to 400', set 400' Class L cement plug from 400' to Surface'. TOOH w. tubing. WOC.
- 11. Top off well to surface with solid cement as needed.
- 12. Erect monument with API#, date plugged, and company name,
- 13. Reclaim location and road to WV-DEP specifications. *6% Gel Spacers may be omitted and replaced with Class L cement plugs.

WW-4A	
Revised	6-07

1)	Date:
2)	Operator's Well Number
CNG	TRANSMISSION CORP 80062

01757

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

3) API Well No.: 47 -

4)	Surface Own (a) Name	er(s) to be served: Jeremy Cross, Wood County Parks Direc	5) (a) Coal Operator tor Name	
	Address	Mountwood Park	Address	
		1014 Volcano Road, Waverly WV 26184		
	(b) Name		(b) Coal Own	er(s) with Declaration
	Address		Name	
			Address	
	(c) Name		Name	
	Address		Address	
6) I	Inspector	Joe Taylor	(c) Coal Lesse	ee with Declaration
	Address	1478 Claylick Road	Name	
		Ripley, WV 25271	Address	
	Telephone	304-380-7469		

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

	Well Operator	Unknown - DEP Paid Plugging Contract WVDEP	
OFFICIAL SEAL	By:	Matthew A. Yearsley	
AND MATARY MARIN	Its:	Coastal Drilling East, LLC, Plugging Contractor	
STATE OF WEST VIRGINIA Christopher Andrew Willie	Address	130 Mesdow Ridge Road	
78 Starting Estates		Mt. Morris, Pennsylvania 15349	
Morgantown, West Virginia 26508 My Commission Expires June 8, 2027	Telephone	304-291-0175	Office RECEIVED
Subscribed and sworn before me this My Commission Expires		ay of May 2023 Notary Public	JUN 2 2 2023 - Environmental Protection
Oil and Gas Privacy Notice			,,

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

☐ Priority Mail Express®
☐ Registered Mail™
☐ Registered Mail Restricted
Delivery ☐ Agent ☐ Addressee C. Date of Delivery Domestic Return Receipt COMPLETE THIS SECTION ON DELIVERY Wood County Parks Director ____ 3. Service Type

| Adult Signature | Adult Signature | Cortilled Malide | Collect on Delivery | Coll B. Received by (Printed Name) fall fall Restricted Delivery 1014 Volcano Road Waverly, WV 26184 Mr. Jeremy Cross Mountwood Park A. Signature × 98 U.S. Postal Service™ 98 **CERTIFIED MAIL® RECEIPT** PS Form 3811, July 2020 PSN 7530-02-000-9053 9590 9402 7364 2028 0236 50 5157 5157 9589 0710 5270 0615 Article Number (Transfer from service label) (전 무도요 입기를 들었다. 063.5 **Wood County Parks Director** 0615 Extra Services & Fees (check 5270 5270 1014 Volcano Road **Waverly, WV 26184** Mr. Jeremy Cross Mountwood Park 1. Article Addressed to: 9589 0710 0770 Mr. Jeremy Cross **Wood County Parks Director** 9589 Street and Apt. No. Mountwood Park JUN 2 2 2023 1014 Volcano Road City, State, ZIP+46 Waverly, WV 26184 EG23146 JAY BEE TRUST 10449 UNLIMITED ENERGY SERVICES, LLC **CORP 01757 EG23123 CNG TRANSMISSION** JANE LEW, WEST VIRGINIA 26378 264 INDUSTRIAL PARK ROAD P. WAYNE AMMONS

API Number 47 - 107 _ 01757 Operator's Well No. CNG TRANSMISSION CORP 80062


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Unknown - DEP Paid Plugging Contract WVDEP OP Code
Watershed (HUC 10) Mudlick Run Quadrangle Petroleum
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No V
If so, please describe anticipated pit waste:
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP) Underground Injection (UIC Permit Number Reuse (at API Number Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain
Will closed loop systembe used? If so, describe: Yes. Gel will be circulated from tank through well bore and returned back to tank.
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Fresh water gel and/or cement
-If oil based, what type? Synthetic, petroleum, etc
Additives to be used in drilling medium?Bentonite, Bicarbonate of soda
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Landfill
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)
-Landfill or offsite name/permit number? Meadowfill, Landfill-permit #SWF 1032
Permittee shall provide written notice to the Office of Oil and Cas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.
Company Official Signature Company Official (Typed Name) Matthew A. Yearsley Company Official Title Operations Manager
Company Official (Typed Name) Matthew A. Yearsley
Company Official Title Operations Manager JUN 2 2 2023
Subscribed and sworn before me this Sth day of NASC 22 22 Throng Protection of Subscribed and sworn before me this Sthere are the subscribed and sworn before me this Sthere are the subscribed and sworn before me this Sthere are the subscribed and sworn before me this Sthere are the subscribed and sworn before me this Sthere are the subscribed and sworn before me this Sthere are the subscribed and sworn before me this Sthere are the subscribed and sworn before me this Sthere are the subscribed and sworn before me this Sthere are the subscribed and sworn before me this Sthere are the subscribed and sworn before me this Sthere are the subscribed and sworn before me this Sthere are the subscribed and sworn before me this Sthere are the subscribed are the subscribed and sworn before me this Sthere are the subscribed are the
Subscribed and sworn before me this 15th day of June , 2023
Mury Aubic Notary Public
My commission expires T. A. S. 2007
OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Christopher Andrew Willis 7 Starring Estates Morgantom, Will Virtin 1958 My Commission Expires June 5, 2027

			pH
Lime 3	Tons/acre or to correct	ct to pH 6.0	
Fertilizer type 10	-20-20 or Equivalent		
Fertilizer amount	500	lbs/acre	
Mulch_2		_Tons/acre	
		Seed Mixtures	
Т	`emporary	Peri	nanent
Seed Type	lbs/acre	Seed Type	lbs/acre
		Fescue	30
		Clover	5
	-	Contractor Mix	10
ovided). If water from the water fro	oft and proposed area for land pit will be land applied, profit the land application area.	d application (unless engineered plans incovide water volume, include dimensions (luding this info have been L, W, D) of the pit, and dimer
ovided). If water from the W, W), and area in acres, or notocopied section of invo	e pit will be land applied, profite the land application area. Plyed 7.5' topographic sheet.	ovide water volume, include dimensions (L, W, D) of the pit, and dimer
novided). If water from the water, who was an acres, or notocopied section of involved an Approved by: No pits with the provided section of the water	e pit will be land applied, profithe land application area. Filed T.5' topographic sheet.	ovide water volume, include dimensions (L, W, D) of the pit, and dimer
hotocopied section of involved by: Manager of the provided of the provided section of involved by: No pits with production tank(section tank(section).	e pit will be land applied, profithe land application area. Filed T.5' topographic sheet.	ve oil & gas production deber(s)] from the site. Prope	L, W, D) of the pit, and dimer
hotocopied section of involved by: Manager of the provided of the provided section of involved by: No pits with production tank(section tank(section).	e pit will be land applied, profithe land application area. File land applied, profite land applied, profite land applied, profite land areas to profit land area.	ve oil & gas production deber(s)] from the site. Prope	ris [i.e., pumpjack,
hotocopied section of involved by: Manager of the provided of the provided section of involved by: No pits with production tank(section tank(section).	e pit will be land applied, profithe land application area. File land applied, profite land applied, profite land applied, profite land areas to profit land area.	ve oil & gas production deb er(s)] from the site. Proper DEP standards.	ris [i.e., pumpjack,
hotocopied section of involved by: Manager of the provided of the provided section of involved by: No pits with production tank(section tank(section).	e pit will be land applied, profithe land application area. File land applied, profite land applied, profite land applied, profite land areas to profit land area.	ve oil & gas production deber(s)] from the site. Proper DEP standards.	ris [i.e., pumpjack,
hotocopied section of involved by: No pits with production tank(send mulch all disease)	ill be used. Removes), pipe, gas metersturbed areas to Description of the land application area.	ve oil & gas production deber(s)] from the site. Proper DEP standards.	ris [i.e., pumpjack,
hotocopied section of involved by: No pits with production tank(send mulch all disease)	ill be used. Removes), pipe, gas metersturbed areas to Description of the land application area.	ve oil & gas production deber(s)] from the site. Proper DEP standards.	ris [i.e., pumpjack, rly reclaim, seed,
hotocopied section of involutional mulch all dis	ill be used. Removes), pipe, gas metersturbed areas to Description of the land application area.	ve oil & gas production deber(s)] from the site. Proper DEP standards.	ris [i.e., pumpjack,

CNG Transmission (47-107-01757) WW-9 0-5% for 60' Wood County Parks & Recreation 300-155' Spacing Shellers **CNG Transmission** 47-107-01757 5-10% for 80' 155'-115' Spacing 18" Culvert 18" Culvert Wood County Parks & Recreation 665/593 D-5% for 5-10% for 18" Culvert 218" Culvert 150 18" Culvert 150' /300-155' 155'-115' 18" Culvert Spacing Spacing 0-5% for 1500' 18" Culvert 300-155' Spacing 0-5% for 1175' 800-155' Spacing 5-10% for 80 155'-115' Spacing Jay-Bee Royalty LLC 1314/355 933.825 Acres Office of Oil and Gas JUN 2 2 2023 WV Department of Environmental Protection Not to Scale Unless otherwise noted, all roads shown hereon are existing and shall be maintained in accordance with WV D.E.P., Office of Oil and Gas Erosion and Sediment Control Field Manual as revised 5/2012. EXISTING ROAD Entrances upon county/state roads shall be maintained in accordance with WV D.O.T. regulations, however, separate permits may be required by the WV D.O.T. Sediment basins (traps) and appropriate erosion control barriers are to be constructed at all culverts and cross-drains as required in the aforementioned Erosion and Sediment Control Field Manual. Where field conditions dictate, alternative PROPOSED DITCH erosion control measures shall be enacted as required. VOOD LINE EXISTING VELL Earthwork contractors are responsible for notification to the operator and inspector prior to any deviation from this plan. 5/8" REBAR FOUND NO CA DRAWN BY: Tim Rutledge DATE: June 02, 2023 EXISTING CULVERT SURVEYING AND MAPPING SERVICES PERFORMED BY: UTILITY POLE ALLEGHENY SURVEYS, INC. 1-800-482-8606 P.O. BOX 438 BIRCH RIVER, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608 07/07/2023





State of West Virginia Department of Environmental Protection Office of Oil and Gas

Abandoned Well Inspection Form

API NUMBER 47 - 107 - 01757 ASSIGNED 1	NUMBER 107-80062		
WELL OPERATOR OPERATOR UNKNOWN			
FARM NAME CNG TRANSMISSION CORP	VELL NUMBER 80062		
QUAD PETROLEUM DISTRICT WALKER		LKER	
GPS FIELD READING Latitude 39.242587	Longitude -81.277484		
DATE AND TIME OF READING 3/22/2023 @ 9:00 am			
WELL SCORE 90 WELL CLASS	CLASS 1 SUBCLASS 2		
1. Does this well appear to be a potential or immediate thro	eat		
to human health or safety?	Y	N	
If yes, please describe situation.	Potential threat		
7 /1	Immediate threat		
	-		
2. Is this well leaking oil, gas or saltwater at the surface?			
Check all that apply.	Oil [] [2]	
	Gas 🔀	55	
3. If yes to question #2, check the appropriate response belo	ow:		
-Significant leakage exceeds the limits of the well location	n 🗆] 🛛	
-Significant leakage at the surface of the well			
-minor leakage at the surface restricted to the well location	n 🔽		
4. What is the condition of the well casing?			
Check all that apply.			
-Either no production or surface casing.			
-Severely deteriorated surface casing.	☑ □		
-Severely deteriorated production casing.	位 🗆		
-Evidence of ground water contamination within 1000'of	this well.		
5. Check the appropriate response below.			
-planned or active mineral resource development within			_
-planned or active mineral resource development within			Office RECEIVED
-planned or active mineral resource development within		Ø 🗆	Or Oil and a
Identify the type if applicable (oil, gas, coal, limestone,	etc.) GAS & OIL	۱ .	UN 9 a "
6 Cheek the envisore regneres below if amiliable		la v	Office RECEIVED Oil and Gill A
 Check the appropriate response below if applicable. -well is within 100'of a drinking water source 		Enviro	nos Departires
— — — — — — — — — — — — — — — — — — —			Of Other
-well is within 100 to 500' of a drinking water source			u_{C_0}
7. Check the appropriate response below if applicable.			
-10 to 20 people residing within 1000' of well			
-more than 20 people residing within 1000' of well			
1 1			

8. Check the appropriate response below if applicable. -well is within 100' of a lake, river or stream -well is within 100' to 500' of a lake, river or stream	
9. What is the current land use? Check one of the following: Industrial ☐ Commercial ☐ Agricultural ☐ Wooded ✔ Residential ☐ Public ✔	
10. Give an approximate drill date for this well. UNKNOWN	
11. Give an approximate abandonment date for this well. UNKNOWN	
12. Is there the presence of contaminated soil around wellhead?	
13. Provide the approximate size (square feet) of the contaminated area.	
14. Is there refuse on the location?	
15. Provide sketches and/or comments concerning the well and/or location, including directions, which yo feel may be pertinent.	u
Well GPS location as been recored in OOG/RBDMS	
16. Put any other information that you received from your inspection, such as last known operator, landow concerns, special instructions on plugging, or any other information that will be helpful in locating, plugging and recovering the cost of the plugging. N/A	
17. Describe which tool(s) were of the most benefit in locating this well (i.e. landowner, spot maps, inspecknowledge, operator, etc.).	tor
OOG records , Arc maps	
18. If an individual assisted in locating this well, who do they indicate should be responsible for plugging (i.e. state, landowner, operator, etc.)? N/A	it
19. Amount of time spent searching for this well. 1 hour	
20. Well reported by: Random inspection Address:	Office RECEIVED
Phone #: Form completed by: ALLEND FLOWERS Date: 3/22/2023	Office of Oil and Gas JUN 22 2023
	WV Department of Environmental Protection
	Protection

Page 2 of 2

State of West Virginia Department of Environmental Protection Office of Oil and Gas

Abandoned Well Inspection Form

WI FA		LL NUMBER 80	062] <u>]</u>
	JAD PETROLEUM DISTRICT WALKER	COUNTY	WALKER	,
	S FIELD READING Latitude 39.24250 UTME 476077.31 L	ongitude <u>[-61.277222</u>	UTMN 4343723.36	1
D.P	TE AND TIME OF READING 06/03/2021 @ 11:00 AM			1
W	ELL SCORE 90 WELL CLASS CL	ASS 1 SUBCLASS 2		
1.	Does this well appear to be a potential or immediate threat			
	to human health or safety?		Y N	
	If yes, please describe situation.	Potential threat Immediate threat		
2.	Is this well leaking oil, gas or saltwater at the surface?			
	Check all that apply.	Oil	\square	
		Gas		
		Saltwater		
	If yes to question #2, check the appropriate response below: Significant leakage exceeds the limits of the well location Significant leakage at the surface of the well minor leakage at the surface restricted to the well location			
			— —	
4.	What is the condition of the well casing?			
	Check all that apply.		_	
	-Either no production or surface casing.	☑ ⊑]	
	-Severely deteriorated surface casing.	₽ 2		
	-Severely deteriorated production casingEvidence of ground water contamination within 1000' of thi			
	-Evidence of ground water containmation within 1000 of this	is well.	ı	
5.	Check the appropriate response below.			
	-planned or active mineral resource development within 100			
	-planned or active mineral resource development within 100 -planned or active mineral resource development within 200			- Corne
	Identify the type if applicable (oil, gas, coal, limestone, etc.			SCEWED FOII arms Gass
	the type if approache (on, gas, coal, linestone, etc.	OAO & OIL		2 2023
6.	Check the appropriate response below if applicable.		- UN Z	2 2007
	-well is within 100'of a drinking water source		Environments	Three
	-well is within 100 to 500' of a drinking water source		WV Depa Environments	Photogram
7.	Check the appropriate response below if applicable.			
	-10 to 20 people residing within 1000' of well			
	-more than 20 people residing within 1000' of well			

8. Check the appropriate response below if applicable. -well is within 100' of a lake, river or stream -well is within 100' to 500' of a lake, river or stream	
9. What is the current land use? Check one of the following: Industrial ☐ Commercial ☐ Agricultural ☐ Wooded ✔ Residential ☐ Public ☐	
10. Give an approximate drill date for this well. UNKNOWN	
11. Give an approximate abandonment date for this well. UNKNOWN	
12. Is there the presence of contaminated soil around wellhead?	
13. Provide the approximate size (square feet) of the contaminated area.	
14. Is there refuse on the location?	
15. Provide sketches and/or comments concerning the well and/or location, including directifeel may be pertinent.	ons, which you
Well GPS location as been recored in OOG/RBDMS	
16. Put any other information that you received from your inspection, such as last known op concerns, special instructions on plugging, or any other information that will be helpful in loand recovering the cost of the plugging.	•
N/A	
17. Describe which tool(s) were of the most benefit in locating this well (i.e. landowner, spot knowledge, operator, etc.). OOG records, Arc maps	t maps, inspector
18. If an individual assisted in locating this well, who do they indicate should be responsible (i.e. state, landowner, operator, etc.)? N/A	for plugging it
19. Amount of time spent searching for this well. 1 hour	
20. Well reported by: Random inspection Address:	
Phone #:	Office of Oil insuran
S	Office of Oil and Gas JUN 2 2 2023 Wy Department or invironmental Protection
Page 2 of 2	Potection

SURFACE OWNER WAIVER

Operator's Well Number

CNG TRANSMISSION CORP 80062

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of should request a copy from th	_	issued or a co	py of the order denying the permit, you $O_{M_{C_0}}$ $R_{E_{C_{C_0}}}$
$\underline{\mathbf{v}}$	OLUNTARY STATI	EMENT OF NO	OBJECTION (1) ON
I hereby state that I have	read the instruction	is to surface owne	ers and that I have received copies 4 2 Notice
and Application For A Permit To	Plug And Abandon o	n Forms WW-4A	and WW-4B, and a survey platter 1223
I further state that I ha	ve no objection to th	e planned work	described in these materials, and Physic no
objection to a permit being issued		-	Otechn
FOR EXECUTION BY A NATUR			FOR EXECUTION BY A CORPORATION,
ETC.			·
	Date	Name	
Signature		By	
-		Its	Date

Signature

07/07/2023

WW-4B

API No.	47-107-01757		
Farm Name			
Well No.	CNG TRANSMISSION CORP 80062		

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
The undersigned coal operator has examined this proposed plugging work done at this location, provided, the well of Virginia Code and the governing regulations	order. The undersigned he perator has complied wit	
Date:		
	By:	
	Its	
		Office RECEIVED of Oil and Gas
		JUN 2 2 2023 WV Department of Environmental Protection
		, Olection

PLUGGING PERMIT CHECKLIST

Pluggi	ng Permit
	WW-4B
$\overline{\mathbf{V}}$	WW-4B signed by inspector
√	WW-4A
✓	SURFACE OWNER WAIVER OF PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
✓	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL
√	WW-9 PAGE 1 (NOTARIZED)
√	WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application
	WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
V	RECENT MYLAR PLAT OR WW-7
√	WELL RECORDS/COMPLETION REPORT
	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
	MUST HAVE VALID BOND IN OPERATOR'S NAME
	CHECK FOR \$100 IF PIT IS USED



June 16, 2023

Mr. H. Jason Harmon West Virginia Department of Environmental Protection Office of Oil & Gas 601 57th Street Charleston, WV 25304

Dear Mr. Harmon,

Please find enclosed the permit applications to plug the following wells:

API 47-085-10449, Walker District, Ritchie County API 47-107-01757, Walker District, Ritchie County

These wells are part of the multi-well plugging contract for the Orphan and Abandoned Well Program for Region 7. The plugging contractor is Coastal Drilling East, LLC, operating under the Region 7 contract. The surface owner has been mailed copies of the permit applications. The signed waivers will be forwarded to you via email as we receive them. The inspectors signed the enclosed copies. I have enclosed a photocopy of the surface owner Certified Mail package that was sent to them.

Should you require additional information or assistance, please do not hesitate to let me know.

Thank you for giving Unlimited Energy Services the opportunity to serve your energy industry needs!

Best regards,

P. Wayne Ammons Project Manager

264 Industrial Park Road Jane Lew, WV 26378 304-884-8246 office 304-439-4357 mobile wayne@ulenergyco.com RECEIVED Gas Office of Oil and Gas

WV Department of Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permit issued 4710701757

1 message

Kennedy, James P <james.p.kennedy@wv.gov> Fri, Jul 7, 2023 at 2:07 PM To: Henry J Harmon <henry.j.harmon@wv.gov>, Joseph D Taylor <joseph.d.taylor@wv.gov>, MYearsley@shaftdrillers.com, dnohe@woodcountywv.com, wayne@ulenergyco.com

To whom it may concern, a plugging permit has been issued for 4710701757.

James Kennedy

WVDEP OOG

