

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, July 28, 2025 WELL WORK PLUGGING PERMIT Vertical Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re: Permit approval for 1 47-107-01772-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 1

Farm Name: BUNTING, STERLING R. AN

U.S. WELL NUMBER: 47-107-01772-00-00

Vertical Plugging Date Issued: 7/28/2025

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.
- 3. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

__JUN **2 3** 2025

14.8% (1) 11.00

WV Department of Environmental Protection

, .	. May 28th	,	2
11.		- "	
	t. Bunting 1		
17.1	6 1 7 . 3		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ARANDON

5.)	Legation: Elevation 597.82	Watershed Bull Ru	n of the Ohio River	
	District Union	CountyWood_	Quadrana_e Willo	w Island 7.5
1, 1	No. 2 Option of Unknown - WOEP Pad Plugging Contract	7)Designated Age	ant Jason Harmon	
	Abditions 601 57th Street Southeast Charleston, WV 25304		601 57th Street S Charleston, WV	
)	Oil and Can Inspector to be notified	9) Plugging Contr		
	Name April Lawson		nern Hydrocarbon C	No. of Contract of
	Adareos 347 Main St.	Address 93	34 Little Coal River	Road
	Spencer, WV 25276	Al	um Creek, WV 25003	

We start the start product of the drift of errors and a sign constant x_{ij} , x_{ij} , x_{ij} , x_{ij} , x_{ij} , x_{ij} , x_{ij}

April Lawson

Object of April Lawson

April Lawson

Detect of April Lawson entire 1 april 1.

Detect 2025.00.19 11.281.06 -0-107

With the state of the state of the first

- - ------

B-1

JUN 2 3 2025

WEST VIRGINIA DEPARTMENT OF MINES

WV Department of Environmental Protection

Oil and Gas Section PRELIMINARY DATA SHEET NO. 1

File No. WOO-17		V	Vell No. 29
Dental Oil	Company, of	Sistersville, W.	. Va.
Mahone Heirs Farm			
ontaining acres. 1	Location		***************************************
Union	District, in WOO	dCom	anty, West Virginia.
The surface of the above tract is ov	vned in fee byR	. C. Mahone, Attw	
1009 Vine St., Wheeling,	W. Va.	address, and the mineral	rights are owned by
Same	of		*******************************
The oil and gas privileges are held u	inder lease by the abo	ve named company, and this	well is drilled under
permit No. WOO417 issued	by the West Virgini	a Department of Mines, O	il and Gas Section,
September 2nd	***************************************	19.32	
Elevation of surface at top of well,		ust ell see nsoon area value sy <mark>tt?</mark>	Spirit Barometric,
he number of feet of the different sized	casings used in the w	ell.	
2 <u>4½</u>	feet	10" Conductors	ize. Wood conductor
205 feet 8"	size, esg	feet	sized csg.
716 feet 61 "	size, esg	feet	sized esg.
1013 feet 4 7/8#	size, esg	feet	sized esg.
p	acker of	size, set at	
p	acker of	size, set at	
in casing per	forated at	feet to	feet,
in casing per	forated at	feet to	feet.
oal was encountered at	feet; thickness	inehes, and	at
et; thicknessinches; a	nd atf	eet; thickness	inches.
Liners were used as follows: (Give de	tails)	······································	
	·····		

		•••••••••••••••••••••••••••••••••••••••	
August 2nd 1933	Deta		
	Date.	Dental Oil Compar	n V
	Approved	/ P W	Owner.

Dental Oil

Company

COMPLETION DATA SHEET NO. 2

Sistersville, W. Va.

FORMATION RECORD

Mahone	Heirs.	well.	No.	29	File	#	W00-17	
								1

Water 70 742 840 860	Name	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depth	Remarks
## Cow Run Little Oil at 1074 1084 1093 1128 1152 1160 1164 1174 1193 1251 1324 1333 1337 epth still in Sand Sand	. —								
Little Oil at 1074 1084 1093 and	at Com Pa			Water	701	742			
The stand and and and and and and and and and					840	860			
reak in Sand and and and and and and and and and					1084				
Ittle water 1152' 1160 1164 1193 1291 1291 1324 1333 1337 1359		and			1093	7725			RECEIVED
JUN 2 JUN 2 Smell of oil at 1248 axon Sand reak in Sand and epth still in Sand axon sand 1160 1174 1193 1229 1251 1337 1337 1359			Little wat	er 1152'	1132	1152			Office of Oil and
axon Sand reak in Sand and epth still in Sand 1324 1333 1337 1359	and				1160	1164			
axon Sand reak in Sand and epth still in Sand 1324 1333 1337 1359			Smell of oi	1 at 1248	1229	1251			2 2025
epth still in Sand	axon Sand				1324			E	WV Department of
epth still in Sand		sand			1337				Trotec
Small gas well rock pressure 260 pounds.	epth sti	ll in Sand			1359				
Small gas well rock pressure 260 pounds.									
		Small on	s well rock	pressure 26	O pound	s.			
		omerr Pe	S WOLL LOOK	2000000					
			Al .						= 124.5
				Of the last					N FEL
			•	-					
						+0			
		=							
									181.5
									- Company
shot Well was not shot at	Well was no	ot shot at	*******************************	feet; w	ell was shot	at	***************************************	***********	feet.

Shot Well was not shot at
Salt salt Fresh water at feet; fresh water at feet.
Well was producing hole. DENTAL OIL COMPANY,
August 2nd, 1933 Approved J. P. Harm General Manager. Owner
NOTE: All bottom formations must be noted to be a least of the least o

All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

JUN 2 3 2025

WV Department of Environmental Protection



Plugging Procedure

Date: 05/30/2025 API #: 47-107-01772

Operators Well Number: Bunting #1

Closest Offest Wells with available information: 47-107-00017

		Casing Details		
OD (in.)	ID (in.)	Weight/Grade	Depth (ft)	Hole Size (in
8 5/8	8	NA	205	NA
7	6 1/4	NA	716	NA
5 1/2	4 7/8	NA	1013	NA

- 1. Notify the inspector at least 24 hours prior to conducting abandonment operations.
- 2. Blow down well.
- 3. POOH with Tubing, RIH and confirm TD and fill depth.
- 4. Prep for cement. NOTIFY INSPECTOR OF TAG DEPTH.
- 5. Lead with 6% gel spacer on all cement plugs.
 - a. Note: API Class A or Class L will be used for cement plugs.
- 6. Plug 1: Set cement plug from approved tag depth (+/- 1359') to 950'.
- 7. Free point 4 7/8", rip and pull pipe.
- 8. Plug 2: Set 100' cement plug across casing cut (50' inside and 50' on top).
- Plug 3: Set 200' cement plug from <u>750' to 550'</u> to cover 6 1/4" casing shoe and elevation.
- 10. Free point 6 1/4" casing, rip and pull pipe.
- 11. Plug 4: Set 100' cement plug across casing cut (50' inside and 50' on top).
- 12. Plug 5: Set cement plug from 250' to Surface
- 13. Set Monument 30" above ground with Well Name, API Number, and Plug Date.

WW-4A Revised 6-07 RECEIVED
Office of Oil and Gas

JUN 2 3 2025

WV Department of Environmental Protection 1) Date:

05/28/2025

2) Operator's Well Number

Bunting 1

3) API Well No.: 47 -

107 - 01772

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE 0F APPLICATION TO PLUG AND ABANDON A WELL

Not Reported S Owner(s) with Declaration Not Reported S Lessee with Declaration Not Reported		
Cowner(s) with Declaration Not Reported S Lessee with Declaration Not Reported		
Not Reported S Lessee with Declaration Not Reported		
Not Reported S Lessee with Declaration Not Reported		
Lessee with Declaration Not Reported		
Lessee with Declaration Not Reported		
Lessee with Declaration Not Reported		
Lessee with Declaration Not Reported		
Lessee with Declaration Not Reported		
Not Reported		
well operator proposes to file or has filed this Notice and Application and of the Office of Oil and Gas, West Virginia Department of Environmental lication and depicted on the attached Form WW-6. Copies of this Notice, or delivered by hand to the person(s) named above (or by publication in		
DEP Paid Plugging Contract		
Caron Harmon		
and Gas Deputy Chief		
Southeast		
Charleston, WV 25304		
Notary Public		

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only WHITON, WV 26 1,400 Certified Mail Fee \$ Extra Services & Fees (check bo Return Receipt (hardcopy)
Return Receipt (electronic) 1000 Postmar 7025 Here Certified Mail Restricted Delivery
Adult Signature Required Adult Signature Restricted Delive 1970 Postage \$ Total Postage and Fees USPS 7021

RECEIVED
Office of Oil and Gas

JUN 2 3 2025

WV Department of Environmental Protection WW-9 (5/16)

RECEIVED
Office of Oil and Gas

JUN 2 3 2025

WV Department of Environmental Protection

My commission expires

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION

API Number 47 - 107

Operator's Well No.

_01772

08/01/2025

OFFICE OF OIL AND GAS FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Unknown - WVDEP Paid Plugging Contract OP Code
Watershed (HUC 10) Bull Run of the Ohio River Quadrangle Willow Island 7.5'
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No
If so, please describe anticipated pit waste: Production Fluid and Cement Returns
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP)
Underground Injection (UIC Permit Number)
Reuse (at API Number) Off Site Disposal (Supply form WW-9 for disposal location)
Other (Explain
Will closed loop systembe used? If so, describe: Above Ground Steel Pit
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/A
Additives to be used in drilling medium? N/A
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? N/A
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any
West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.
Company Official Signature through the Company Official Signature
Company Official (Typed Name) Official SEAL
Company Official Title NOTARY PUBLIC STATE OF WEST VIRGINI RENAE DAWN WHITLOCK 601 57th Street, SE, Charleston, W
Subscribed and sworn before me this 25 day of , 20 35
Notary Public

	JUN	2 3 2025 – –	- ·	
Fore, W.W. o	WV De Environm	epartment of ental Protection	Operator's Well So	Burting 1
Proposed Revegetation Treatm	ient Acres Disturbed +/-		Prevegetation pH 6.5	Y
time 3	Tons acre or to correct t	to pH 6.5		
Fertilizer type 10-20	0-20			
Fertilizer amount TB	D	lbs acre		
Mulch 2		Ions acre		
		Seed Mixtures		
Tem	porary		Permanent	
Seed Type	lhs: acre	. .	Seed Type	lbs acre
Contractors Mix	30	Contrac	ctors Mix	_30
provided). If water from the profit. With and area in acres, of the Protocopied section of involve	e land application area.	de water volume, inc	lude dimensions (L, W. D)	of the pil, and dimen
		· · · · · · · · · · · · · · · · · · ·		
Plan Approved by: April L	Digitally regreat by: April Lawson AWSON (Nr April Lawson cental - april A. Spendown (Nr April Lawson cental - april A		- 	
Follow E8	RS Control Plan			
. 				·-
		· . •		
	 .			
OOG Inspector		Date: 6/1	8/25	
ret D		, N. s.		

WW-9- GPP Rev. 5/16

Office of Oil and Gast

Pag	eof
API Number 47 - 107	- 01772
Operator's Well No	Bunting 1

Operator's Well JU' STATE OF WEST VIRGINIA WY DEPARTMENT OF ENVIRONMENTAL PROTECTION ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

Operator Name: Unknown - WVDEP Paid Plugging Contract	
Watershed (HUC 10): Bull Run of the Ohio River	Quad: Willow Island 7.5'
Farm Name: Bunting	
1. List the procedures used for the treatment and discharge of flui groundwater.	ids. Include a list of all operations that could contaminate the
N/A	
Describe procedures and equipment used to protect groundwate	erguality from the list of notential contaminant sources above
N/A	and the second s
3. List the closest water body, distance to closest water body, a discharge area.	and distance from closest Well Head Protection Area to the
Bull Run of the Ohio River	
4. Summarize all activities at your facility that are already regulate	ed for groundwater protection.
N/A	

WW-9- GPP Rev. 5/16	RECEIVED Office of oil and Gas JUN 2 3 2025 WV Department of Environmental Protection	Page of Of
6. Provide a st	atement that no waste material will be use	ed for deicing or fill material on the property.
N/A		
7. Describe the provide direction N/A	e groundwater protection instruction and ction on how to prevent groundwater con	training to be provided to the employees. Job procedures shall tamination.
p 	visions and frequency for inspections of a	all GPP elements and equipment.
N/A	•	

Signature: ______
Date: _____

Date: 05/30/2025

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)-926-0450

Mr. Martin,

Due to our cement provider, Kosmos Cement Company LLC, discontinuing Class A cement, the following well we will be utilizing API Class L cement for the plugging operation.

API Number: 47-107-01772 Well Name: Bunting #1

Regards, Terry Rexroad R&R Well Service L.L.C.

RECEIVED
Office of Oil and Gas

JUN 2 3 2025

WV Department of Environmental Protection



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM)		
LEGISLATIVE RULE 35CSR4)	ORDER NO.	2022-13
SECTION 14.1. AND LEGISLATIVE RULE)		
35CSR8 SECTION 20.1,)		
RELATING TO THE CEMENTING)		
OF OIL AND GAS WELLS)		

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- 1. On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER


It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oll and Gas



JUN 2 3 2025





WV Department of Environmental Protection

West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

WELLI	JUCATION	rukwi: Gra	>
API: 47-107-01772		WELL NO.:_	1
FARM NAME: Bunting			
RESPONSIBLE PARTY NAM			· · · · · · · · · · · · · · · · · · ·
COUNTY: Wood		DISTRICT: Ur	nion
QUADRANGLE: Willow	Island 7.5)	
SURFACE OWNER: Sterli	•		
ROYALTY OWNER: Unkr			
****		0	
UTM GPS NORTHING: 4,3; UTM GPS EASTING: 468,3	332.541	GPS ELEVAT	_{TION:} 597.82'
above well. The Office of Oil and the following requirements: 1. Datum: NAD 1983, Z height above mean set 2. Accuracy to Datum – 3. Data Collection Metho Survey grade GPS X : Post	one: 17 North, Co a level (MSL) – m 3.05 meters od:	oordinate Units: m	
	l-Time Differentia		
	Post Processed Dia		
I	Real-Time Differe	ntial	
4. Letter size copy of the I the undersigned, hereby certify belief and shows all the information prescribed by the Office of Oil and	this data is correction required by law	t to the best of my	knowledge and
Signature	T	itle	Date 08/01/2





WW-4B

RECEIVED
Office of Oil and Gas

JUN 2 3 2025

WV Department of Environmental Protection

API No. 47-107-01772 Farm Name Bunking Well No. Bunting 4

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER
has examined this proposed plugging we	/ owner/ lessee/ of the coal under this well location ork order. The undersigned has no objection to the work proposed to be ll operator has complied with all applicable requirements of the West ions.
Date:	
	By:
	Its

SURFACE OWNER WAIVER

JUN 2 3 2025

WV Department of Environmental Protection Operator's Well Number

Bunting 1

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies:
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to a permit being issued on the FOR EXECUTION BY A NATURAL PLETC.	ose mater	ned wo		se materials, and I have no
Signature	_ Date	 Name By		
S.g. autaro		Its		Date
			Signature	08/01/2025 Date

11/10/2016

PLUGGING PERMIT CHECKLIST

RECEIVED
Office of Oil and Gas

JUN 2 3 2025

WV Department of Environmental Protection

Pluggin	g Permit
\Box	WW-4B
	WW-4B signed by inspector
\prod	WW-4A
	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL
Δv	WW-9 PAGE 1 (NOTARIZED)
Дv	WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application
$\prod v$	NW-9 GPP PAGE 1 and 2 if well effluent will be land applied
\prod_{R}	RECENT MYLAR PLAT OR WW-7
□v	VELL RECORDS/COMPLETION REPORT
Т	OPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
\prod	MUST HAVE VALID BOND IN OPERATOR'S NAME
Дс	CHECK FOR \$100 IF PIT IS USED



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued 4710700241 00471 01771 01772

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Mon, Jul 28, 2025 at 12:12 PM

To: April N Lawson <april.n.lawson@wv.gov>, Henry J Harmon <henry.j.harmon@wv.gov>, "Southern Hydrocarbon Corp." <shydrocrbn@gmail.com>, dnohe@woodcountywv.com

To whom it may concern, plugging permis have been issued for 4710700241 00471 01771 01772.

--

James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas


601 57th Street, SE

Charleston, WV 25304

304-926-0499 ext. 45025

james.p.kennedy@wv.gov

4 attachments





4710700241.pdf 2063K

4710700471.pdf 2357K