

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, July 30, 2025
WELL WORK PLUGGING PERMIT
Vertical Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re: Permit approval for 2 47-107-01773-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Marti

Chief

Operator's Well Number:

Farm Name: BUNTING, STERLING R. AN

U.S. WELL NUMBER: 47-107-01773-00-00

Vertical Plugging Date Issued: 7/30/2025

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- In the event of an accident or explosion causing loss of life or serious personal injury in or about
 the well or while working on the well, the well operator or its contractor shall give notice, stating
 the particulars of the accident or explosion, to the oil and gas inspector and the Chief within
 twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.
- 3. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

WW-4B Rev. 2/01

JUN 2 3 2025

WV Department of Environmental Protection

1) Date May 28th	,	2025
2)Operator's		
Well No. Bunting 2		
3) API Well No. 47-w		- 51712

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PER	MIT TO PLUG AND ABANDON
4)	Well Type: Oil X / Gas X / Liquid (If "Gas, Production or Und	d injection/ Waste disposal/ derground storage) Deep/ Shallow X
5.1	Location: Elevation 624.65	Watershed Bull Run of the Ohio River
	District Union	County Wood Quadrangle Willow Island 7.5'
6)	Well Operator Unknown-WVDEP Paid Plugging Contract	7) Designated Agent Jason Harmon
	Address 601 57th Street Southeast	Address 601 57th Street Southeast
	Charleston, WV 25304	Charleston, WV 25304
8)	Oil and Gas Inspector to be notified	
	Name April Lawson	Name Southern Hydrocarbon Corporation
	Address 347 Main St.	Address 934 Little Coal River Road
	Spencer, WV 25276	Alum Creek, WV 25003
Noti	fication must be given to the district of	l and gas inspector 24 hours before permitted
work	can commence,	The second secon
Nork	April Lawson	Digitally signed by: April Lawson ON: CN = April Lawson email = april Lawson@www.gov C = US Date: 2025.06.18 11:28:59 -04'00'

JUN 2 3 2025

Plugging Procedure

WV Department of Environmental Protection

Date: 05/30/2025 API #: 47-107-01773

Operators Well Number: Bunting #2

Closest Offest Wells with available information: 47-107-00017

		Casing Details		
OD (in.)	ID (in.)	Weight/Grade	Depth (ft)	Hole Size (in)
8 5/8	8	NA	205	NA
7	6 1/4	NA	716	NA
5 1/2	4 7/8	NA	1013	NA

- 1. Notify the inspector at least 24 hours prior to conducting abandonment operations.
- 2. Blow down well.
- 3. POOH with Tubing, RIH and confirm TD and fill depth.
- 4. Prep for cement. NOTIFY INSPECTOR OF TAG DEPTH.
- 5. Lead with 6% gel spacer on all cement plugs.
 - a. Note: API Class A or Class L will be used for cement plugs.
- Plug 1: Set cement plug from approved tag depth (+/- 1359') to 950'.
- 7. Free point 4 7/8", rip and pull pipe.
- 8. Plug 2: Set 100' cement plug across casing cut (50' inside and 50' on top).
- Plug 3: Set 200' cement plug from <u>750' to 550'</u> to cover 6 1/4" casing shoe and elevation.
- 10. Free point 6 1/4" casing, rip and pull pipe.
- 11. Plug 4: Set 100' cement plug across casing cut (50' inside and 50' on top).
- 12. Plug 5: Set cement plug from 250' to Surface
- 13. Set Monument 30" above ground with Well Name, API Number, and Plug Date.

B-1

JUN 2 3 2025

WV Department of Environmental Protection

WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Section

PRELIMINARY DATA SHEET NO. I

File No. WOO-17		V	Vell No29
Dental Oil	Company, of.	Sistersville, W.	. Va.
Mahone Heirs Farm			
ontaining acres. I			
Union	District, in WOO	d Co	unty, West Virginia.
The surface of the above tract is ow	ened in fee byR	. C. Mahone, Attw	***************************************
1009 Vine St., Wheeling,	W. Va.	address, and the mineral	rights are owned by
Same	of		
The oil and gas privileges are held u	nder lease by the abo	ve named company, and this	well is drilled under
permit No. WOO-17 issued	by the West Virginia	a Department of Mines, O	il and Gas Section,
September 2nd		19.32	
Elevation of surface at top of well,			Spirit Barometric.
The number of feet of the different sized	casings used in the w	ell.	
241/2	feet	10" Conductors	ize. Wood conductor
205 feet 8#	size, esg	feet	sized csg.
716 feet 61 "	size, csg	feet	sized esg.
1013 feet 4 7/8"			
pe			
pi	acker of	size, set at	
in casing peri	forated at	feet to	feet,
in casing peri			
Coal was encountered at			
eet; thicknessinches; a		*	
Liners were used as follows: (Give de			
	,		
August 2nd 1933	Date.		
	Approved	Dental Oil Compa	ny Owner.
		N Sil	General Ma

B-2

77%	en	2	- 100	-	
- 13	an	75.4	5 1	()	3 1
-	6.77	U.C		0	44

Company

Sistersville, W. Va.

Address

COMPLETION DATA SHEET NO. 2


FORMATION RECORD

Mahone Heirs well No. 29 File # WOO-17

Name	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depth	Remarks
			Wa ham	701				
st Cow Ru			Water	730	742			BECEIVED
second Cow				840	742			RECEIVED Office of Oil and Ga
		Little	Oil at	1074				518
		Little	Gas	1084				JUN 2 3 2025
reak in S	and	0	47 -4 77701	1093	1128			
land land		Little wat	il at 1118	1132	1152			WV Department of Environmental Protecti
Band		TT A DIE MG	1176	1160	1152			Environmental Protecti
and				1174	1193			
Sand		Smell of of	1 at 1248	1229	1251			
laxon Sand				1324				
Break in \$	and			1333				
Sand Depth stil	1 in Send	4.		1359				* L ST
eben serr	I III DOMIN			-///				
				1				
	Small g	as well rock	pressure 26	O pound	в.			
	Small g	as well rock	pressure 26	0 pound	8.			
	Small g	as well rock	pressure 26	0 pound	8.			
	Small g	as well rock	pressure 26	0 pound	8.			
	Small g	as well rock	pressure 26	0 pound	8.			
	Small g	as well rock	pressure 26	0 pound	8.			
	Small g	as well rock	pressure 26	0 pound	8.			
	Small g	as well rock	pressure 26	0 pound	8.			
	Small g	as well rock	pressure 26	0 pound	S.			
	Small ga	as well rock	pressure 26	0 pound	S.			
	Small ga	as well rock	pressure 26	0 pound	S.			
	Small ga	as well rock	pressure 26	0 pound	S.			

shot Well was not shot at	feet; well was shot atfeet.
Salt Fresh water at	saltfeet; fresh water atfeet.
Well was hole.	DEPURE OF CONDUNIE
August 2nd, 1933	DENTAL OIL COMPANY, Approved C. P. Lann General Manager.
Date	Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.



WW-4A Revised 6-07 RECEIVED Office of Oil and Gas

JUN 2 3 2025

WV Department of Environmental Protection

11	Date:
	HATE.
11	Dute.

05/28/2025

2) Operator's Well Number

Bunting 2

3) API Well No.: 47 -

07 - 01773

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE 0F APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Own	ner(s) to be served:	5)	(a) Coal Operator	or	
(a) Name	Sterling Bunting		Name	Not Reported	
Address	199 Bull Run Rd		Address		
	Waverly, WV 26184	/			
(b) Name	Not Reported		(b) Coal Ov	Owner(s) with Declaration	
Address			Name	Not Reported	
		A CONTRACTOR OF THE PARTY OF TH	Address		
			_		
(c) Name	Not Reported		Name		
Address			Address		
			_		
6) Inspector	April Lawson			essee with Declaration	
Address	347 Main St.		Name	Not Reported	
	Spencer, WV 25276		Address		
Telephone	(681) 990-6944	· · · · · · · · · · · · · · · · · · ·			
The reason However, ye Take notice accompanyi Protection, the Applica	that under Chapter 22-6 of ing documents for a permit with respect to the well at the	nts is that you have rig ny action at all. the West Virginia Cod to plug and abandon a va- ne location described on n mailed by registered	this regarding the applications, the undersigned well well with the Chief of the the attached Application certified mail or de	ell operator proposes to file or has filed this Notice and Application and the Office of Oil and Gas, West Virginia Department of Environmenta ation and depicted on the attached Form WW-6. Copies of this Notice delivered by hand to the person(s) named above (or by publication in	
	-	Well Operator	Unknown - WVDEP	P Paid Plugging Contract	
mmm	OFFICIAL SEAL	By:	Jason Harmon		
S STUTE OF	NOTARY PUBLIC	Its:	WV Office of Oil and Gas Deputy Chief 601 57th Street Southeast Charleston, WV 25304		
1 2 2000 11 12 12 12	TATE OF WEST VIRGINIA ENAE DAWN WHITLOCK	Address			
) \ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	th Street, SE, Charleston, WV 25304 Commission Expires April (16, 2027	11441 055			
} My	Commission Expires (All Commission Commission Expires (All Commission Commiss	Telephone	304-926-0452	7007	
Subscribed and My Commission	sworn before me thi Expires	07	ay of Ju	Notary Public	

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

JUN 2 3 2025

WV Department of Environmental Protection



JUN 2 3 2025

WV Department of Environmental Protection

API Number 47 - 107 Operator's Well No._

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Contract On Co. 1
Operator Name Unknown - WVDEP Paid Plugging Contract OP Code
Watershed (HUC 10) Bull Run of the Ohio River Quadrangle Willow Island 7.5'
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No
If so, please describe anticipated pit waste: Production Fluid and Cement Returns
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP)
Underground Injection (UIC Permit Number) Reuse (at API Number)
Reuse (at API Number Off Site Disposal (Supply form WW-9 for disposal location)
Other (Explain_
Will closed loop systembe used? If so, describe: Above Ground Steel Pit
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/A
Additives to be used in drilling medium? N/A
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? N/A
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.
Company Official Signature Ason Harris
Company Official (Typed Name)
Company Official Title OFFICIAL SEAL NOTARY PUBLIC
STATE OF WEST VIRGINIA RENAE DAWN WHITLOCK
Subscribed and sworn before me this 35 day of , 20 3 My Commission Express April 08, 202
Notary Public
My commission expires (202) 08/01/2025

JUN 2 3 2025

Community of the World	WV Department of Environmental Protection	Options: With	n Booking ?
en i seed Roos of spanish	relation of Notes Dispublication	oo osiis taraa ka k	5 5
$_{\rm lime}$ 3	Fores acre or to correct to pe	H 6.5	
Letther type	10-20-20		
Lerobzer amour	nt TBD	ths acre	
Mulch 2	. lon	s acti	
	Se	ed Mixtures	
	Temporary	Permane	nt
Seed Type	lbs acre	Seed Type	lbs acre
Contractors Mix	30	Contractors Mix	30
Photocopied section of ii	ivolved 7.5' topographic sheet.		
Plan Approved by:	Oril Lawson Sector Sect		
	E&S Control		
Plan			
		· · · · · · · · · · · · · · · · · · ·	
	·		
OOG Inspector		· · · · · · · · · · · · · · · · · · ·	
fitte OOG mapector		Date 6/18/25	
fatic OOG Inspector		Date 6/18/25	

WW-9- GPP Rev. 5/16 RECEIVED
Office of Oil and Gas

JUN 2 3 2025

Page of
API Number 47 - 107 - 01773

Operator's Well No. Bunting 2

WV Department of Environmental Protection

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

Operator Name: Unknown - WVDEP Paid Plugging C	ontract
Vatershed (HUC 10): Bull Run of the Ohio River	Quad: Willow Island 7.5'
arm Name: Bunting	
. List the procedures used for the treatment and disch groundwater.	arge of fluids. Include a list of all operations that could contaminate the
N/A	
	groundwater quality from the list of potential contaminant sources above.
N/A	
. List the closest water body, distance to closest wa discharge area.	ter body, and distance from closest Well Head Protection Area to the
Bull Run of the Ohio River	
. Summarize all activities at your facility that are alrea	ndy regulated for groundwater protection.
N/A	

WW-9- GPP Rev. 5/16

RECEIVED Office of Oil and Gas

JUN 2 3 2025

Page	of
API Number 47 - 107	_ 01773
Operator's Well No	Bunling 2

WV Department of Environmental Protection

N/A
N/A Describe the groundwater protection instruction and training to be provided to the employees. Job procedures shall
N/A Describe the groundwater protection instruction and training to be provided to the employees. Job procedures shall
Describe the groundwater protection instruction and training to be provided to the employees. Job procedures shall provide direction on how to prevent groundwater contamination.
Describe the groundwater protection instruction and training to be provided to the employees. Job procedures shall provide direction on how to prevent groundwater contamination.
provide distribution of the provide ground water to assume the provide ground and the provide ground ground and the provide ground
N/A
Provide provisions and frequency for inspections of all GPP elements and equipment. N/A
Signature: Date:

Date: 05/30/2025

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)-926-0450

Mr. Martin,

Due to our cement provider, Kosmos Cement Company LLC, discontinuing Class A cement, the following well we will be utilizing API Class L cement for the plugging operation.

API Number: 47-107-01773 Well Name: Bunting #2

Regards, Terry Rexroad R&R Well Service L.L.C. RECEIVED
Office of Oil and Gas

JUN 2 3 2025

WV Department of Environmental Protection



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM)		
LEGISLATIVE RULE 35CSR4)	ORDER NO.	2022-13
SECTION 14.1. AND LEGISLATIVE RULE)		
35CSR8 SECTION 20.1,)		
RELATING TO THE CEMENTING)		
OF OIL AND GAS WELLS)		

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- 1. On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules

ORDER


It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas 4+-107-1773






JUN 2 3 2025

WV Department of Environmental Protection

West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

	CATION FURNI: G	IFO
_{API:} 47-107-01773	WELL NO	_{).:} 2
FARM NAME: Bunting		
RESPONSIBLE PARTY NAME:		.
COUNTY: Wood	DISTRICT:	Union
QUADRANGLE: Willow Is	land 7.5'	
SURFACE OWNER: Sterling		
ROYALTY OWNER: Unkno	wn	
UTM GPS NORTHING: 4,353		
UTM GPS EASTING: 468,18	3.703 GPS ELEY	(ATION: 624.65'
height above mean sea le 2. Accuracy to Datum – 3.0 3. Data Collection Method: Survey grade GPS X : Post Pro	e: 17 North, Coordinate Units vel (MSL) – meters. 5 meters occessed Differential	
	ime Differential X	
-	Processed Differential I-Time Differential	_
	opography map showing the data is correct to the best of required by law and the regu	my knowledge and
Signature	Title	Date 08/0



SURFACE OWNER WAIVER

JUN **2 3** 2025

WV Department of Environmental Protection Operator's Well Number

Bunting 2

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief. Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I I objection to a permit being issu FOR EXECUTION BY A NATUETC.	ed on those materials.	ne planned wo		se materials, and I have no
	Date	Name		
Signature		$\mathbf{B}\mathbf{y}$		
		Its		Date
			Signature	08/01/2025 Date

WW-4B

RECEIVED
Office of Oil and Gas

JUN 2 3 2025

WV Department of Environmental Protection

API No.	47-107-01773	
Farm Name	Bunting	_
Well No.	Bunting 2	

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER
has examined this proposed plugging v	/ owner/ lessee/ of the coal under this well location work order. The undersigned has no objection to the work proposed to be well operator has complied with all applicable requirements of the West lations.
Date:	
	Ву:
	Ite

11/10/2016

PLUGGING PERMIT CHECKLIST

	Office of Oil and Gas
	JUN 2 3 2025
Plugging Permit	WV Department of Environmental Protection
ww-4B	
WW-4B signed by inspector	
WW-4A	
SURFACE OWNER WAIVER or PROOF THAT APPL	LICATION WAS SENT BY REGISTERED OR CERITFIED
COAL OWNER/COAL OPERATOR/COAL LESSEE W BY REGISTERED OR CERTIFIED MAIL	VAIVERS or PROOF THAT APPLICATION WAS SENT
WW-9 PAGE 1 (NOTARIZED)	
WW-9 PAGE 2 with attached drawing of road, lo	ocation, pit and proposed area for land application
WW-9 GPP PAGE 1 and 2 if well effluent will be	land applied
RECENT MYLAR PLAT OR WW-7	
WELL RECORDS/COMPLETION REPORT	
TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF	PIT IS USED
MUST HAVE VALID BOND IN OPERATOR'S NAME	
CHECK FOR \$100 IF PIT IS USED	



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued 47110701773 01774 01775 01776 01777

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Wed, Jul 30, 2025 at 10:01 AM

To: April N Lawson <april.n.lawson@wv.gov>, "Southern Hydrocarbon Corp." <shydrocrbn@gmail.com>, dnohe@woodcountywv.com, Henry J Harmon <henry.j.harmon@wv.gov>

To whom it may concern, plugging permits issued for 47110701773 01774 01775 01776 01777

--

James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas

601 57th Street, SE


Charleston, WV 25304

304-926-0499 ext. 45025

james.p.kennedy@wv.gov

5 attachments







4710701777.pdf 2235K

4710701775.pdf 2540K