

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, July 30, 2025
WELL WORK PLUGGING PERMIT
Not Available Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re:

Permit approval for 4 47-107-01775-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: BUNTING, STERLING R. & G

U.S. WELL NUMBER: 47-107-01775-00-00

Not Available Plugging Date Issued: 7/30/2025

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.
- 3. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

JUN 2 3 2025

WW-4B Rev. 2/01

WV Department of Environmental Protection

1) Date May 28th	, 2025	
2)Operator's		
Well No. Bunting 4		
3) API Well No. 47 -		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A	PERMIT TO PLUG AND ABANDON
4)	Well Type: Oil X / Gas X / Li	quid injection/ Waste disposal/
	(If "Gas, Production or	Underground storage Deep / Shallow X
5)	Location: Elevation610.35	Watershed Bull Run of the Ohio River
	District Union	County Wood Quadrangle Willow Island 7.5
6)	Well Operator Unknown-WVDEP Paid Plugging Contract	7) Designated Agent Jason Harmon
	Address 601 57th Street Southea	
	Charleston, WV 25304	Charleston, WV 25304
8)	Oil and Gas Inspector to be notified	
	Name April Lawson	Name Southern Hydrocarbon Corporation
	Address 347 Main St.	Address 934 Little Coal River Road
	Spencer, WV 25276	Alum Creek, WV 25003

10) Work Order: The work order for the manner of plugging this well is as follows: See Attached Work Procedures

Notification must be given to the district oil and gas inspector $24~\mathrm{hours}$ before permitted work can commerce.



Work order approved by inspector

Late

JUN 2 3 2025



WV Department of Environmental Protection

Plugging Procedure


Date: 05/30/2025 API #: 47-107-01775

Operators Well Number: Bunting #4

Closest Offest Wells with available information: 47-107-00017

		Casing Details		
OD (in.)	ID (in.)	Weight/Grade	Depth (ft)	Hole Size (in)
8 5/8	8	NA	205	NA
7	6 1/4	NA	716	NA
5 1/2	4 7/8	NA	1013	NA

- 1. Notify the inspector at least 24 hours prior to conducting abandonment operations.
- 2. Blow down well.
- 3. POOH with Tubing, RIH and confirm TD and fill depth.
- 4. Prep for cement. NOTIFY INSPECTOR OF TAG DEPTH.
- 5. Lead with 6% gel spacer on all cement plugs.
 - a. Note: API Class A or Class L will be used for cement plugs.
- 6. Plug 1: Set cement plug from approved tag depth (+/- 1359') to 950'.
- 7. Free point 4 7/8", rip and pull pipe.
- 8. Plug 2: Set 100' cement plug across casing cut (50' inside and 50' on top).
- Plug 3: Set 200' cement plug from <u>750' to 550'</u> to cover 6 1/4" casing shoe and elevation.
- 10. Free point 6 1/4" casing, rip and pull pipe.
- 11. Plug 4: Set 100' cement plug across casing cut (50' inside and 50' on top).
- 12. Plug 5: Set cement plug from 250' to Surface
- 13. Set Monument 30" above ground with Well Name, API Number, and Plug Date.



B1

JUN 2 3 2025

WEST VIRGINIA DEPARTMENT OF MINES

WV Department of Environmental Protection

Oil and Gas Section

PRELIMINARY DATA SHEET NO. I

W00-17 Well No. 29	*****
Dental Oil Company, of Sistersville, W. Va.	
Mahone Heirs Farm on the	Farn
ng acres. Location	
Union District, in Wood County, West Virg	inia
surface of the above tract is owned in fee by R. C. Mahone, Attw	******
Vine St., Wheeling, W. Va. address, and the mineral rights are owner	d by
Same of	******
oil and gas privileges are held under lease by the above named company, and this well is drilled u	ndei
No. WOO-17 issued by the West Virginia Department of Mines, Oil and Gas Sec	tion
September 2nd 1932	
vation of surface at top of well, Spirit Barome	etric
nber of feet of the different sized casings used in the well.	
241 feet 10" Conductorsize. Wood condu	actor
205 feet 8" size, csg feet sized	esg
716 feet 61 size, csg. feet sized	esg
1013 feet 4 7/8" size, csg feet sized	csg
packer of size, set at	
packer of size, set at	
in casing perforated atfeet_to	feet
in easing perforated atfeet_to	feet
s encountered atfeet; thicknessinches, and at	
inches; and at feet; thickness inches.	
ers were used as follows: (Give details)	
August 2nd 1933 Date.	
Approved Dental Oil Company Ow	mer.

JUN 2 3 2025

Dental Oil

COMPLETION DATA SHEET WY Department of Environmental Protection

Sistersville, W. Va. Address

Mahone	Heirs	well.	No.	29	File	#	W00-17	0 4
--------	-------	-------	-----	----	------	---	--------	-----

FORMA	TION	RECORD
--------------	------	--------

Name	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depth	Remarks
			Water	701			-	
st Cow Ru	in		Ha 001	730 840	742		-	
cond Cov				840	860			
		Little	Oil at	1074				
reak in S	and			1093			-	
and		Smell of or Little wat	il at 1118	1097	1128			
and and		LICTIE WAL	er 1192	1132	1152 1164			
and				1174	1193			
and axon Sand		Smell of oi	1 at 1248	1229	1251			
reak in				1324				
and	750 500			1337				
epth sti.	11 in San	0		1777				
				-				
	0-27	as well rock	nrecoure 26	O nound	g .			
	omail 8	as well rock	pressure 20	o pound				
		*						
		,	***					
			_ ×_					
				1				
				1				
				1				
						1		

Well was not shot at	fort well was but at
wen was not snot at	feet; well was shot at feet.
Salt	salt
Fresh water at	feet; fresh water atfeet.
producing	
Well was hole.	
***	DENTAL OIL COMPANY,
August 2nd, 1933	Approved L. P. Hann General Manager.
Date	Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

WW-4A Revised 6-07

RECEIVED Office of Oil and Gas

JUN 2 3 2025

WV Department of Environmental Protection 1) Date:

05/28/2025

2) Operator's Well Number

Bunting 4

3) API Well No.: 47 -

107

01775

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

Surface Ow	ner(s) to be served:	5)	(a) Coal Operator	r
(a) Name	Sterling Bunting		Name	Not Reported
Address	199 Bull Run Rd		Address	
	Waverly, WV 26184			
(b) Name	Not Reported		(b) Coal Ov	vner(s) with Declaration
Address			Name	Not Reported
			Address	
			ALEGE LEPTOLIS AS POSSESSED TO THE	
(c) Name	Not Reported		Name	
Address			Address	
C) T	April Lauren		— (a) Caal I a	ith Deslaration
6) Inspector	April Lawson			ssee with Declaration
Address	347 Main St.		Name	Not Reported
	Spencer, WV 25276		Address	
Telephone	(681) 990-6944			
well	application to Plug and A its and the plugging work plat (surveyor's map) sho	c order; and		sets out the parties involved in the work and describes the
	n you received these documer you are not required to take an		ghts regarding the applic	cation which are summarized in the instructions on the reverses side.
Protection the Applic	ying documents for a permit t , with respect to the well at the	o plug and abandon a ne location described on mailed by registered	well with the Chief of the on the attached Applicated or certified mail or de	operator proposes to file or has filed this Notice and Application and the Office of Oil and Gas, West Virginia Department of Environmental ion and depicted on the attached Form WW-6. Copies of this Notice, elivered by hand to the person(s) named above (or by publication in
		Well Operator	Unknown - WVDEP	Paid Plugging Contract
		By:	Jason Harmon	Jason Harmon
~~~~~	OFFICIAL SEAL	₹Its:	WV Office of Oil and	Gas Deputy Chief
( L. 4 )	NOTARY PUBLIC	Address	601 57th Street Sou	theast
{ (	STATE OF WEST VIRGINIA RENAE DAWN WHITLOCK	{	Charleston, WV 253	304
<b>{</b>	601 57th Street, SE, Charleston, WV 25304	Telephone	304-926-0452	
mm	wy commission explicit vibra 00' 5051	3		
Cub and ad		. ) (		and
subscribed and	sworn before me thi	s d d	lay of	Notary Dublic
M- Com	E The state of the	~	0 (0.0	Notary Public
My Commission	n Expires	ipu 6	1903)	
Oil and Gas Priv	acy Notice			

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov. 08/01/2025

JUN 2 3 2025

WV Department of Environmental Protection



API Number 47 - 107 _01775
Operator's Well No. Bunting 4

JUN 2 3 2025

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION

WV Department of Environmental Protection DEPARTMENT OF ENVIRONMENTAL I OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name_Unknown - WVDEP Paid Plugging Contract	OP Code
Watershed (HUC 10) Bull Run of the Ohio River	Quadrangle Willow Island 7.5'
Do you anticipate using more than 5,000 bbls of water to complete	the proposed well work? Yes No
Will a pit be used? Yes No	
If so, please describe anticipated pit waste: Production	Fluid and Cement Returns
Will a synthetic liner be used in the pit? Yes N	Io If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a	e second and the seco
	umber)
Off Site Disposal (Supply form WW-9	for disposal location)
Will closed loop systembe used? If so, describe: Above Ground	Steel Pit
Drilling medium anticipated for this well (vertical and horizontal)?	Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/A	
Additives to be used in drilling medium?N/A	
Drill cuttings disposal method? Leave in pit, landfill, removed offer	site, etc. N/A
-If left in pit and plan to solidify what medium will be use	ed? (cement, lime, sawdust)N/A
-Landfill or offsite name/permit number? N/A	**************************************
Permittee shall provide written notice to the Office of Oil and Gas West Virginia solid waste facility. The notice shall be provided with where it was properly disposed.	
on April 1, 2016, by the Office of Oil and Gas of the West Virgini provisions of the permit are enforceable by law. Violations of any or regulation can lead to enforcement action.	term or condition of the general permit and/or other applicable law amined and am familiar with the information submitted on this inquiry of those individuals immediately responsible for obtaining and complete. I am aware that there are significant penalties for
Company Official Signature Jason Harmo	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Company Official (Typed Name)	OFFICIAL SEAL NOTARY PUBLIC
Company Official Title	STATE OF WEST VIRGINIA RENAE DAWN WHITLOCK BUT 5'th Street, SE, Charleston, WV 25304 My Commission Expires April 06, 2027
Subscribed and sworn before me this 35 day of	June , 20 25
Ken Well	Notary Public
My commission expires (100)	08/01/2025

# JUN 2 3 2025

orm WW-9	WV Department of Environmental Protection	Operator's W	ell No Bunting 4
roposed Revegetation Treatn	vent: Acres Disturbed +/-	Preveg etation pl	6.5
	Tons/acre or to correct to p		
Fertilizer type 10-2			
Fertilizer amount TE		lbs/acre	
Mulch_2		s/acre	
	Se	eed Mixtures	
Ten	nporary	Permai	nent
Seed Type Contractors Mix	lbs/acre 30	Seed Type Contractors Mix	lbs/acre 30
Attach: Maps(s) of road, location, pit provided). If water from the p (L, W), and area in acres, of t	oit will be land applied, provide he land application area.	lication (unless engineered plans include water volume, include dimensions (L,	ling this info have been W, D) of the pit, and dimer
Maps(s) of road, location, pit provided). If water from the p (L, W), and area in acres, of the Photocopied section of involves.	bit will be land applied, provide he land application area.  Jed 7.5' topographic sheet.  Digitally signed by: April Lawson email lawson@w.gov C = US Date: 2025.06.18.11:34:46-0	water volume, include dimensions (L, son = apriln.	ling this info have been W, D) of the pit, and dimer
Maps(s) of road, location, pit provided). If water from the p (L, W), and area in acres, of t  Photocopied section of involv  Plan Approved by:  Follow F&S C	bit will be land applied, provide he land application area.  Jed 7.5' topographic sheet.  Digitally signed by: April Lawson email lawson@w.gov C = US Date: 2025.06.18.11:34:46-0	water volume, include dimensions (L, son = apriln.	ling this info have been W, D) of the pit, and dimer
Maps(s) of road, location, pit provided). If water from the p (L, W), and area in acres, of t  Photocopied section of involv  Plan Approved by:  Follow F&S C	bit will be land applied, provide he land application area.  Jed 7.5' topographic sheet.  Digitally signed by: April Lawson email lawson@w.gov C = US Date: 2025.06.18.11:34:46-0	water volume, include dimensions (L, son = apriln.	ling this info have been W, D) of the pit, and dimer
Maps(s) of road, location, pit provided). If water from the p (L, W), and area in acres, of t  Photocopied section of involv  Plan Approved by:  Follow F&S C	bit will be land applied, provide he land application area.  Jed 7.5' topographic sheet.  Digitally signed by: April Lawson email lawson@w.gov C = US Date: 2025.06.18.11:34:46-0	water volume, include dimensions (L, son = apriln.	ling this info have been W, D) of the pit, and dimer
Maps(s) of road, location, pit provided). If water from the p (L, W), and area in acres, of t  Photocopied section of involv  Plan Approved by:  Follow F&S C	bit will be land applied, provide he land application area.  Jed 7.5' topographic sheet.  Digitally signed by: April Lawson email lawson@w.gov C = US Date: 2025.06.18.11:34:46-0	water volume, include dimensions (L, son = apriln.	ling this info have been W, D) of the pit, and dime
Maps(s) of road, location, pit provided). If water from the p (L, W), and area in acres, of t  Photocopied section of involv  Plan Approved by:  Follow F&S C	bit will be land applied, provide he land application area.  Jed 7.5' topographic sheet.  Digitally signed by: April Lawson email lawson@w.gov C = US Date: 2025.06.18.11:34:46-0	water volume, include dimensions (L, son = apriln.	ling this info have been W, D) of the pit, and dime
Maps(s) of road, location, pit provided). If water from the p (L, W), and area in acres, of t  Photocopied section of involv  Plan Approved by:  Follow F&S C	bit will be land applied, provide he land application area.  Jed 7.5' topographic sheet.  Digitally signed by: April Lawson email lawson@w.gov C = US Date: 2025.06.18.11:34:46-0	water volume, include dimensions (L, son = apriln.	ling this info have been W, D) of the pit, and dime

WW-9- GPP Rev. 5/16 RECEIVED
Office of Oil and Gas

JUN 2 3 2025

Page of
API Number 47 - 107 - 01775
Operator's Well No. Bunting 4

WV Department of Environmental Protection

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

GROUNDWATER PROTECTION PLAN

Vatershed (HUC 10): Bull Run of the Ohio River		Quad: Willow Island 7.5'
arm Name:	Bunting	
List the proced groundwater.		fluids. Include a list of all operations that could contaminate the
N/A		
Describe proce	dures and equipment used to protect groundy	vater quality from the list of potential contaminant sources above
N/A		
List the closes discharge area.		y, and distance from closest Well Head Protection Area to th
Bull Run of th	e Ohio River	
	activities at your facility that are already regu	lated for groundwater protection.
	activities at your facility that are already regu	lated for groundwater protection.
. Summarize all	activities at your facility that are already regu	lated for groundwater protection.

WW-9- GPP Rev. 5/16 RECEIVED
Office of Oil and Gas

JUN 2 3 2025

WV Department of Environmental Protection

P	age	of
API Number 47 - 1	107	01775
Operator's Well No	. Buntin	44

FIMION	
N/A	
5. Provide a statement that no waste material will be used for deicing or fill material on the property.	
N/A	
7. Describe the groundwater protection instruction and training to be provided to the employees. Job procedu provide direction on how to prevent groundwater contamination.	ıres shall
N/A	
3. Provide provisions and frequency for inspections of all GPP elements and equipment.	
N/A	
Signature:	
Date:	

Date: 05/30/2025

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)-926-0450 RECEIVED
Office of Oil and Gas

JUN 2 3 2025

WV Department of Environmental Protection

Mr. Martin,

Due to our cement provider, Kosmos Cement Company LLC, discontinuing Class A cement, the following well we will be utilizing API Class L cement for the plugging operation.

API Number: 47-107-01775 Well Name: Bunting #4

Regards, Terry Rexroad R&R Well Service L.L.C.



#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

### BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM	)		
LEGISLATIVE RULE 35CSR4	)	ORDER NO.	2022-13
SECTION 14.1. AND LEGISLATIVE RULE	)		
35CSR8 SECTION 20.1,	)		
RELATING TO THE CEMENTING	)		
OF OIL AND GAS WELLS	)		

#### REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

#### FINDINGS OF FACT

- 1. On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

#### CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

#### ORDER


It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas



JUN 2 3 2025




WV Department of Environmental Protection

# West Virginia Department of Environmental Protection Office of Oil and Gas

# **WELL LOCATION FORM: GPS**

47 407 0477E		4
_{API:} 47-107-01775	WELL	NO.:4
FARM NAME: Bunting		
RESPONSIBLE PARTY NAME:		
COUNTY: Wood	DISTRICT	_: Union
QUADRANGLE: Willow Is		
SURFACE OWNER: Sterling		
ROYALTY OWNER: Unknown		
UTM GPS NORTHING: 4,353		
UTM GPS EASTING: $4\overline{68,21}$		_{EVATION:} 610.35'
preparing a new well location plat for above well. The Office of Oil and G the following requirements:  1. Datum: NAD 1983, Zone height above mean sea leterated above mean	e: 17 North, Coordinate Uvel (MSL) – meters.	ordinates that do not meet
	ime Differential X	
Mapping Grade GPS: Post	t Processed Differential _	
Rea	ll-Time Differential	<del>-</del>
4. Letter size copy of the t I the undersigned, hereby certify this belief and shows all the information prescribed by the Office of Oil and O	required by law and the re	of my knowledge and
Signature	Title	Date 08/01/2025



## 11/10/2016

#### **PLUGGING PERMIT CHECKLIST**

Plugg	ring Permit			
	, , , , , , , , , , , , , , , , , , ,	RECEIVED Office of Oil and Gas		
	WW-4B	JUN 2 3 2025		
	_ _ WW-4B signed by inspector	WV Department of Environmental Protection		
	_WW-4A			
	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL			
	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL			
	WW-9 PAGE 1 (NOTARIZED)			
	WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application			
	WW-9 GPP PAGE 1 and 2 if well effluent will be land applied			
	RECENT MYLAR PLAT OR WW-7			
	WELL RECORDS/COMPLETION REPORT			
	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED			
	_ MUST HAVE VALID BOND IN OPERATOR'S NAME			
	CHECK FOR \$100 IF PIT IS USED			

#### SURFACE OWNER WAIVER

JUN 2 3 2025

WV Department of Environmental Protection Operator's Well Number

Run	ting	4	
JULI	uiig	7	

#### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.
WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

#### **VOLUNTARY STATEMENT OF NO OBJECTION**

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I has objection to a permit being issued FOR EXECUTION BY A NATURETC.	on those materials.	e planned wor		se materials, and I have no ION BY A CORPORATION,
	Date	Name	· · · · · · · · · · · · · · · · · · ·	
Signature		$\mathbf{B}\mathbf{y}$		
		Its		Date
			Signature	08/01/2025

WW-4B

RECEIVED
Office of Oil and Gas

JUN 2 3 2025

WV Department of Environmental Protection

API No.	47-107-01775	
Farm Name	Bunting	
Well No.	Bunting 4	

## INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER
has examined this proposed plugging	or/ owner/ lessee/ of the coal under this well location work order. The undersigned has no objection to the work proposed to be well operator has complied with all applicable requirements of the We ulations.
Date:	<del> </del>
	Ву:
	Its



Kennedy, James P < james.p.kennedy@wv.gov>

## plugging permits issued 47110701773 01774 01775 01776 01777

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Wed, Jul 30, 2025 at 10:01 AM

To: April N Lawson <april.n.lawson@wv.gov>, "Southern Hydrocarbon Corp." <shydrocrbn@gmail.com>, dnohe@woodcountywv.com, Henry J Harmon <henry.j.harmon@wv.gov>

To whom it may concern, plugging permits issued for 47110701773 01774 01775 01776 01777

--

# James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas


601 57th Street, SE


Charleston, WV 25304

304-926-0499 ext. 45025

#### james.p.kennedy@wv.gov

#### 5 attachments





4710701776.pdf 2544K

4710701777.pdf 2235K

**4710701775.pdf** 2540K