



Company South Penn Oil Co.
 Address 411 7th Ave. Pittsburgh, Pa.
 Farm Archie Elliott
 Tract Acres 68³/₄ Lease No. 28480
 Well (Farm) No. 3-4 & 5 Serial No. _____
 Quadrangle Marietta (SW)
 County Wood
 District Union
 Engineer E. C. Tuller
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date Dec. 14, 1936 Scale 1 in = 400'

STATE OF WEST VIRGINIA
 Department of Mines
 OIL AND GAS DIVISION
 CHARLESON

WELL LOCATION MAP
 File No. W00-91-92-93 A

+ Denotes location of well on U. S. Topographic Maps, scale 1 to 62,500 latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

124

WELL RECORD

Permit No. WV-93-A

Oil or Gas Well OIL
(Kind)

Company SOUTH PINN OIL COMPANY
 Address C. of C. Bldg., Pittsburgh, Pa.
 Farm Archie Elliott Acres 68-3/4
 Location (waters) - - - -
 Well No. 5 Elev. 906.07
 District Union County Wood
 The surface of tract is owned in fee by N. S. Nowery
R. F. D. No. 2, Address Walker, W. Va.
 Mineral rights are owned by Archie M. Elliott
R # 3 Address Cincinnati, N.Y.
 Drilling commenced March 1, 1912
 Drilling completed March 18, 1912
 Date shot - - Depth of shot - -
 Open Flow /10ths Water in - - Inch
 /10ths Merc. in - - Inch
 Volume - - Cu. Ft.
 Rock Pressure - - lbs. - - hrs.
 Oil 10 bbls., 1st 24 hrs.
 Fresh water - feet - feet
 Salt water - feet - feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4	<u>170 (Pulled)</u>		
6 5/8	<u>1019 (Pulled)</u>		Depth set
5 3/16	<u>1166' 4"</u>		
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
<u>Wd. Cond.</u>	<u>12</u>		Perf. bottom

CASING CEMENTED - SIZE - No. FT. - Date -
 COAL WAS ENCOUNTERED AT - FEET - INCHES
- FEET - INCHES - FEET - INCHES
- FEET - INCHES - FEET - INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Cave			815	830			
Hole reduced 6"			1019				
Boulder			1114	1124			
Hole reduced 5-3/16"			1159				
Cow Run Sand			1165	1190			
					Oil	1188-1190	
Total Depth				1194			



