



New Location...   
 Drill Deeper.....   
 Abandonment.....

MAY 12 1936

#12	215 W
	3,42
#13	214 W
	3,38
#14	213 W
	3,26

Company C. E. Beardmore  
 Address 1003 Glendale Road Marietta, Ohio  
 Farm O.B. Rowell Hrs  
 Tract \_\_\_\_\_ Acres 104 1/2 Lease No. \_\_\_\_\_  
 Well (Farm) No. 13, 12, 14 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 828 790 907  
 Quadrangle Marietta  
 County Wood District Williams  
 Engineer Robert R. Anderson  
 Engineer's Registration No. 296  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date May 15, 36 Scale 1 in = 20 Poles

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP

FILE NO. ~~WOO-654-A-#14~~  
WOO-682-A-#12  
WOO-683-A-#13

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

~ Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

340

WELL RECORD

Permit No. 687A

Oil or Gas Well Oil  
(KIND)

Company C. E. Beardmore  
Address 1003 Glendale Rd., Marietta, O.  
Farm O. B. Rowell, heirs Acres 104 1/2  
Location (waters) Big Run  
Well No. 12 Elev. 828  
District Williams County Wood  
The surface of tract is owned in fee by O. B. Rowell  
Rt. 1, Williamstown Address W. Va.  
Mineral rights are owned by Same  
Address \_\_\_\_\_  
Drilling commenced About 1902  
Drilling completed No record  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4			
6 5/8			Depth set
5 3/16			
<del>8</del> 6 1/2	820	820	Perf. top
2		1220	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt sand			1200	1225	Oil	1210	



