



- New Location.
- Drill Deeper.
- Redrill
- Abandonment

Company WAYMAN HALL GAS CO.
 Address WEST HAMLIN, W.VA.
 Farm LOWER NOAH SHORT
 Tract _____ Acres 72.51 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 1128.60
 Quadrangle PINEVILLE - WC
 County WYO-MING District BAILEYSVILLE
 Engineer Sam A. Miriacci
 Engineer's Registration No. 2873
 File No. 66 Drawing No. _____
 Date APRIL 28, 1961 Scale 1" = 200'

CO: 109 PMT: 603
 Loc Disitized from OGIS 7.5' Mylar
 QUAD: 228 DATE: 25-MAY-90
 LAT: 37 37.5 Miles South: 2.79
 LONG: 81 42.5 Miles West : 0.36

WELL LOCATION MAP
 FILE NO. WYO-603-Revised
Plugged 11/03/1962
 + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 — Denotes one inch spaces on border line of original tracing.

5-0 81000



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 27

*will file
800-77-100-200*

Quadrangle Pineville

Permit No. WYO-603-REVISED

WELL RECORD

Oil or Gas Well DRY
(KIND)

Company WAYMAN HALL GAS COMPANY
Address BAILEYSVILLE, W.VA.
Farm LOWER NOAH SHORT Acres 72.51
Location (waters) GUAYNDOTTE RIVER
Well No. ONE Elev. 1116.60'
District BAILEYSVILLE County WYOMING
The surface of tract is owned in fee by Egar Danill,
Josephone Cook, et al Address Pineville, W.Va.
Mineral rights are owned by Same

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
18			
10		22	Size of
8 1/4		1352	
6 5/8		2332	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Emers Used			Perf. top
Shoe on 7" & 8"			Perf. bottom

Drilling commenced 6/11/61
Drilling completed 12/2/61 7 1374?
Date Shot 10/15/61 From 159 1/4' To 159 1/4' in Maxon Sand
With 300# Du Pont Gelatin (5" x 10')
Open Flow 890 /10ths Water in 1" Inch
/10ths Merc. in Inch
Volume 3365,000 Cu. Ft.

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
WELL ACIDIZED - 12/4/61, 500# Du Pont Gelatin
Shob from 3380 to 3424 3430' (Berea)
WELL FRACTURED - No increase

COAL WAS ENCOUNTERED AT 725 FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

RESULT AFTER TREATMENT

ROCK PRESSURE AFTER TREATMENT

Fresh Water 45 Feet Salt Water _____ Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Soil				25			
Slate			25	100	Fresh Water	45'	Hole full
Sand			100	137			
Slate			137	177			
Sand			177	197			
Slate			197	210			
Sand			210	221			
Slate			221	290			
Sand			290	372			
Slate			372	411			
Sand			411	660			
Slate			660	725			
Coal			725	728			
Slate & Shells			728	787			
Sand			787	1025			
Slate & Shells			1025	1058			
Sand			1058	1134			
Slate & Shells			1134	1141			
Sand			1141	1190			
Sand Shell Dark			1190	1271			
Red Rock			1271	1276			
Slate & Shells			1276	1305			
Red Rock			1305	1314			
Slate			1314	1389			
Sand			1389	1420			
Slate			1420	1560			
Sand			1560	1603			
Lime			1603	1655			
Red Rock			1655	1671			
				1710			



Formation	Color	Hard or Soft	Top <i>27</i>	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate & Shells			1710	1747			
Red Rock			1747	1780			
Lime			1780	1815			
Red Rock			1815	1870			
Slate & Shells			1870	1885			
Red Rock			1885	1900			
Slate & Shells			1900	1915			
Sand			1915	1925			
Lime			1925	1970			
Maxon Sand			1970	2083			
Red Rock			2083	2110			
Slate			2110	2123			
Pencil Cave			2123	2140			
Slate			2140	2150			
Black lime			2150	2165			
Slate & Shells			2165	2179			
Red Rock			2179	2196			
Black Lime			2196	2216			
Slate			2216	2250			
Sand			2250	2265			
Pencil Cave			2265	2300			
Black Lime			2300	2325			
Big Lime			2325	2800			
Keener Sand			2800	2810			
Red Engin Sand			2810	2910			
Weir Shells			2910	2960			
Slate & Shells			2960	3356			
Brown Shale			3356	3376			
Berea Grit			3376	3422			
Slate			3422	3432	T.D.		

Date....., 19.....

APPROVED....., Owner

By *[Signature]*
(Title)