

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, September 24, 2025 WELL WORK PLUGGING PERMIT Vertical Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re: Permit approval for Y & O COAL 75

47-109-00742-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Y & O COAL 75

Farm Name: WYOMING LAND CO.

U.S. WELL NUMBER: 47-109-00742-00-00

Date Issued: 9/24/2025

Vertical Plugging

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

WH-4B Rev. 2/01

1) Date June 25	, 20 <u>25</u> _
2)Operator's	DIGLAND COY O COAL 75
	47-109 -00742

Location: Elevation 2038.35	Watershed Nameh Fork of Cabin Creek
District Sub Fork	County <u>Wyerning</u> Quadrangle <u>McGrams 7.5</u>
Well Operator Oversified Production, LLC	7) Designated Agent Chris Veszey
Address 414 Summers Street Charleston, WV 25301	Address 414 Summers Street Charleston, WW 25301
	
Dil and Gas Inspector to be notified Name Cluster Porter	9) Plugging Contractor Name Next LVL Energy (Diversified Owned)
Address PO Box 181	Address 104 Helliport Loop Rd
VOOT 622 1 O DOY 101	
Holden, WV 25625	Bridgeport, WW 25330 manner of plugging this well is as follows:
Holden, WV 25625 Work Order: The work order for the	manner of plugging this well is as follows:
Holden, WV 25625 Work Order: The work order for the	manner of plugging this well is as follows:
Holden, WV 25625 Work Order: The work order for the	manner of plugging this well is as follows:
Holden, WV 25625 Work Order: The work order for the	manner of plugging this well is as foll

AUG 0 8 1175

Plugging Prognosis

API #: 47-109-00742 West Virginia, Wyoming County Lat/Long - 37.648638, -81.470023

Nearest ER: Raleigh General Emergency Room - 1710 Harper Rd, Beckley, WV 25801

Casing Schedule

13" @ 20' 9" - Cementing Information Unknown 10-3/4" @ 402' - Cemented w/ 120 sks - ETOC @ Surface using 12-1/4" O.H. & 1.18 yield 8-5/8" @ 1068' - Cemented w/ 70 sks - ETOC @ 477' using 10" O.H. & 1.18 yield 4-1/2" @ 1729' 8" - Cemented w/ 100 sks - ETOC @ 1212' using 7-7/8" O.H. & 1.18 yield 2-3/8" @ 1720' 5" - No Cementing or Packer Information TD @ 1730'

Original Completion: Ravencliff - 1646'-1687' - Frac'd w/ 21,000 gal H2O & 300 sks sand

Fresh Water: 25', 945' Salt Water: None Reported

Gas Shows: 1658'

Oil Shows: None Reported

- MUEABLE Coal: 10'-11' (Not Mineable), 95'-98', 215'-217', 270'-272', 603'-605', 903'-905', 1030'-1032'

Open Mine: None Reported

Elevation: 2033'

- 1. Notify Inspector Christian Porter @ 304-541-0079, 48 hrs prior to commencing operations.
- Check and record pressures on csg/tbg.
- Kill well as needed w/ fluid.
- 4. TOOH w/ any rods/tbg in well.
- Check TD w/ sandline/tbg.
- 6. Pump Gel between each plug.
- 7. TIH w/ tbg to 1720'. Kill well as needed with 6% bentonite gel and fill rat hole with gel. Pump at least 10 bbls gel. Pump 124 Class L/Class A cement plug from 1720 to 1596 / 44 7 (Bottomhole/Completion - Ravencliff Plug). Approximately 10 sks @ 1.14 yield. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- 8. Free point 4-1/2" csg. Cut and TOOH. Set 100' Class L/Class A cement plug across csg cut. 50' in/out of cut. TOOH w/ tbg to top of plug. Approximately 19 sks @ 1.14 yield. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed. Can be combined with 8-5/8" Csg Shoe, Coal, & Freshwater Plug if feasible.
- 9. TOOH w/ tbg to 1118'. Pump 265' Expanding Class L/Class A cement plug from 1118' to 853' (8-5/8" Csg Shoe, Coal, & Freshwater Plug). Approximately 84 sks @ 1.14 yield. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed. Can be combined with 4-1/2" Csg Cut Plug if feasible.
- 10. Free point 8-5/8" csg. Cut and TOOH. Set 100' Class L/Class A cement plug across csg cut. 50' in/out of cut. TOOH w/ tbg to top of plug. Approximately 40 sks @ 1.14 yield. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as

needed. Can be combined with Coal, 10-3/4" Csg, Coal, Freshwater, & Surface Plug if

- 11. TiH w/ tbg to 655'. Pump 100' Expanding Class L/Class A cement plug from 655' to 555' (Coal plug). Approximately 32 sks @ 1.14 yield. Do not omit any plugs listed below. Perforate as needed. Can be combined with 8-5/8" Csg Cut, 10-3/4" Csg Shoe, Coal, Freshwater, & Surface Plug if feasible.
- TOOH w/ tbg to 452'. Pump Expanding Class L/Class A cement plug from 452' to Surface (10-3/4" Csg Shoe, Coal, Fresh Water, & Surface Plug). Top off as needed. Perforate as needed.
- Reclaim location and well road to WV DEP specifications and erect P&A well monument.

AUG 0.8 7025

OG-10 Rev. - 9-71



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Division

PECEINED Jun 2: 1974

DELT. OF MINES

37-45 (7) 4-22 WELL RECORDS Rotary_ Oil Cable I Gas I & MOLL Quadrangle Wullens Recycling Comb. Water Flood Storage Permit No. WYO-742 Disposal (Kind) Company Ravencliffs Development Co Address Ravencliff, W. Va 25913 Caring and Cement fill up Used in Left Tubing Drilling in Well Cu. ft. (Skr.) ___ Ages 1132.52 Farm Wyording Land Co Location (waters) Old House Br. of March Fork Well No. 75 Elev. 20331 20-16 District Slab Fork County Tyoming 201 9" 201 9" The surface of tract is owned totale by_ 13-10" Roscoe C. Goode 10-3/4" 120.5ks Address McGrane, W. Va 25875 8 5/8 10681 - 10681 -70 " Mineral rights are owned by Westain Pocahontas Corp Address Huntington, W. Va Drilling Commenced December 20, 1973
Drilling Completed May 29, 1974 17291 8= 17291 8* 100 Ska 4 1/2 Initial open flow 29,200 cu. ft. bbls.

Final production 504,000 cu. ft. per day bbls. 2 - 3/8" Ups 17201 5" 17201 5" Well open ____ ___hrs. before test___ Well treatment details: Attach copy of cementing record. 30,000# of Sand, 21,000 gallons of Mater Frac job by Dowell on 6-6-74 water and auxiliaries. Coal was encountered at 10, 95, 215, 270, 603, 1903 & 1030 _ Inches Fresh water 25 & 945 Feet _ Salt Water Producing Sand Ravencliff 1646-1687

Formation Color	Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water	• Remarks
Surface		0	10		
Cogl		10	11		
Idme		11 25 98 145	25 98 115 115	HPW at 251	
Sand	Hard	25	95	THE ST.	
Coal		95	98		
Sand	Hard	Ro	11/5		
Slate		765	11.8		
Broken Sand	Hard	71.8	180		
Slate		148 180	215		
Coal		715	217		
Sand	Hard	Z15 Z17	270		AECEIVED and Gas
Coal		270	272		DECENTED GAS
Broken Sand		272	300		HL Oil and
Slate		300	312		Othice of Oil and AUG 0 8 2025
Sandy Lime		312	350		2002
Slate & Shells		350	1,72		08 100
croken Sand		350	112 1465		1110
Sand	Hard	465	564		, ot
Date		SAL	572		Multiply and
Sand	Hard	564 572 603	572 603 605		Euriconmental brotect
Coal		603	605		iv amental
Late	1	605	614		Environi
and	Hard	614	711		C.
roken Sand		721	755		

(over)

^{*} Indicates Electric Log tops in the remarks section.

Formation Color Hard	or Soft To	p Feet 9	Bottom Feet	Oil, Gas or Water * R	emarks
Sand White Coel Sand Slate Broken Sand	Earrd	755 903 905 945 959	903 905 945 959 1030	150: Water at 915:	
Coal Slate Broken Sand Slate Sand		1030 1032 1070 1090	1032 1070 1090 1107 1163	-	. *
Slate Slate Sroken Sand Slate Sand Broken Sand		1107 1163 1178 1260 1278 1340	1178 1260 1278 1340		
PRINCETON SAND White Slate Sandy Lime Slate Sandy Lime	Bard 3	1385 1130 1116	11,30 11,30 11,16 1563		g ^F
Sante White RAVENCLIFF SAND Line Slate	Seft 1	1563 1606 1630 1692	1606 1630 1692 170h 1718	Gam at 1658' - 8/1	Oth 1 TE
TOTAL ISS	1	718	1730		
					101
					HECEIVED
	,			, , , _{year}	AUG 0 8 2025
				., V Env	W Department Connental Protect
(t - **),					
		-		·	
					· · ·
					8

WW-4A Revised 6-07

1)	Date:	7/31/20	125		
2)	Operator's	Well Numb	per WYOMING	LAND C	O Y O COAL 75

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

	Surface Owi a) Name	ner(s) to be served: Zachary K. & Alison J. Whitte	5) (a) Coal Operator en Name	Not Currently Operated
	Address	PO Box 753	Address	The second of th
		Pineville, WV 24874		
(b) Name		(b) Coal Ow	ner(s) with Declaration
1	Address		Name	WPP, LLC
			Address	5260 Irwin Rd.
				Huntington, WV 25705
(c) Name	1	Name	
ž	Address		Address	
6) Ir	spector	Christian Porter	(c) Coal Less	see with Declaration
A	ddress	PO Box 181	Name	Maben Coal, LLC
		Holden, WV 25625	Address	250 W. Main St. Ste 1800
T	elephone	(304) 541-0079		Lexington, KY 40507

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

	Well Operator	Diversified Production, LLC	
OFFICIAL CEAL	By:	Chris Veazey	HECOVET,
OFFICIAL SEAL NOTARY PUBLIC	Its:	Director of Administration	the American
STATE OF WEST VIRGINIA	Address	414 Summers Street	200
Jeffrey Bush 1007 Henry St	}	Charleston, WV 25301	AUG 0 8 1025
Ravenswood, WV 26164	Telephone	304-590-7707	
My Commission Expires September 28, 2029	O: St		endings against
Subscribed and sworn before me th	nis Shda	y of July 2005	
	15.	Notary Public	

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficers wy.gov.

US POSTAGE AND FEES PAID 26301 C4000004 Fetall 4.0 OZFLAT 2023-06-25

no ineparation viv. Zeromental Protection

VNG 08 2025

aso tine lin to with **BECEINED**:

ZACHARY K & ALISON J WHITTEN PO BOX 753 PINEVILLE WV 24874-0753

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

Print Label | SimpleCertifiedMail.com

SURFACE OWNER WAIVER

Operator's Well Number

WYOMING LAND CO Y O COAL 75

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.
WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450 Thee of Oil and Gas

AUG 08 2025

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective:
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

objection to a permit being issued on the FOR EXECUTION BY A NATURAL PLETC.	ose materials.	pianned wo		aterials, and I have no
	Date	Name		
Signature		Ву		
		Its		<u>Date</u>
			Signature	Date



Euvironmental Protection Wy Jepannen 21

SSOS 80 DUA

SECEIVED GRE

PTIETED MAN TW

USPS CERTIFIED MAIL THE

լուցում ընդվերի իրկակականում երկիկորդին ույների հ

WPP LLC 175 IRWIN RD HUNTINGTON WV 25705-7922

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

92470000174

Print Label | SimpleCertifiedMail.com

M9 66:1 ,25/25/a

M9 70:S1 ,82\fE\7

Print Label | SimpleCertifiedtMail.com

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

USPS CERTIFIED MAIL™

¶···riddifidilbur-frishlibanbr-NiP-pa-til MABEN COAL LLC 250 W MAIN ST STE 1800 LEXINGTON KY 40507-1704

US POSTAGE PAID IM 2025-07-31 26301 CADDODON Retali 4.0 OZFLAT

Environmental Projection Wy thebaction

406 08 2025

Office of Oil and Ga

HECENED

WW-4B

API No.	4710900742
Farm Name	Wyoming Land Company
Well No.	WYOMING LAND CO Y O COAL 75

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
has examined this proposed plugging w	ork order. The undersigned has a ell operator has complied with a	/ of the coal under this well location to objection to the work proposed to be il applicable requirements of the West
Date:	By:	RECEIVED
	its	AUG 0 8 2025

WV Department of Environmental Protection



Date: 7/31/2025

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

API Number 4710900742

Well Name WYOMING LAND CO Y O COAL 75

Attached is the approved variance order for use of Class L cement.

Sincerely,

Diversified Energy Permitting Department





west visibility depositment of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 925-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM LEGISLATIVE RULE 35CSR4 SECTION 14.1. AND LEGISLATIVE RULE)	ORDER NO. 2022-13
39CSR8 SECTION 29.1, RELATING TO THE CEMENTING)	
OF OIL AND GAS WELLS)	RECEIVED Gos Office of Oil and Gos AUG 08 2025
REPORT OF TH	e off	in ileasuration

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L coment to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- On July 28, 2022, Diversified Ges & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L coment in place of API Class A content, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A coment and thereby satisfies the requirements of the West Virginia Code.
- Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a
 variance to Legislative Rule 35CSR\$ Section 20.1., for the use of API Class L cement in
 place of API Class A cement, relating to the plugging of horizontal wells.

Promoting a healthy environment.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas

ZAR 0.8 505c

WW-9 (5/16)

API Number	47 - 1	109		0074	2	
Operator's W			LAN	0 CO Y	O COAL	75


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLA	AN
Operator Name:Diversified Production, LLCOP Code	494524121
Watershed (HUC 10) Marsh Fork of Cabin Creek QuadrangleMcGraws 7.5	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Will a pit be used? Froduction fluid and cement returns.	Yes No V
Will a synthetic liner be used in the pit? Yes No If so, what ml.?_	ANY WELL EFFLUENT MUST
Proposed Disposal Method For Treated Pit Wastes: Land Application (if selected provide a completed form WW-9-GPP) * Underground Injection (UIC Permit Number 2D03902327 002 Reuse (at API Number Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain	BE CONTAINED IN TANKS
Will closed loop systembe used? If so, describe: N/A	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, of	etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/A	-n-cerver
Additives to be used in drilling medium? N/A	W 37 11 31 33 33
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A	AUG 0 8 2025
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)	N/A
-Landfill or offsite name/permit number? N/A	- Autorenental Statestina
Permittee shall provide written notice to the Office of Oil and Cas of any load of drill cuttings of West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and where it was properly disposed.	
I certify that I understand and agree to the terms and conditions of the GENERAL. We on April 1, 2016, by the Office of Oil and Gas of the West Virginia. Department of Environment provisions of the permit are enforceable by law. Violations of any term or condition of the gene or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with application form and all attachments thereto and that based on my inquiry of those individuals in the information. I believe that the information is true, accurate, and complete. I am aware the submitting false information, including the passibility of fine or imprisonment.	ntal Protection. I understand that the ral permit and/or other applicable law the information submitted on this mmediately responsible for obtaining
Company Official Signature	OFFICIAL SEAL NOTARY PUBLIC
Company Official (Typed Name) Chris Veazey	STATE OF WEST VIRGINIA Jeffrey Bush
Company Official Title Director of Administration	1007 Henry St Ravenswood, WV 28164 My Commission Expires September 28, 2025
This Comments	0.29 y Public
My commission expires Protect 28 2008	

--

roposed Revegetation Tre			
	street: Acres Disturbed ++	Preveg elation	při <u>1974</u>
Lime3	Tons/ecre arto correct	to pH6.5	
Festilizer type 10	0-20-20 or Equivalent		
Pertilizer amount	500	ibs/scre	
Mulch2		_Tons/acre	
		Seed Mixtures	
7	Temporary	Pe	ermanest
Seed Type	Ibs/acre	Seed Type	lbs/scre
d Fescue	40	Red Fescue	15
pilce	5	Alaida Clover	5
igual Rye	15		
ups(s) of road, location, ovided). If water from th W), and area in acres, (he pit will be land applied, pro of the land application area.	i application (unless engineered plans i rvide water volume, include dimension	nchding this info have b s (L, W, D) of the pit, an
aps(s) of med, location, ovided). If water from th , W), and area in acres, (he pit will be kind applied, pro	wife water volume, include dimension	nchding this info have b s (L, W, D) of the pit, an
rovided). If water from the ., W), and area in acres, o	he pit will be land applied, pro of the land application area.	wife water volume, include dimension	s (L, W, D) of the pit, an
aps(s) of med, location, ovided). If water from th W), and area in acres, on notocopied section of inv an Approved by:	ne ph will be kind applied, proof the land application area.	vile water volum, include dimension	s (L, W, D) of the pit, an
ups(s) of road, location, rvided). If water from th W), and area in acres, o otocopied section of inv in Approved by:	ne ph will be kind applied, proof the land application area.	wife water volume, include dimension	s (L, W, D) of the pit, an
ups(s) of road, location, rvided). If water from th W), and sees in scres, o otocopied section of inv n Approved by:	ne ph will be kind applied, proof the land application area.	vile water volum, include dimension	all, W, D) of the pit, and
ps(s) of road, location, rvided). If water from th W), and sees in acres, o ptocopied section of inv	ne ph will be kind applied, proof the land application area.	vile water volum, include dimension	CH, W, D) of the pit, and see of Office of Off
ups(s) of road, location, ovided). If water from th W), and sees in acres, o otocopied section of inv in Approved by:	ne ph will be kind applied, proof the land application area.	vile water volum, include dimension	all, W, D) of the pit, and





WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 4710900742	WELL NO.: WYOMING LAND CO Y O COAL 75
FARM NAME: Wyoming Land	
RESPONSIBLE PARTY NAME: Diver	
COUNTY: Wyoming	DISTRICT: Slab Fork
QUADRANGLE: McGraws 7.5'	
SURFACE OWNER: Zachary K. & A	lison J. Whitten
ROYALTY OWNER: Diamondback E	.&P, LLC
UTM GPS NORTHING: 4166964.59	
UTM GPS EASTING: 458474.19	GPS ELEVATION: 2038.35
above well. The Office of Oil and Gas will the following requirements:	gging permit or assigned API number on the not accept GPS coordinates that do not meet
 Datum: NAD 1983, Zone: 17 N height above mean sea level (M Accuracy to Datum – 3.05 mete Data Collection Method: Survey grade GPS: Post Processe 	HECEIVEL THE CONTROL OF THE CONTROL
Real-Time D	d Differential AUG 0.8
Mapping Grade GPS X: Post Proce	Constitution of the second
	Differential
I the undersigned, hereby certify this data is belief and shows all the information require prescribed by the Office of Oil and Gas.	

11/10/2016

PLUGGING PERMIT CHECKLIST 4710900742

Plugg	ing Permit			
	_ WW-4B			
	_ WW-4B signed by inspector			
	_ WW-4A			
	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGI MAIL	STERED	OR CERIT	ΓFΙED
\Box	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APP	LICATION	ON WAS S	ENT
\vdash	BY REGISTERED OR CERTIFIED MAIL			
	_ WW-9 PAGE 1 (NOTARIZED)			
	_ WW-9 PAGE 2 with attached drawing of road, location, pit and proposed are	a for la	and applic	ation
	WW-9 GPP PAGE 1 and 2 if well effluent will be land applied			
	_ RECENT MYLAR PLAT OR WW-7			
	_ WELL RECORDS/COMPLETION REPORT			
	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED			
	MUST HAVE VALID BOND IN OPERATOR'S NAME			
	CHECK FOR \$100 IF PIT IS USED			
			CUEIVE	

AUE ON MORE



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permit issued 4710900742

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Wed, Sep 24, 2025 at 9:14 AM

To: Nicholas Bumgardner <nbumgardner@dgoc.com>, Jeff A Propst <jeff.a.propst@wv.gov>, Jeffrey W McLaughlin <jeffrey.w.mclaughlin@wv.gov>, mecook2@assessor.state.wv.us

To whom it may concern, a plugging permit has been issued for 4710900742.

James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas

601 57th Street, SE

Charleston, WV 25304

304-926-0499 ext. 45025

james.p.kennedy@wv.gov



4710900742.pdf 2456K