

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, September 19, 2025 WELL WORK PLUGGING PERMIT Coal Bed Methane Well Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re:

Permit approval for 39C 47-109-01755-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 39C

Farm Name: POCAHONTAS LAND CORP.

U.S. WELL NUMBER: 47-109-01755-00-00

Coal Bed Methane Well Plugging
Date Issued: 9/19/2025

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

WW-4B Rev. 2/01

1) Date June 12	, 20 25
2)Operator's	
Well No. Pocah	ontas Land Corp 39C
3) API Well No.	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

) Loca		evation 1914.25'	Watershed Toney Fork
	Dis	strict Oceans	County Wyoming Quadrangle Pict Knob 7.5
) Well	Operator	Diversified Production, LLC	7) Designated Agent Chris Veazey
	Address	414 Summers Street Charleston, WV 25301	Address 414 Summers Street Charleston, WV 25301
			
Oil an	d Gas Insi	pector to be notified	9) Plugging Contractor Name Next LVL Energy (Diversified Owned)
		·-··	Address 104 Helliport Loop Rd
A	ddress PO	DOX TO I	Address
) Work	Hold	len, WV 25625	Bridgeport, WV 25330
) Work	Hold	len, WV 25625 The work order for the	Bridgeport, WV 25330
) Work	Hold	len, WV 25625 The work order for the	Bridgeport, WV 25330
) Work	Hold	len, WV 25625 The work order for the	Bridgeport, WW 25330 manner of plugging this well is as follows:

Plugging Prognosis

API#: 47-109-01755

West Virginia, Wyoming County Lat/Long - 37.737492, -81.572164

Nearest ER: Raleigh General Emergency Room - 1710 Harper Rd, Beckley, WV 25801

Casing Schedule

9-5/8" @ 32' – No Cementing Information
7" @ 467' – Cemented w/ 89 cu ft – ETOC @ Surface using 1.18 yield and 9" hole
4-1/2" @ 1575' – Cemented w/ 220 cu ft – ETOC @ Surface using 1.18 yield and 6-1/4" hole
2-3/8" @ 1470' – No Cementing or Packer Information
TD @ 1600'

Completion:

Poca 6 Coal — 1414'-1417' & 1420'-1423' — 9 Perfs & 9 Perfs — 500 gal 7.5% HCL, 132 bbl H2O Lower Fire Creek Coal & Fire Creek Sand — 1380'-1384' & 1358'-1366', & 1372'-1375' — 5 Perfs, 9 Perfs, & 4 Perfs — 250 gal 7.5% HCL, 256 bbl H2O, 26 sks 12/20 sand Lower Beckley Coal — 1296'-1304' — 17 Perfs — 250 gal 7.5% HCL, 284 bbl H2O, 40 sks 12/20 sand

Fresh Water: 200', 1300' Salt Water: None Reported Gas Shows: None Reported Oil Shows: None Reported

Coal: 153'-155', 180'-181' (Not Mineable Thickness), 195'-196' (Not Mineable Thickness), 306'-307' (Not

Mineable Thickness, 315'-317', 466'-469', 1298'-1304', 1379'-1382', 1414'-1422'

Open Mine: None Reported

Elevation: 1901'

- 1. Notify Inspector Christian Porter @ 304-541-0079, 48 hrs prior to commencing operations.
- 2. MIRU service rig and ancillary equipment.
- Check and record pressures on csg/tbg. Kill well as necessary with fresh water or brine water.
- 4. Check TD w/ sandline/tbg.
- TOOH w/ any rods and/or tbg in well.
- Pump 6% Bentonite gel between each plug.
- TIH w/ tbg to 1590', 10' above TD. Kill well as needed with 6% bentonite gel and fill rat hole with gel. Pump at least 10 bbls gel.
 Pump 344 Expanding Class L/Class A cement plug from 1590' to 1246' (4-1/2" Csg Shoe,
- Pump 344 Expanding Class L/Class A cement plug from 1590' to 1246' (4-1/2" Csg Shoe, Completion Poca 6, Lower Fire Creek Coal & Sand, Lower Beckley Coal & Freshwater Plug). Approximately 28 sks @ 1.14 yield. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- TOOH w/ tbg to 519'. Pump 519' Expanding Class L/Class A cement plug from 519' to Surface (Coal, 7" Csg Shoe, Freshwater, & Surface Plug). Approximately 42 sks @ 1.14 yield. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- 10. Reclaim location and well road to WVDEP specifications and erect P&A well monument.

RECEIVED
Office of Oil and Gas

AUG 08 2025

PERMIT #: 47-109-01755C

WELL#: 39C

DETAILS OF PERFORATIONS, FRACTURING, OR PHYSICAL CHANGE, ETC

Perforated from 1414' to 1417' with 9 holes and from 1420' to 1423' with 9 holes. Stage 1 Poca 6 Coal Breakdown with 500 gallons of 7 1/2% HCL acid and water. Treated with 132 bbls of water. ATR: 25 BPM ATP: 2500 psi ISIP: Screened out Lower Fire Creek Coal Perforated the L. Fire Creek Coal from 1380' to 1384' with 5 holes and the Fire Stage 2 Creek Sand from 1358' to 1366' with 9 holes and 1372' to 1375' with 4 holes. and Fire Creek Sand Breakdown with 250 gallons of 7 1/2% HCL acid and water. Treated with 256 bbls of water and 2600 lbs 12/20 sand. ATR: 25 BPM ATP: 2100 psi ISIP: Screened out Lower Beckley Coal Perforated from 1296' to 1304' with 17 holes. Breakdown with 250 gallons of Stage 3 71/2% HCL acid and water. Treated with 284 bbls of water and 4000 lbs of 12/20

> ISIP: Screened out ATR: 12 BPM

ATP: 3500 p si

Install pump jack and pump off water.

<u>FORMATIONS</u>	TOP	BOTTOM	<u>REMARKS</u>		
Sand & Shale	0	132			
Shale & Coals	132	214			
Sand	214	250			
Shale	250	280			
Sand	280	314			
Shale & Coals	314	393			
Sand	393	462			
Shale	462	570			
Sand	<i>57</i> 0	644			
Sand & Shale	644	855			
Sand	855	1100			
Sand & Shale	1100	1168			
Sand	1168	1232			
Shale	1232	1298			
Coal	1298	1304			
Shale	1304	1333			
Sand	1333	1379			
Coal	1379	1382			
Sand	1382	1414			
Coal & Shale	1414	1422			
Shale	1422	1486			RECEIVED
Sand	1486	1510		Office	of Oil and Gas
Sand & Shale	1510	1603	No shows reported		· · · · · · · · · · · · · · · · · · ·

AUG 08 2025

wy Jepanment or Environmental Protection

8750

State of West Virginia Division of Environmental Protection Reviewed_ Section of Oil and Gas

Well Operator's Report of Well Work

RECEIVED mattice of Oil and Gas

Farm name: POCAHONTAS LAND CORP

Operator Well No.: 39C

AUG 08 2025

LOCATION:

Elevation: 1,901.00 Quadrangle: MATHENY

нь papartment of Environmental Protection

|Fill Up|

County: WYOMING District: OCEANA Latitude: 4640 Feet South of 37 Deg. 45Min. 0 Sec. Longitude 8750 Feet West of 81 Deg. 32 Min. 30 Sec.

Size

Company: PENN VIRGINIA OIL AND GAS

999 EXEC. PARK BLVD., STE. 300 | Casing | Used in | Left KINGSPORT, TN 37660-0000

Tubing | Drilling | in Well | Cu. Ft.

Cement

Agent: HARRY JEWELL, III
Inspector: OFIE HELMICK
Permit Issued: 08/13/98
Well work Commenced: 10/01/98
Well work Completed: 11/17/98
Verbal Plugging
Permission granted on:
Rotary X Cable Rig
Total Depth (feet) 1600'
Fresh water depths (ft) Damp at 200'
and 1300*
Salt water depths (ft)
Is coal being mined in area (Y/N)? N

Coal Depths (ft): 153-155, 180-181, 195,196, 306-307, 315-317, 466-469

9 5/8"	32'	32'	0
7"	467'	467'	89
4½"	1575'	1575'	220
2 3/8"		1470'	
	 	<u> </u>	 <u> </u>

OPEN FLOW DATA

Pock 6 Coal, L Fire Creek Coal and Sand,

Producing formation	Pay 2011e depth (10)
Gas: Initial open flowMCF/d Oil	: Initial open flow Bbl/d
Final open flow Show MCF/d	Final open flow Bb1/d
Time of open flow between initial	and final tests Hours
Static rock Pressure N. A. psig (sur	face pressure) afterHours
	Down many double (ft)

and Beckley coal

Second producing formation Gas: Initial open flow____ Bbl/d ___MCF/d Final open flow _ Final open flow Hours Time of open flow between initial and final tests_ Static rock Pressure _____psig (surface pressure) after Hours

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

MECEIVEL Office of Oil & Gas Permitten

For: PENN VIRGINIA OIL AND GAS CORPORATION

MAY 28 1999

WV Civision of Property Property By:

09/19/2025

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

			METIT MC	ORK PERMIT	APPLICATION	<u> </u>		
1)	Well Ope	rator: PE	NN VIRGIN	NIA OIL &	GAS CORPORA	TION 3	7355 (6)463	_
2)		's Well N				3)	Elevation:1901	
4)	Well typ	e: (a) (Dil/	or Ga	s <u>x</u> /	A1090	1755C.	
		(b)]	If Gas:		n <u>x</u> / Underg p <u></u> /	round Stor		
5)	Proposed	l Target I	Formation	(s): Sewel	ll, Beckley, I	ire Creek,	Poca 6 & 4 Coals	_
6)	Proposed Total Depth: 1900 feet							
7)	Approxim	nate fresh	n water s	trata dep	ths: 1260	·		_
8)	Approxim	nate salt	water de	pths: N	/A			 -
9)	Approxim	nate coal	seam dep	ths: 50, 1	140, 180, 72	0, to be tr	eated 1300, 1350,	<u>1</u> 370
10)	Does lan	d contair	n coal se	ams tribu	tary to act	ive mine?	1410, 1530 Yes/ No_X	_/
11)	Proposed	l Well Wor	rk: Drill	& Complete a	a CBM well in	the coals l	isted above	
12)			;				- 000 ju 100 ju	
###TO 12		~		····	ING PROGRAM		JUL 28 1998	
TYPE			PECIFICAL	TONS	FOOTAGE I	NTERVALS	CEMENT	f
		Size_	Grade	Weight per ft.	For drilling		Pill up (cu. ft.)	59
Cond	uctor							25759
Fres	h Water	9 5/8	L.S.	26	80	80	30	-
Coal								_
Inte	rmediate			ļ				_
Produ	uction	4 1/2	M-65	9.5	1900	1900	200	-
Tubir	ng						Office of Oil and Ga	Ę.
Line	rs			<u></u>		<u>-</u>	Office of 011 2)
PACKI	ERS : Kin				<u> </u>			73
	Sizes Depths set Fryicomental Projection							
		F	or Office	of Oil a	nd Gas Use	Only		
1_1	Fee(s) paid: Well Work Permit Reclamation Fund WPCP							
<u> </u>	Plat WW-9 WW-2B Bond Type Agent							

Date:	
Operator's	Well Number Pocahontas Land Corp 39C

109

01755

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

3) API Well No.: 47 -

4)	Surface Owne	어떤 바로를 가게 되었다. 이번 사람들은 전에 가는 아이를 하면 있는데 이번 사람들이 되었다. 그 사고 그리고 있다. 그리고 그리고 있다. 그리고 있다. 그리고 있다. 그리고 있다. 그리고 있다.) Coal Operator	0 1 11 11 11 11 11 11
	(a) Name	Pocahontas Surface Interests, LLC c/o Pocahontas Royalties, LLC	Name	Rockwell Mining, LLC
	Address	PO Box 1517	Address	250 W. Main St. Suite 2000
		Bluefield, WV 24701	_	Lexington, KY 40507
	(b) Name		(b) Coal Own	ner(s) with Declaration
	Address		Name	Pocahontas Land, LLC
	,		Address	PO Box 1517
	,			Bluefield, WV 24701
	(c) Name		Name	
	Address		Address	
6)	Inspector	Christian Porter	(c) Coal Less	see with Declaration
	Address	PO Box 181	Name	Rockwell Mining, LLC
		Holden, WV 25625	Address	250 W. Main St. Suite 2000
	Telephone	(304) 541-0079	_	Lexington, KY 40507
	240°		-	

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

	Well Operator	Diversified Production, LLC
	By:	Chris Veazey
OFFICIAL SEAL NOTARY PUBLIC	Its:	Director of Administration
STATE OF WEST VIRGINIA	Address	414 Summers Street
Jeffrey Bush		Charleston, WV 25301
1007 Henry St Ravenswood, WV 26164	Telephone	304-590-7707
My Commission Expires September 28, 2028		

AUG U8 2025

RECEIVED

Subscribed and sworn before me this

day of

WV Department of Environmental Protection

Notary Public

My Commission Expires

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at deprivacyoffier@wv.gov.

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

BLUEFIELD WV 24701-1517 POCAHONTAS SURFACE INTEREST LLC C/O POCAHONTAS ROYALTIES LLC PO BOX 1517



Retail C4000004 25301 4.0 OZFLAT 2025-06-12 US POSTAGE AND FEES PAID **easypost** 0901000010736

Diversified Gas & Oil Corporation
Permitting Department
414 SUMMERS STREET
2ND. FLOOR
CHARLESTON WV 25301

PO BOX 1517 POCAHONTAS LAND LLC

BLUEFIELD WV 24701-1517

RECEIVED
Office of Oil and Gas

AUG 08 2025

WV department of Environmental Protection



Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

250 W MAIN ST STE 2000 14411444114114114141141411441144114411441144114411441144114411441144

LEXINGTON KY 40507-1718

RECEIVED
Office of Oil and Gas

AUG 08 2025

WV Cepartman cr Environmental Protection

25301 C4000004 Retail 4.0 OZFLAT US POSTAGE AND FEES PAID 2025-06-12 0901000010750

09/19/2025

API Number	47 -	109	_ 01755	
		100	ontas Land Corp 39C	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name: Diversified Production, LLC	OP Code	494524121
Watershed (HUC 10)Toney Fork	QuadranglePilot Knob 7.5'	
Do you anticipate using more than 5,000 bbls of water to con	aplete the proposed well work?	Yes No ✓
	Will a pit be used?	Yes No
If so, please describe anticipated pit waste:	n fluid and cement returns.	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.?_	20
Proposed Disposal Method For Treated Pit Wastes:		
	Number 2D03902327 002)
Off Site Disposal (Supply form WW-	-9 for disposal location)	
Will closed loop systembe used? If so, describe: N/A		RECEIVED
Drilling medium anticipated for this well (vertical and horizontal	l)? Air, freshwater, oil based, e	tc. N/A Office of Oil and Gas
-If oil based, what type? Synthetic, petroleum, etc. N/A	\	AUG 0 8 2025
Additives to be used in drilling medium? N/A		19410400
Drill cuttings disposal method? Leave in pit, landfill, removed o	ffsite, etc.N/A	WV Department of Environmental Protection
-If left in pit and plan to solidify what medium will be u	sed? (cement, lime, sawdust)	
-Landfill or offsite name/permit number? N/A		
Permittee shall provide written notice to the Office of Oil and Ga West Virginia solid waste facility. The notice shall be provided where it was properly disposed.		
I certify that I understand and agree to the terms and co on April 1, 2016, by the Office of Oil and Gas of the West Virgi provisions of the permit are enforceable by law. Violations of an or regulation can lead to enforcement action. I certify under penalty of law that I have personally application form and all attachments thereto and that, based on me the information, I believe that the information is true, accurate submitting false information, including the possibility of fine or Company Official Signature Company Official (Typed Name) Chris Veazey	inia Department of Environment by term or condition of the general examined and am familiar with my inquiry of those individuals in and complete. I am aware the	atal Protection. I understand that the ral permit and/or other applicable law the information submitted on this mediately responsible for obtaining the there are significant penalties for OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Jeffrey Bush
Company Official Title Director of Administration	No.	1007 Henry St Ravenswood, WV 28164
		My Commission Expires September 28, 2028
Subscribed and swom before me this 2 day of day of		025
Jeffry Ch		y Public
My commission expires 28	2025	

Lime 3	Tons/acre or to correct	to pH6.5	
	20-20 or Equivalent	· -	
Fertilizer amount		lbs/acre	
Mulch2		_Tons/acre	
		Seed Mixtures	
Т	emporary	Pe	rmanent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Jsike	5	Alside Clover	5
Annual Rye	15		
aps(s) of road, location, povided). If water from the W), and area in acres, o	pit will be land applied, pro	l application (unless engineered plans i ovide water volume, include dimension	ncluding this info have been s (L, W, D) of the pit, and dime
Maps(s) of road, location, provided). If water from the comparing the contract of the comparing the contract of the comparing the comparing the contract of the comparing the contract of the comparing the contract of the co	e pit will be land applied, pro f the land application area.	vide water volume, include dimension	ncluding this info have been s (L, W, D) of the pit, and dime
Plan Approved by:	e pit will be land applied, profit the land application area. olived 7.5' topographic sheet.	ovide water volume, include dimension	s (L, W, D) of the pri, and dime
Iaps(s) of road, location, provided). If water from the L, W), and area in acres, o hotocopied section of involunt Approved by:	e pit will be land applied, profithe land application area. olived 7.5' topographic sheet.	vide water volume, include dimension	s (L, W, D) of the pri, and dime
laps(s) of road, location, provided). If water from the water from	e pit will be land applied, profit the land application area. olived 7.5' topographic sheet.	ovide water volume, include dimension	s (L, W, D) of the pri, and dime
Maps(s) of road, location, provided). If water from the L, W), and area in acres, othotocopied section of involved by:	e pit will be land applied, profithe land application area. olived 7.5' topographic sheet.	ovide water volume, include dimension	s (L, W, D) of the pri, and dime
Maps(s) of road, location, provided). If water from the L, W), and area in acres, othotocopied section of involved by:	e pit will be land applied, profithe land application area. olived 7.5' topographic sheet.	ovide water volume, include dimension	s (L, W, D) of the pri, and dime
Iaps(s) of road, location, provided). If water from the L, W), and area in acres, o hotocopied section of involunt Approved by:	e pit will be land applied, profithe land application area. olived 7.5' topographic sheet.	ovide water volume, include dimension	t all Oil of the pit, and dime
Maps(s) of road, location, provided). If water from the L, W), and area in acres, o hotocopied section of involunt Approved by:	e pit will be land applied, profithe land application area. olived 7.5' topographic sheet.	ovide water volume, include dimension	A all Oil of the pit, and dime



Date: 6/12/2025

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

API Number 4710901755 Well Name Pocahontas Land Corp 39C

Attached is the approved variance order for use of Class L cement.

Sincerely,

Diversified Energy Permitting Department

RECEIVED Office of Oil and Gas

AUG 08 2025

WV Department of Environmental Protection



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM)	
LEGISLATIVE RULE 35CSR4)	ORDER NO. 2022-13
SECTION 14.1. AND LEGISLATIVE RULE)	-n/CF
35CSR8 SECTION 20.1,)	Office of Oil and Gos. BECEIVED
RELATING TO THE CEMENTING)	
OF OIL AND GAS WELLS)	AUG 08 2025
		vyv Department of Environmental Protectio

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a
 variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in
 place of API Class A cement, relating to the plugging of horizontal wells.

Promoting a healthy environment.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA


OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA


James Martin, Chief Office of Oil and Gas


RECEIVED
Office of Oil and Gas

AUG 08 2025

WV Department of Environmental Protection









West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

api: 4710901755	WELL NO.: Pocahontas Land Corp 39C
FARM NAME: Pocahontas Land	Corp.
RESPONSIBLE PARTY NAME: Diversifie	d Production, LLC
COUNTY: Wyoming	DISTRICT: Oceana
QUADRANGLE: Pilot Knob 7.5'	
SURFACE OWNER: Pocahontas Surface Inter	rests, LLC c/o Pocahontas Royalties, LLC
ROYALTY OWNER: Diversified ABS Pha	ase X, LLC
UTM GPS NORTHING: 4176830.34	
UTM GPS EASTING: 449602.07	GPS ELEVATION: 1914.25'
The Responsible Party named above has chosen preparing a new well location plat for a pluggin above well. The Office of Oil and Gas will not a the following requirements: 1. Datum: NAD 1983, Zone: 17 North, height above mean sea level (MSL). 2. Accuracy to Datum – 3.05 meters	g permit or assigned API number on the accept GPS coordinates that do not meet Coordinate Units: meters, Altitude:
3. Data Collection Method: Survey grade GPS: Post Processed Dir	fferential RECEIVED Office of Oil and Gas
Real-Time Differe	ential AUG 0 8 2025
Mapping Grade GPS X: Post Processed	Differential X WV Department of
Real-Time Diff	ferential Environmental Protection
4. Letter size copy of the topography I the undersigned, hereby certify this data is cor belief and shows all the information required by prescribed by the Office of Oil and Gas. Chris Veazey	rect to the best of my knowledge and

CHARLESTON BLUEPRINT 027153

SURFACE OWNER WAIVER

Operator's Well Number

Pocahontas Land Corp 39C

09/19/2025

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

			k described i	n these materials, and I have no
objection to a permit being issued of				TOTAL DIT A CORPORATION
FOR EXECUTION BY A NATURA	AL PERSON		FOR EX.	ECUTION BY A CORPORATION,
ETC.				RECEIVED
				Office of Oil and Gas
	Date	Name		
Signature		Ву		AUG 08 2025
· ·		Its		Date
			Signature	w bepartment of Environmental Protection Date

API No.	4710901755
Farm Name	Pocahontas Land Corp.
Well No.	Pocahontas Land Corp 39C

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
has examined this proposed plugging work ord	der. The undersign	see/ of the coal under this well location ned has no objection to the work proposed to be d with all applicable requirements of the West
Date:		
	By:	
	Its	
		RECEIVED Office of Oil and Gas
		AUG 08 2025
		WV Department of

Environmental Protection

11/10/2016

PLUGGING PERMIT CHECKLIST 4710901755

Pluggir	ng Permit
	WW-4B
\mathbf{H}	WW-4B signed by inspector
	WW-4A
1 1	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
\Box	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT
\vdash	BY REGISTERED OR CERTIFIED MAIL
블	WW-9 PAGE 1 (NOTARIZED)
\boxminus	WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application
\sqcup	WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
	RECENT MYLAR PLAT OR WW-7
븕	WELL RECORDS/COMPLETION REPORT
블	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
	MUST HAVE VALID BOND IN OPERATOR'S NAME
\perp	CHECK FOR \$100 IF PIT IS USED

RECEIVED
Office of Oil and Gas

AUG 08 2025

WV Department of Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued 4710901669 01755 01877

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Fri, Sep 19, 2025 at 2:37 PM

To: Nicholas Bumgardner <nbumgardner@dgoc.com>, Alvis C Porter <alvis.c.porter@wv.gov>, mecook2@assessor.state.wv.us

To whom it may concern, plugging permits have been issued for 4710901669 01755 01877.

--

James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas


601 57th Street, SE


Charleston, WV 25304

304-926-0499 ext. 45025

james.p.kennedy@wv.gov

3 attachments





4710901877.pdf 3112K