

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, September 17, 2025 WELL WORK PLUGGING PERMIT Coal Bed Methane Well Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re:

Permit approval for SLC-4 47-109-02094-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: SLC-4

Farm Name: CROUCH, R. C., ETAL

U.S. WELL NUMBER: 47-109-02094-00-00

Coal Bed Methane Well Plugging
Date Issued: 9/17/2025

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action</u>.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

WW-4B Rev. 2/01

1) Date July 9 , 20 25	
2)Operator's	_
Well No. Crouch R C ETAL SCL-4	
3) API Well No. 47-109 -02094	Τ

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

) Locatio		_			Watershed ut & Mo	
	Dis	trict _	Clear Fork	<u>-</u>	County Wyoming	Quadrangle Commun 7.5
Well Op	erator	Diversified	Production, LLC	<u>; </u>	7) Designated A	
7	ddress		ers Street WV 25301		Add:	cess 414 Summers Street Charleston, WV 25301
Oil and C	as Insp	ector t	o be noti	fied	9) Plugging Con Name Nex	tractor t LVL Energy (Diversified Owned)
	ess PO					104 Heiliport Loop Rd
•••		en, WV 2	5625			Bridgeport, WV 25330
			ched	r the man	nner of plugging	this well is as follows:
				r the man	nner of plugging	HECEIVEJ:
				r the man	nner of plugging	
				r the man	nner of plugging	RECEIVE의 Office of Oil and 당

Plugging Prognosis

API #: 47-109-02094

West Virginia, Wyoming County Lat/Long – 37.662576, -81.629763

Nearest ER: Logan Regional Medical Center - Emergency Room - 20 Hospital Dr, Logan, WV 25601

Casing Schedule

13-3/8" @ 31' – No Cementing Information 9-5/8" @ 130' – Cemented w/ 50 cu ft – ETOC @ Surface using 1.18 yield and 12-1/2" hole 4-1/2" @ 1256' – Cemented w/ 430 cu ft – ETOC @ Surface using 1.18 yield and 7-7/8" hole TD @ 1416'

Completion: Poca 5 Coal – 1064'-1067' – 12 Perfs – 250 gal 7.5% HCL, 130 bbl H2O, 13 sks 20/40 sand

Poca 6 Coal – 993'-996' – 12 Perfs – 250 gal 7.5% HCL, 212 bbl H2O, 48 sks 20/40 sand Beckley Coal – 825'-828' – 12 Perfs – 250 gal 7.5% HCL, 328 bbl H2O, 121 sks 20/40 sand

Fresh Water: 140'

Salt Water: None Reported Gas Shows: None Reported Oil Shows: None Reported


Coal: 236'-238', 290'-292', 825'-828', 945'-946' (Not Mineable Thickness), 988'-991', 1064'-1067'

Open Mine: None Reported

Elevation: 1456'

- Notify Inspector Christian Porter @ 304-541-0079, 48 hrs prior to commencing operations.
- 2. MIRU service rig and ancillary equipment.
- Check and record pressures on csg/tbg. Kill well as necessary with fresh water or brine water
- 4. Check TD w/ sandline/tbg.
- 5. TOOH w/ any rods and/or tbg in well.
- Pump 6% Bentonite gel between each plug.
- TIH w/ tbg to 1406', 10' above TD. Kill well as needed with 6% bentonite gel and fill rat hole with gel. Pump at least 20 bbls gel.
- TOOH w/ tbg to 1306'. Pump 531' Expanding Class L/Class A cement plug from 1306' to 775' (4-1/2" Csg Shoe & Completion Poca 5 Coal, Poca 6 Coal & Beckley Coal Plug).
 Approximately 54 sks @ 1.14 yield. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- 9. TOOH w/ tbg to 342'. Pump 342' Expanding Class L/Class A cement plug from 342' to Surface (Coal, 9-5/8" Csg Shoe & Surface Plug). Approximately 28 sks @ 1.14 yield. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
 - 10. Reclaim location and well road to WVDEP specifications and erect P&A well monument.

AF



TOWN BY THE BOX TANK

-1400

DATE: 01/01/1201 AP!#:: 4710902094C

State of West Virginia Division of Environmental Production Section of Oil and Gas

	rch, R.C., etai		<u> </u>	Operat	tor Well No.: SLC-	<u>4</u>
LOCATION: Ele	vation:	1456		Quadra	angle: Oceana	
	District: Clear Fo	rk		County: Wy	yoming	
	Latitude: 1550	Feet South of	37 Deg. 40	Min. 00	Sec.	
	Longitude: 1400	Feet West of	81 Deg. 3	7 Min. 30	Sec.	
Company:						
Penn Virginia Oi	il & Gas Corporatio	n .	Casing and Tubing	Used in drifting	Left in well	Cement fill up Cu. Ft.
Address: P.O). Box 387		13 3/8"	31'	31'	0
Duf	field, VA 24244		9 5/8*	130'	130'	50
Agent: Harry	Jeweli		4 1/2"	1256'	1256*	430
Inspector: O	fie Helmick					<u> </u>
Date Permit Is	ssued: 09/26/2001					
	rk Commenced: 10/					
	rk Completed: 11/	12/2001				
Verbal Pluggir						1
	ion granted on: Cable Rig					<u> </u>
Total Depth (f						
Fresh Water (_		Office of O	i R Gas
Damp @ 140'					Permit	ing
Salt Water De	opth (ft):				FE3 23	7 2832
is coel being r	mined in area (N/Y)?	N		 	WV Engel	eleniu (
Coal Depths (-	Environmen	7 1 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
See log	··y.					
oce via			ŀ			
OPEN F	LOW DATA		ı	ı	I	1
				_		
	ing formation Beckle				depth (ft)	·
	itial open flow	MCF/d	Oil: Initial open f		BbVd -	
	inal open flow Not 1		Final open flow	Bbl/d		
	ime of open flow bet			Hours		
Stanc R	ock pressure Not 1	<u>aken</u> psig (sunac	e pressure) anter	Hours	3	
Second	producing formation	า		Pay zone	e depth (ft)	RECEIVED
Gas: In	itial open flow	MCF/d	Oil: Initial open	flow	Bbl/d	ार्गाटe of Oil and Ga
F	inal open flow	MCF/d	Final open flow	Bbl/	<i>i</i> d	
•	ime of open flow bet	ween initial and fir	val tests:	Hours		AUG 08 2025
	***********	psia (surfac	e pressure) after	Hour	3	
	ock pressure					
Static n NOTE: Of INTERVA WHICH IS	N BACK OF THIS FO LS, FRACTURING O B A SYSTEMATIC D COUNTERED BY T	ORM PUT THE FO OR STIMULATING ETAILED GEOLO	, PHYSICAL CHA	NE, TEC. 2). TH	E WELL LOG	нециали (1995) Начинопичента (Protecti G

PERFORATIONS AND FRACTURING

Stage 1-Poca 5 Coal-Perforated from 1064' to 1067' with 12 holes. Breakdown with 250 gallons 7.5% HCL acid and water. Treated with 130 bbis water and 1300 lbs 20/40 sand. ISIP: 2100 psi. ATP: 3936 psi. ATR: 7.5 BPM.

Stage 2-Poca 6 Coal-Perforated from 993' to 996' with 12 holes. Breakdown with 250 gallons 7.5% HCL acid and water. Treated with 212 bbls water and 4800 ibs 20/40 sand. ISIP: 1208 psi. ATP: 3670 psi. ATR: 18 BPM.

Stage 3-Beckley Coal-Perforated from 825' to 828' with 12 holes. Breakdown with 250 gallons 7.5% HCL acid and water. Treated with 328 bbls water and 12100 lbs 20/40 sand. ISIP: 2760 psi. ATP: 3700 psi. ATR: 19 BPM.

FORMATIONS	IOP	BOTTOM	REMARKS
Sand	0	192	Coal @ 236-238, 290-292
Sand, shale & coal	192	488	
Sand	488	67 0	
Sand & shale	670	790	
Shale	790	825	
Beckley coal	825	828	
Shale	828	907	
Sand	907	945	
Lower Fire Creek Coal	945	946	
Sand & shale	946	988	
Pocahontas 6 Coal	988	991	
Sand	991	1064	
Pocahontas 5 Coal	1064	1067	
Sand & shale	1067	1120	*
Sand	1120	1310	
Shale	1310	1416	No shows reported

RECEIVED
Office of Oil and Gass

AUG 08 2025

WV Department of Environmental Protection

CASING AND TUBING PROGRAM

TYPE	SPECIFIC	CATIONS	F007	TAGE INTERV	ALS	CEMENT
·	Size	Grade	Weight per ft.	For Drilling	Left in Well	Fill-up (cu. fl.)
Conductor	95/8"	L.S,	عاد	30'	30	0
Fresh Water	7"	L,S.	17	150	150	25
Coal						
Intermediate						
Production	445.	M-65	9.5	1400'	1400'	145
Tubing						~~//
Liners						(GEX)

PACKERS:	Office of Oil & Gas SEP 10 2001 WV Department of Environmental Protection
For Office of Oil and Gas Use Only	•
Fee(s) paid: Well Work Permit Reclamation Fund Plat WW-9 WW-5B Bond (Type)	WPCP Agent

RECEIVED

Office of Oil and Gas

AUG 08 2025

Environmental Protection

) Date:	7/9/2025
) Dare.	

2) Operator's Well Number Crouch R C ETAL SCL-4

3) API Well No.: 47 -

109 - 02094

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

,	(a) Name	er(s) to be served: Letha M. Crouch, et al	5) (a) Coal Operator Name	Not Currently Operated	
	Address	PO Box 418	Address		
		Oceana, WV 24870			
	(b) Name		(b) Coal Own	ner(s) with Declaration	
	Address		Name	See Attached	
			Address		
	(c) Name		Name		
	Address	9	Address		
	Address				
6) I	nspector	Christian Porter	(c) Coal Less	see with Declaration	
250	Address	PO Box 181	Name	Rolling S Auguring, LLC	
		Holden, WV 25625	Address	119 Appalachian Dr.	
<i>r</i>	Геlерhone	(304) 541-0079		Beckley, WV 25801	

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

RECEIVED Well Operator Diversified Production, LL Chris Veazey By: OFFICIAL SEAL NOTARY PUBLIC Director of Administration Its: STATE OF WEST VIRGINIA 414 Summers Street Address Jeffrey Bush 1007 Henry St Charleston, WV 25301 Ravenswood, WV 26164 Telephone 304-590-7707 ssion Expires September 28, 2028

Subscribed and sworn before me this

day of July

My Commission Expires

Notary Public

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

API- 47-109-02094 Coal Owners

Robert D. Crouch PO Box 264

Lynco, WV 24857

Scott E. Hartzog 6 William Pine Tree Ln.

Lyndhurst, VA 22951

Judith H. Miles 812 Tinkerbell Rd.

Chapel Hill, NC 27517

Bobbie Jean Crouch PO Box 232

Lynco, WV 24857

I. Jean Eshelman 99 Brant Dr.

Marietta, OH 45750

Kenneth & Mary Hartzog 98 Mitchell Ln.

Staunton, VA 24401

RECEIVEL Office of Oil and Gre

AUG 08 2025

WV Department of Environmental Protection

: : |

OCEANA WV 24870-0418

RECEIVED

Office of Onland Hot

AUG 08 2025

wv Department Profession

2025-07-09
25301
C4000004
Retail
4.0 OZFLAT
0900000010795

09/19/2025

BECKLEY WV 25801-2201 ROLLING S AUGURING LLC 119 APPALACHIAN DR

USPS CERTIFIED MAIL C4000004 4.0 OZFLAT

25301 US POSTAGE PAID IMI 2025-07-09 **easypost** 0901000010741

ելիեկիֆենգեզգել|Պիդեսուֆիդիոլոեր||ել|ել|ել||Մ|||

BOBBIE JEAN CROUCH PO BOX 232

LYNCO WV 24857-0232

USPS CERTIFIED MAIL***

RECEIVED:

AUG 08 2025

ия стерыны с с Environmental Proteсьов

US POSTAGE PAID IMI

2025-07-09
25301
C-000004
Retail

4.0 OZFLAT

0901000010762

09/19/2025

I JEAN ESHELMAN 99 BRANT DR MARIETTA OH 45750-9482

25301 C4000004 2025-07-09 4.0 OZFLAT US POSTAGE PAID IM **e**asypost 0901000010768

RECEIVED
Office of Oil and Gas AUG 08 2025 The or or a parenting/elec-

09/19/2025

KENNETH & MARY HARTZOG 98 MITCHELL LN

STAUNTON VA 24401-5589



25301 C4000004 Retail 4.0 OZFLAT US POSTAGE PAID IMI 2025-07-09 **e**asypost 0001000010745

ERS STREET R ON WV 25301

USPS CERTIFIED MAIL**

CHAPEL HILL NC 27517-3016



09/19/2025

CHARLESTON WV 25301

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR

ROBERT D CROUCH

PO BOX 264

LYNCO WV 24857-0264

> C4000004 4.0 OZFLAT US POSTAGE PAID IMI 0901000010770

6 WILLIAM PINE TREE LN SCOTT E HARTZOG LYNDHURST VA 22952-2427



C4000004 25301 4.0 OZFLAT 2025-07-09 US POSTAGE PAID IMI 0901000010754

API Number	47 -	109	_ 02094
Operator's W	ell No	Crouch	R C FTAL SCI -4

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name: Diversified Production, LLC	OP Code	494524121
Watershed (HUC 10)UT of McDonald Mill Creek	QuadrangleOceana 7.5'	
Do you anticipate using more than 5,000 bbls of water to co	omplete the proposed well work?	Yes No ✓
	Will a pit be used?	Yes No
If so, please describe anticipated pit waste:	on fluid and cement returns.	
Will a synthetic liner be used in the pit? Yes		20
Proposed Disposal Method For Treated Pit Wastes:		
Land Application (if selected provid Wunderground Injection (UIC Permit Reuse (at API Number Off Site Disposal (Supply form WW Other (Explain	Number 2D03902327 002 V-9 for disposal location)	
Will closed loop system be used? If so, describe: N/A		
Drilling medium anticipated for this well (vertical and horizont	al)? Air, freshwater, oil based, e	DECEIVED
-If oil based, what type? Synthetic, petroleum, etc. N/	'A	Office of Oil and Gas
Additives to be used in drilling medium? N/A		AUG 0 8 2025
Drill cuttings disposal method? Leave in pit, landfill, removed	offsite, etc. N/A	
-If left in pit and plan to solidify what medium will be	used? (cement, lime, sawdust)	V/A VVV Department of Environmental Protection
-Landfill or offsite name/permit number? N/A		And the Comment of th
Permittee shall provide written notice to the Office of Oil and O West Virginia solid waste facility. The notice shall be provided where it was properly disposed.		
I certify that I understand and agree to the terms and on April 1, 2016, by the Office of Oil and Gas of the West Virg provisions of the permit are enforceable by law. Violations of a or regulation can lead to enforcement action. I certify under penalty of law that I have personally application form and all attachments thereto and that, based on the information, I believe that the information is true, accurat submitting false information, including the possibility of fine or	ginia Department of Environment any term or condition of the general examined and am familiar with my inquiry of those individuals in e, and complete. I am aware the	tal Protection. I understand that the ral permit and/or other applicable law the information submitted on this mediately responsible for obtaining
Company Official Signature	of William	OFFICIAL SEAL NOTARY PUBLIC
Company Official (Typed Name) Chris Veazey		STATE OF WEST VIRGINIA Jeffrey Bush
Company Official Title <u>Director of Administration</u>	A Committee of the Comm	1007 Henry St
		My Commission Expires September 28, 2028
Subscribed and sworn before me this 9th day of	<u>buly</u> , 20	025
Geffing Bush	Notar	y Public
My commission expires Soperal 28	2028	

Lime 3	Tons/acre or to correct to pH	6.5	
Fertilizer type 10	-20-20 or Equivalent		
Fertilizer amount		lbs/acre	
Mulch 2	Tons	/acre	
	Se	ed Mixtures	
Т	сетрогагу		Permanent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
U sike	5	Alside Clover	5
		·	
ttach: faps(s) of road, location, rovided). If water from th L, W), and area in acres, o	pit and proposed area for land applie pit will be land applied, provide of the land application area.	ication (unless engineered plar water volume, include dimensi	ns including this info have been ions (L, W, D) of the pit, and dimen
rovided). If water from th L, W), and area in acres, o	pit and proposed area for land apple e pit will be land applied, provide of the land application area.	ication (unless engineered plar water volume, include dimensi	ns including this info have been ions (L, W, D) of the pit, and dimen
Attach: Maps(s) of road, location, provided). If water from th L, W), and area in acres, or thotocopied section of inv	pit and proposed area for land applie pit will be land applied, provide of the land application area.	water volume, include dimens	ions (L, W, D) of the pit, and dimen
Attach: Maps(s) of road, location, rovided). If water from the complete in acres, of the complete section of inverse and approved by:	pit and proposed area for land applie pit will be land applied, provide of the land application area.	ication (unless engineered plan water volume, include dimensional	ions (L, W, D) of the pit, and dimen
Attach: Maps(s) of road, location, rovided). If water from the complete in acres, of the complete section of inverse and approved by:	pit and proposed area for land applie pit will be land applied, provide of the land application area.	water volume, include dimension	ions (L, W, D) of the pit, and dimen
Attach: Maps(s) of road, location, rovided). If water from the L., W), and area in acres, otherwise the complete section of investing the complete section of the complete sec	pit and proposed area for land applie pit will be land applied, provide of the land application area.	water volume, include dimension	ons (L, W, D) of the pit, and dimen
Attach: Maps(s) of road, location, rovided). If water from the L., W), and area in acres, otherwise the complete section of investing the complete section of the complete sec	pit and proposed area for land applie pit will be land applied, provide of the land application area.	water volume, include dimension	ions (L, W, D) of the pit, and dimen
Attach: Maps(s) of road, location, rovided). If water from the complete in acres, of the complete section of inverse and approved by:	pit and proposed area for land applie pit will be land applied, provide of the land application area.	water volume, include dimension	ons (L, W, D) of the pit, and dimen



Date: 7/9/2025

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

API Number 4710902094

Well Name Crouch R C ETAL SCL-4

Attached is the approved variance order for use of Class L cement.

Sincerely,

Diversified Energy Permitting Department

RECEIVED
Office of Oil and Gas

AUG 08 2025

WV Department of Environmental Protection



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM) LEGISLATIVE RULE 35CSR4)	ORDER NO. 2022-13
SECTION 14.1. AND LEGISLATIVE RULE	
35CSR8 SECTION 20.1,)	RECEIVED Office of Oil and GAS
RELATING TO THE CEMENTING)	Office of Oil and One
OF OIL AND GAS WELLS	AUG 0 8 2025
	WV Department of Environmental Profession

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

Promoting a healthy environment.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA


OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas

RECEIVED
Office of Oil and Gas

AUG 08 2025

WV Department of Environmental Protection










West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 4710902094	WELL NO.: _ Crouch R C ETAL SC	L-4_
FARM NAME: Crouch, Letha N	И. et al	 ::
RESPONSIBLE PARTY NAME: Diver	rsified Production, LLC	
COUNTY: Wyoming	DISTRICT: Clear Fork	
QUADRANGLE: Oceana 7.5'		
SURFACE OWNER: Letha M. Croud	ch, et al	
ROYALTY OWNER: I. Jean Eshelmar	n, Judith Miles, Donna Hoy, Letha Croucl	<u>h</u>
UTM GPS NORTHING: 4151396.07		
UTM GPS EASTING: 452318.92		_
1 1	hosen to submit GPS coordinates in lieu of ugging permit or assigned API number on t I not accept GPS coordinates that do not med	
height above mean sea level (M 2. Accuracy to Datum – 3.05 mete 3. Data Collection Method: Survey grade GPS: Post Processe	ters R	DECEIVED of Oil and Gas
Mapping Grade GPS X: Post Proce	· ———	Department of Inmental Protection
Real-Time	e Differential	Milleria
I the undersigned, hereby certify this data belief and shows all the information require prescribed by the Office of Oil and Gas.	raphy map showing the well location. is correct to the best of my knowledge and red by law and the regulations issued and Veazey - Director of Administration Title Date	ns



CHAPTESTER BUILDSING ASSESS

SURFACE OWNER WAIVER

Operator's Well Number

Crouch R C ETAL SCL-4

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:
RECEIVED

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Office of Oil and Gas

WV Department of Erivironmental Protection

<u>Time Limits and methods for filing comments</u>. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources:
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

		he planned wor	k described in these materials, and I l	nave no
objection to a permit being issued	on those materials.			
FOR EXECUTION BY A NATURAL PERSON ETC.			FOR EXECUTION BY A CORPORATION,	
	Date	Name _		
Signature		$\mathbf{B}\mathbf{y}$		
		Its	Da	te

Signature

API No. 4710902094

Farm Name Crouch, Letha M. et al

Well No. Crouch R C ETAL SCL-4

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
has examined this proposed plugging	ng work order. The undersigned has e well operator has complied with	/ of the coal under this well location no objection to the work proposed to be all applicable requirements of the West
Date:		Office of Oil and Ges
	Its	AUG 08 2025
		W. Department of Environmental Protection

PLUGGING PERMIT CHECKLIST 4710902094

Plugging Permit	
WW-4B ww-4B signed by inspector	
SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED O	R CERITFIED
COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION BY REGISTERED OR CERTIFIED MAIL WW-9 PAGE 1 (NOTARIZED)	WAS SENT
WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land WW-9 GPP PAGE 1 and 2 if well effluent will be land applied	application
RECENT MYLAR PLAT OR WW-7 WELL RECORDS/COMPLETION REPORT	
TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED MUST HAVE VALID BOND IN OPERATOR'S NAME	
CHECK FOR \$100 IF PIT IS USED	

Office of Oil and Gas

AUG 08 2025

WV Department of Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued 4710901883 02029 02094

1 message

Kennedy, James P <james.p.kennedy@wv.gov> Wed, Sep 17, 2025 at 11:33 AM To: Nicholas Bumgardner <nbumgardner@dgoc.com>, Alvis C Porter <alvis.c.porter@wv.gov>, mecook2@assessor.state.wv.us

To whom it may concern, plugging permits have been issued for 4710901883 02029 02094

--

James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas

601 57th Street, SE

Charleston, WV 25304

304-926-0499 ext. 45025

james.p.kennedy@wv.gov

3 attachments



