

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Thursday, September 22, 2022 WELL WORK PLUGGING PERMIT Coal Bed Methane Well Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re:

Permit approval for LCHC-006B

47-109-02395-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: LCHC-006B

Farm Name: POCAHONTAS LAND CORP

U.S. WELL NUMBER: 47-109-02395-00-00

Coal Bed Methane Well Plugging

Date Issued: 9/22/2022



PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date	April	26		1	2022	
2)Opera	ator'	S		-010		
Well	No.	_CHC-0	06B			
3)API V	Well	No.	47-109		- 02395	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PERM	MIT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas X _/ Liquid	d injection / Waste disposal /
		derground storage) Deep/ ShallowX
5)	Location: Elevation 2808.75 ft	Watershed Knob Fork of Clear Fork
	District Oceana	County Wyoming Quadrangle Arnett
61	Well Operator Diversified Production, LLC	7) Designated Agent Jeff Mast
0)	Address 414 Summers Street	Address 31 Hickory Drive
	Charleston, WV 25301	Barboursville, WV 25504
	Charleston, WV 20001	<u> </u>
8)	Oil and Gas Inspector to be notified	9) Plugging Contractor
	Name Gary Kennedy	Name R & J Well Services
	Address 66 Old Church Lane	Address P.O. Box 40
	Pipestem, WV 25979	Hueysville, KY 41640-0040
	See Atta	
		RECEIVED Office of Oil and Gas
		MAY 0 3 2022
		WV Department of Environmental Protection
Joti Jork	fication must be given to the district oi can commence.	l and gas inspector 24 hours before permitted
lork	order approved by inspector	Kewmed Date 4/28/22

Plugging Prognosis

API #: 4710902395

Casing Schedule:

20" @ 60' 13 3/8" @ 231' 9 5/8" @ 1005' CTS 7" @ 1723' CTS

TD listed as 1,927'

Estimated lateral from plat

- B Hole (109-02395)
 - 0 17,000' x 4.75" Hole ID = 2,092 Cu ft = 465 BBt w/ 125% excess 18,700' 2301 Cu FT = 512 BBL

Fresh Water: None listed Salt Water: None listed Gas Shows: None listed

MUST USE EXPANDING CENEUT

Oil Shows: None listed Coal: None listed Elevation: 2809'

- 1. Notify Inspector Gary Kennedy @ 304-382-8402, 48 hrs prior to commencing operations.
- 2. Record pressure on csg.
- 3. TOOH w/ rods and tbg.
- 4. Kill well with gel as needed. Then proceed to load wellbore with gel to a minimum of 125% capacity until wellbore is filled. 5(2 6%)
- 5. Proceed to load wellbore with bentonite pellets. Top is not to exceed 1773'
- 6. TIH w/ tbg to 1773'. Pump 100' C1A cement plug from 1773' to 1673' (7" csg shoe plug). Tag
- 7. TOOH w/ tbg to 1673'. Pump 6% bentonite gel spacer from 1673' to 1055'.
- 8. TOOH w/ tbg to 1055. Pump 100' C1A cement plug from 1055' to 955' (9 5/8" csg shoe plug)
- 9. TOOH w/tbg to 955'. Pump 6% bentonite gel spacer from 955' to 100'.
- 10. Confirm 7" csg is cemented to surface. If not TOOH w/ tbg. Free point csg and set plug 50' in/out of cut for total of 100'.
- 11. TOOH w/ tbg to 100'. Pump 100' C1A cement plug from 100' to surface

12. Reclaim site and set monument per WV DEP regulations.

RECEIVED
Office of Oil and Gas

MAY 03 2022

WV Department of Environmental Protection WR-35

DATE: 12/20/2005 API#:: 4710902395C

State of West Virginia Division of Environmental Production Section of Oil and Gas

m Name Pocahontas Land Corporation CATION: Elevation: 2809.72	-	7.	or Well No.: LCHC		
SATION. Eloration. 2000.72					
District: Oceana		County: Wy			
Latitude: 5049 Feet South of 37		Min. 30	Sec.		
Longitude: 2180 Feet West of 8	Deg. 27	Min. 30	Sec.		
mpany: on Virginia Oil & Gas Corporation	Casing and Tubing	Used in drilling	Left in well	Cement fill up Cu. Ft.	
Address: 2550 East Stone Drive, Suite 110	20"	60'	60'	0	
Kingsport, TN 37660	13 3/8"	231'	231'	0	
Agent: Harry Jewell	9 5/8*	1005"	1005	401 cu ft	CTS
Inspector: Ralph Triplett	7"	1723'	1723'	319 cu fl	CTS
Date Permit Issued: 06/01/2004					
Date Welf Work Commenced: 08112104					
Date Well Work Completed: 11/18/2004					
Verbal Plugging:				Ī	
Date Permission granted on:				100	
Rotary X Cable Rig Total Depth (feet): 1,927			-	1	
Fresh Water Depth (ft):				+	
NA					
Salt Water Depth (ft): NA					
Is coal being mined in area (N/Y)?					
Coal Depths (ft):		Ask			
				1	RECEIVED
OPEN FLOW DATA					Office of Oil and Gas
Producing formation Lower Beckley Coals		Pa	y zone depth (ft)		11111
	Oil: Initial open flov		Bbl/d		MAY 0 3 2022
	Final open flow	BbVd	•		
Time of open flow between initial and fina	I tests:	Hours			WV Department of
Static rock pressure psig (surface	e pressure) after	Hou	rs	E	nvironmental Protection
Second producing formation		Pay zone	e depth (ft)		1,000,011
Gas: Initial open flow MCF/d	Oil: Initial open flo	college many arrangement	Bbl/d		
Final open flow MCF/d	Final open flow	Bbl	/d		
Time of open flow between initial and fina	S. William S. St.	Hours			
Static rock pressurepsig (surface	pressure) after	Hou	rş		
NOTE: ON BACK OF THIS FORM PUT THE FOL INTERVALS, FRACTURING OR STIMULATING, WHICH IS A SYSTEMATIC DETAILED GEOLOG COAL ENCOUNTERED BY THE WELLBORE.	LOWING: 1). DET PHYSICAL CHAN ICAL RECORD O	AILS OF PERI E, TEC. 2). TH F ALL FORMA	FORATED HE WELL LOG TIONS, INCLUDIN	RECEIVED Office of Oil & C	10
11=1 (20))		1	JAN 232 W Departr	1 & 1

DETAILS OF PERFORATIONS, FRACTURING, OR PHYSICAL CHANGE, ETC.

PERMIT #.4710902395C WELL #: LCHC-006B

4710902395P




		Α.		
FORMATIONS	IOP	воттом	REMARKS	
Sandstone, Shale	0	1882.5		
Coal (Lower Beckley)	1882.5	1887		
Sandstone, Shale	1887	1927		

RECEIVED
Office of Oil and Gas

MAY 0 3 2022

WV Department of Environmental Protection





WW-4A Revised 6-07

1) Date: April 26, 202	22			
 Operator's Well Num LCHC-006B 	ber			
3) API Well No.: 47 -	109	_ ~	02395	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

(a) Name Address	P.O. Box 1517	Address	
Address	Bluefield, WV 24701		
(b) Name	•	(b) Coal Ow	rner(s) with Declaration
Address		Name	Pocahontas Royalties LLC
riduress	-	Address	P.O. Box 1517
			Bluefield, WV 24701
(c) Name		Name	
Address		Address	
Inspector	Gary Kennedy	(c) Coal Les	ssee with Declaration
Address	66 Old Church Lane	Name	Consol Mining Company LLC
	Pipestem, WV 25979	Address	CNX Center Suite 100, 1000 Consol Energy Drive
Telephone	304-382-8402		Cannonsburg, PA 15317

well its and the plugging work order; and

(2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Phyllis A. Copley 144 Willard Circle Hurricane, WV 25528 My Commission Expires September 16, 2623	Well Operator By: Its: Address	Diversified Production LLC Jeff Mast Director Technical Services 414 Summers Strret Charleston, WV 25301
	Telephone	304-543-6988

My Commission Expires


September 16, 2023

Notary Public

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

47-189-02395 LCHC-006B



WW-9 (5/16)

API Number	47 -	109	-	02395
Operator's W	ell No	. LCHC-	0	06B

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Diversified Production, LLC OP Code 494524121	- University of the Control of the C
Watershed (HUC 10) Knob Fork of Clear Fork Quadrangle Arnett	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No	o 🗸
Will a pit be used? Yes No No	
If so, please describe anticipated pit waste: Produced fluid and cement returns	
Will a synthetic liner be used in the pit? Yes Vo No If so, what ml.? 20	
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a completed form www-y-orr)	
Underground Injection (UIC Permit Number Twin Branch 47471511)
Reuse (at API NumberOff Site Disposal (Supply form WW-9 for disposal location))
Other (Explain	
Will closed loop systembe used? If so, describe: N/A	1 1100
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A	
-If oil based, what type? Synthetic, petroleum, etc. N/A	
Additives to be used in drilling medium? N/A	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A	
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A	
-Landfill or offsite name/permit number? N/A	
Permittee shall provide written notice to the Office of Oil and Cas of any load of drill cuttings or associated was West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee swhere it was properly disposed.	
Company Official Title Director recrimical Services	I understand that the prother applicable law ion submitted on this sponsible for o btaining gnificant penalties for OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Phyllis A. Copley 144 Willard Circle Hurricene, WV 25528 y Commission Expires September 18, 2023
Subscribed and sworn before me this day of of , 2022	Office of Oil and Gas
Phylis a Cipley Notary Public	MAY 0 3 2022
My commission expires September 16, 2023	WV Department of
	Environmental Protection

Proposed Revegetation Trea	tment: Acres Disturbed 1+	-/- Preveg etation p	H
Lime 3	Tons/acre or to correct	to pH 605	
Fertilizer type	10-20-20 or equival	lent	
Mulch_2		Tons/acre	
		Seed Mixtures	
Te	emporary	Perm	anent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Alsike	5	Alsike Clover	5
Annual Rye	15		
Maps(s) of road, location, provided). If water from the L, W), and area in acres, of	pit will be land applied, pro the land application area.	application (unless engineered plans incluvide water volume, include dimensions (L	
provided). If water from the L, W), and area in acres, of Photocopied section of invol	pit will be land applied, protente land application area. lved 7.5' topographic sheet.		, W, D) of the pit, and dimens
Maps(s) of road, location, provided). If water from the (L, W), and area in acres, of	pit will be land applied, protente land application area. Ived 7.5' topographic sheet. Huy Kewwes	vide water volume, include dimensions (L	, W, D) of the pit, and dimens
Maps(s) of road, location, piperovided). If water from the L, W), and area in acres, of Photocopied section of involved Approved by:	pit will be land applied, protente land application area. Ived 7.5' topographic sheet. Huy Kewwes	vide water volume, include dimensions (L	, W, D) of the pit, and dimens
Maps(s) of road, location, piperovided). If water from the L, W), and area in acres, of Photocopied section of invol	pit will be land applied, protente land application area. Ived 7.5' topographic sheet. Huy Kewwes	vide water volume, include dimensions (L	, W, D) of the pit, and dimens
Maps(s) of road, location, piperovided). If water from the L, W), and area in acres, of Photocopied section of invol	pit will be land applied, protente land application area. Ived 7.5' topographic sheet. Huy Kewwes	vide water volume, include dimensions (L	, W, D) of the pit, and dimens
Maps(s) of road, location, piperovided). If water from the L, W), and area in acres, of Photocopied section of invol	pit will be land applied, protente land application area. Ived 7.5' topographic sheet. Huy Kewwes	vide water volume, include dimensions (L	, W, D) of the pit, and dimens
Maps(s) of road, location, piperovided). If water from the L, W), and area in acres, of Photocopied section of invol	pit will be land applied, protente land application area. Ived 7.5' topographic sheet. Huy Kewwes	vide water volume, include dimensions (L	, W, D) of the pit, and dimens
Maps(s) of road, location, piperovided). If water from the L, W), and area in acres, of Photocopied section of invol	pit will be land applied, protente land application area. Ived 7.5' topographic sheet. Huy Kewwes	vide water volume, include dimensions (L	, W, D) of the pit, and dimens

WV Department of Environmental Protection



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

WEELLO	entiton rollin. or s		
_{API:} 4710902395	WELL NO.: 0	06 B	_
FARM NAME: Pocahontas	Land Corporation		_
RESPONSIBLE PARTY NAME:	Diversified Producti	on LLC	r
COUNTY: Wyoming	DISTRICT: Occ	eana	
QUADRANGLE: Arnett, W\	/		
SURFACE OWNER: Pocaho		st	
ROYALTY OWNER: Summit			_
UTM GPS NORTHING: 41812			•
UTM GPS EASTING: 459898		_{ION:} 2808.75'	L
The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and Gathe following requirements: 1. Datum: NAD 1983, Zone height above mean sea level 2. Accuracy to Datum – 3.03 3. Data Collection Method: Survey grade GPS: Post Pro-	r a plugging permit or assigned Ass will not accept GPS coordinates: 17 North, Coordinate Units: meyel (MSL) – meters. 5 meters	API number on the es that do not meet	
	me Differential X		RECEIVED
Mapping Grade GPS X : Post	Processed Differential		ffice of Oil and Gas MAY 03 2022
4. Letter size copy of the to I the undersigned, hereby certify this belief and shows all the information of prescribed by the Office of Oil and O	opography map showing the we data is correct to the best of my required by law and the regulation	ell location. knowledge and Envi	VV Department of ronmental Protection
Digitally signed by Austin Sutler Date: 2022.04.14 15:26:44 -04'00'	Sr. Proj. Manager	4/14/2022	_
Signature	Title	Date	

